



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41101005-005



Nov 05, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

85.848%

Total THC/Container : 429.240 mg



Total CBD

1.011%

Total CBD/Container : 5.055 mg



Total Cannabinoids

91.377%

Total Cannabinoids/Container : 456.885 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.785	0.072	1.011	ND	ND	3.318	ND	0.606	0.365	ND	0.220
mg/unit	428.93	0.36	5.06	ND	ND	16.59	ND	3.03	1.83	ND	1.10
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1089g

Extraction date:
11/04/24 09:53:12

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079726POT

Instrument Used : DA-LC-003

Analyzed Date : 11/05/24 10:41:08

Batch Date : 11/04/24 07:20:32

Dilution : 400

Reagent : 110424.R06; 073024.51; 101724.R03

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Pssn Frt

Passion Fruit

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41101005-005

Harvest/Lot ID: 3231028745282073

Batch# : 3231 0287 4528
2073

Sampled : 11/01/24

Ordered : 11/01/24

Sample Size Received : 15.5 gram

Total Amount : 1331 units

Completed : 11/05/24 Expires: 11/05/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.76	1.552		ISOPULEGOL	0.007	ND	ND	
LIMONENE	0.007	1.33	0.265		NEROL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.91	0.182		OCIMENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.75	0.150		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	0.67	0.134		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-PINENE	0.007	0.67	0.133		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	0.43	0.085		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-BISABOLOL	0.007	0.29	0.058		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-HUMULENE	0.007	0.28	0.055		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	0.27	0.054		3605, 585, 1440	0.2064g	11/03/24 10:54:17	4571.3605	
GAMMA-TERPINE	0.007	0.27	0.054		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FARNESENE	0.001	0.25	0.050		Analytical Batch : DA079699TER				
ALPHA-TERPINOLENE	0.007	0.24	0.047		Instrument Used : DA-GCMS-004				
CARYOPHYLLENE OXIDE	0.007	0.23	0.046		Analyzed Date : 11/05/24 12:25:54				Batch Date : 11/02/24 12:03:34
PULEGONE	0.007	0.22	0.043		Dilution : 10				
VALENCENE	0.007	0.19	0.038		Reagent : 090924.01				
GUAJOL	0.007	0.19	0.037		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
FENCHYL ALCOHOL	0.007	0.18	0.036		Pipette : DA-065				
SABINENE	0.007	0.17	0.033		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINENE	0.007	0.14	0.027						
CAMPHENE	0.007	0.13	0.025						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
Total (%)			1.552						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Pssn Frt

Passion Fruit

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41101005-005

Harvest/Lot ID: 3231028745282073

Batch# : 3231 0287 4528
2073

Sampled : 11/01/24

Ordered : 11/01/24

Sample Size Received : 15.5 gram

Total Amount : 1331 units

Completed : 11/05/24 Expires: 11/05/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 585, 1440	Weight: 0.2519g	Extraction date: 11/02/24 16:44:18	Extracted by: 4640,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079700PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/02/24 12:04:05	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/05/24 11:28:47					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 110224.R01; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 4640, 450, 585, 1440	Weight: 0.2519g	Extraction date: 11/02/24 16:44:18	Extracted by: 4640,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079702VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 11/02/24 12:05:38	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/05/24 11:26:18					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 110224.R01; 081023.01; 102824.R16; 102824.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Pssn Frt

Passion Fruit

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41101005-005

Harvest/Lot ID: 3231028745282073

Batch# : 3231 0287 4528
2073

Sampled : 11/01/24

Ordered : 11/01/24

Sample Size Received : 15.5 gram

Total Amount : 1331 units

Completed : 11/05/24 Expires: 11/05/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0255g

Extraction date:
11/04/24 15:23:52

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA079712SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 11/05/24 12:27:44

Batch Date : 11/02/24 14:34:39

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Pssn Frt

Passion Fruit

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41101005-005
Harvest/Lot ID: 3231028745282073

Batch# : 3231 0287 4528 Sample Size Received : 15.5 gram
2073 Total Amount : 1331 units
Sampled : 11/01/24 Completed : 11/05/24 Expires: 11/05/25
Ordered : 11/01/24 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED												
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	ECOLI SHIGELLA			Not Present	PASS													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	ANALYZED BY: 3621, 585, 1440	Weight: 0.2519g	Extraction date: 11/02/24 16:44:18	Extracted by: 4640,3379																				
Analyzed by: 4520, 585, 1440					Weight: 0.877g	Extraction date: 11/02/24 11:12:50					Extracted by: 4044,4520					Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analytical Batch : DA079681MIC					Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021					Batch Date : 11/02/24 08:43:50					Analytical Batch : DA079705MYC									
Analyzed Date : 11/05/24 12:24:13					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Instrument Used : N/A					Batch Date : 11/02/24 12:07:35				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Analyzed Date : 11/05/24 11:31:05				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Dilution : 250				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Reagent : 110224.R01; 081023.01				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Consumables : 240321-634-A; 20240202; 326250IW				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Pipette : N/A				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04; 092524.07; 092524.18; 100824.R30; 051624.05					Consumables : 7576003052					Pipette : N/A									
Pipette : N/A					Dilution : 10					Reagent : 092524.04																			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Pssn Frt
Passion Fruit
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41101005-005

Harvest/Lot ID: 3231028745282073

Batch# : 3231 0287 4528
2073

Sampled : 11/01/24
Ordered : 11/01/24

Sample Size Received : 15.5 gram

Total Amount : 1331 units

Completed : 11/05/24 Expires: 11/05/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/05/24 11:35:39	Extracted by: N/A
---------------------------------	---------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA079733FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 11/04/24 14:29:34

Analyzed Date : 11/04/24 16:05:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.474	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2303g	Extraction date: 11/03/24 14:20:54	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA079711WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 11/02/24 13:13:30

Analyzed Date : 11/04/24 13:43:36

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/05/24