



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41104004-002



Nov 07, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

22.708%

Total THC/Container : 3179.120 mg



Total CBD

0.049%

Total CBD/Container : 6.860 mg



Total Cannabinoids

27.033%

Total Cannabinoids/Container : 3784.620 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|---------|-------|-------|--------|-------|--------|-------|-------|-------|-------|
| % | 0.658 | 25.143 | ND | 0.057 | 0.030 | 0.085 | 1.003 | ND | ND | ND | 0.057 |
| mg/unit | 92.12 | 3520.02 | ND | 7.98 | 4.20 | 11.90 | 140.42 | ND | ND | ND | 7.98 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2109g

Extraction date:
11/05/24 11:12:36

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA079745POT

Instrument Used : DA-LC-002

Analyzed Date : 11/06/24 08:59:57

Batch Date : 11/05/24 08:58:02

Dilution : 400

Reagent : 110424.R05; 071624.04; 110424.R01

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41104004-002

Harvest/Lot ID: 9870 5839 3284 6784

Batch# : 9870 5839 3284

6784

Sampled : 11/04/24

Ordered : 11/04/24

Sample Size Received : 5 units

Total Amount : 972 units

Completed : 11/07/24 Expires: 11/07/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|-------|------------|--|--|-------------------|---------------|------------|
| TOTAL TERPENES | 0.007 | 179.34 | 1.281 | | ALPHA-BISABOLOL | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 41.02 | 0.293 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 39.06 | 0.279 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 23.66 | 0.169 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 14.84 | 0.106 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| GUAJOL | 0.007 | 14.28 | 0.102 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 12.88 | 0.092 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| OCIMENE | 0.007 | 10.36 | 0.074 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 7.14 | 0.051 | | Analyzed by: | Weight: | Extraction date: | Extracted by: | |
| ALPHA-TERPINEOL | 0.007 | 7.00 | 0.050 | | 4451, 3605, 585, 1440 | 1.0256g | 11/05/24 10:39:45 | 4451 | |
| BETA-PINENE | 0.007 | 5.60 | 0.040 | | Analysis Method : | SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | |
| ALPHA-PINENE | 0.007 | 3.50 | 0.025 | | Analytical Batch : | DA079751TER | | | |
| 3-CARENE | 0.007 | ND | ND | | Instrument Used : | DA-GCMS-008 | | | |
| BORNEOL | 0.013 | ND | ND | | Analyzed Date : | 11/06/24 09:22:05 | | | |
| CAMPHENE | 0.007 | ND | ND | | Dilution : | 10 | | | |
| CAMPHOR | 0.007 | ND | ND | | Reagent : | 090924.01 | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Consumables : | 947.109; 240321-634-A; 280670723; CE0123 | | | |
| CEDROL | 0.007 | ND | ND | | Pipette : | DA-065 | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| FARNESENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| VALENCENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 1.281 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41104004-002

Harvest/Lot ID: 9870 5839 3284 6784

Batch# : 9870 5839 3284
6784

Sampled : 11/04/24

Ordered : 11/04/24

Sample Size Received : 5 units

Total Amount : 972 units

Completed : 11/07/24 Expires: 11/07/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-----------------|------------------------------------|--------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | <0.050 | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | <0.050 | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3621, 585, 1440 | Weight: 1.1738g | Extraction date: 11/05/24 13:31:29 | Extracted by: 3621 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA079759PES | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PES) | | | Batch Date : 11/05/24 09:47:56 | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 11/06/24 12:45:30 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 103024.R37; 103024.R03; 110224.R01; 110124.R11; 102124.R08; 103024.R01; 081023.01 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 4640, 585, 1440 | Weight: 1.1738g | Extraction date: 11/05/24 13:31:29 | Extracted by: 3621 | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA079761VOL | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-011 | | | Batch Date : 11/05/24 09:54:43 | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Analyzed Date : 11/06/24 09:21:46 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Reagent : 110224.R01; 081023.01; 102824.R16; 102824.R17 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 240321-634-A; 20240202; 14725401 | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41104004-002

Harvest/Lot ID: 9870 5839 3284 6784

Batch# : 9870 5839 3284
6784

Sampled : 11/04/24

Ordered : 11/04/24



Sample Size Received : 5 units


Total Amount : 972 units

Completed : 11/07/24 Expires: 11/07/25

Sample Method : SOP.T.20.010

Page 4 of 5

|  | Microbial | | | | | PASSED | | | | |  | Mycotoxins | | | | | PASSED | | | | |
|--|-----------|----------------|------------------------------------|-------------|-------------------------|--|--|--|-----------------|------------------------------------|---|--------------------|--------------|------|------|--|--------|--|--|--|--|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | |
| ASPERGILLUS TERREUS | | | | Not Present | PASS | | AFLATOXIN B2 | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS NIGER | | | | Not Present | PASS | | AFLATOXIN B1 | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS FUMIGATUS | | | | Not Present | PASS | | OCHRATOXIN A | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | | |
| ASPERGILLUS FLAVUS | | | | Not Present | PASS | | AFLATOXIN G1 | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | | |
| SALMONELLA SPECIFIC GENE | | | | Not Present | PASS | | AFLATOXIN G2 | | | | 0.00 | ppm | ND | PASS | 0.02 | | | | | | |
| ECOLI SHIGELLA | | | | Not Present | PASS | | | | | | | | | | | | | | | | |
| TOTAL YEAST AND MOLD | | 10.00 | CFU/g | 980 | PASS | 100000 | Analyzed by: 3621, 585, 1440 | | Weight: 1.1738g | Extraction date: 11/05/24 13:31:29 | | Extracted by: 3621 | | | | | | | | | |
| Analyzed by: 4612, 4520, 585, 1440 | | Weight: 0.886g | Extraction date: 11/05/24 11:21:58 | | Extracted by: 4044,4612 | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | | Analytical Batch : DA079760MYC | | | | | | | | | | | | | | | |
| Analytical Batch : DA079735MIC | | | | | | Instrument Used : N/A | | | | | | | | | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) | | | | | | Batch Date : 11/05/24 09:54:41 | | | | | | | | | | | | | | | |
| DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 | | | | | | Analyzed Date : 11/06/24 12:43:44 | | | | | | | | | | | | | | | |
| Analyzed Date : 11/06/24 09:38:50 | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 10 | | | | | | Dilution : 250 | | | | | | | | | | | | | | | |
| Reagent : 092524.03; 100324.02; 100824.R30; 051624.05 | | | | | | Reagent : 103024.R37; 103024.R03; 110224.R01; 110124.R11; 102124.R08; 103024.R01; 081023.01 | | | | | | | | | | | | | | | |
| Consumables : 7576003020 | | | | | | Consumables : 326250IW | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 4612, 3390, 585, 1440 | | Weight: 0.886g | Extraction date: 11/05/24 11:21:58 | | Extracted by: 4044,4612 | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | | | | | | | | | | | |
| Analytical Batch : DA079736TYM | | | | | | Analytical Batch : DA079760MYC | | | | | | | | | | | | | | | |
| Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] | | | | | | Instrument Used : N/A | | | | | | | | | | | | | | | |
| Analyzed Date : 11/07/24 16:07:53 | | | | | | Batch Date : 11/05/24 09:54:41 | | | | | | | | | | | | | | | |
| Dilution : 10 | | | | | | Dilution : 250 | | | | | | | | | | | | | | | |
| Reagent : 092524.03; 100324.02; 082024.R18 | | | | | | Reagent : 103024.R37; 103024.R03; 110224.R01; 110124.R11; 102124.R08; 103024.R01; 081023.01 | | | | | | | | | | | | | | | |
| Consumables : N/A | | | | | | Consumables : 326250IW | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | Pipette : DA-093; DA-094; DA-219 | | | | | | | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | |

|  | Heavy Metals | | | | | PASSED | | | | |
|---|--------------|-----------------|------------------------------------|--------|--------------------|--------------|--|--|--|--|
| Metal | | LOD | Units | Result | Pass / Fail | Action Level | | | | |
| TOTAL CONTAMINANT LOAD METALS | | 0.08 | ppm | ND | PASS | 1.1 | | | | |
| ARSENIC | | 0.02 | ppm | <0.100 | PASS | 0.2 | | | | |
| CADMIUM | | 0.02 | ppm | ND | PASS | 0.2 | | | | |
| MERCURY | | 0.02 | ppm | ND | PASS | 0.2 | | | | |
| LEAD | | 0.02 | ppm | <0.100 | PASS | 0.5 | | | | |
| Analyzed by: 1022, 585, 1440 | | Weight: 0.2094g | Extraction date: 11/05/24 10:08:28 | | Extracted by: 4056 | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | | | | | | |
| Analytical Batch : DA079753HEA | | | | | | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | | | | | | |
| Batch Date : 11/05/24 09:38:50 | | | | | | | | | | |
| Analyzed Date : 11/06/24 10:12:49 | | | | | | | | | | |
| Dilution : 50 | | | | | | | | | | |
| Reagent : 101424.R01; 110424.R11; 110424.R08; 110424.R09; 110424.R10; 061724.01; 110424.R12 | | | | | | | | | | |
| Consumables : 179436; 20240202; 210508058 | | | | | | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/07/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Jkrz Cndy (S)
Jkrz Cndy (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41104004-002

Harvest/Lot ID: 9870 5839 3284 6784

Batch# : 9870 5839 3284
6784

Sampled : 11/04/24

Ordered : 11/04/24

Sample Size Received : 5 units

Total Amount : 972 units

Completed : 11/07/24 Expires: 11/07/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|---|---------------|---------------------------------------|-----------------------|------|--------------------------------|---|-------------------|---------------------------------------|-----------------------|------|--------------------------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 11.16 | PASS | 15 |
| Analyzed by: 1879, 585, 1440 | Weight: 1g | Extraction date: 11/06/24 15:15:54 | Extracted by: 1879 | | | Analyzed by: 4571, 585, 1440 | Weight: 0.502g | Extraction date: 11/05/24 14:16:05 | Extracted by: 4571 | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA079805FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/06/24 15:27:53 | | | | | Batch Date : 11/06/24 15:04:46 | Analysis Method : SOP.T.40.021 Analytical Batch : DA079767MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer Analyzed Date : 11/06/24 08:57:11 | | | | | Batch Date : 11/05/24 10:52:48 |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066 | | | | | |
| Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|-------------------|---------------------------------------|--------------------------------|------|--------------|
| Water Activity | 0.010 | aw | 0.510 | PASS | 0.65 |
| Analyzed by: 4571, 585, 1440 | Weight: 0.369g | Extraction date: 11/05/24 14:17:26 | Extracted by: 4571 | | |
| Analysis Method : SOP.T.40.019 | | | | | |
| Analytical Batch : DA079768WAT | | | | | |
| Instrument Used : DA-028 Rotronic Hygropalm | | | Batch Date : 11/05/24 10:56:26 | | |
| Analyzed Date : 11/06/24 08:59:34 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 051624.02 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/07/24