

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - ICC (I) ICC (I)



Matrix: Derivative Classification: High THC Type: Distillate

Production Method: Other - Not Listed **Certificate of Analysis** Harvest/I of ID: 4811 3617 7329 8827 Batch#: 4811 3617 7329 8827 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA41106003-005 Source Facility: FL - Indiantown (4430) Seed to Sale#: 7513781797051775 Harvest Date: 10/29/24 Sample Size Received: 31 units Total Amount: 1475 units Retail Product Size: 0.5 gram Servings: 1 Ordered: 11/06/24 Sampled: 11/06/24 Completed: 11/10/24 Sampling Method: SOP.T.20.010 Nov 10, 2024 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Hg 0 Mycotoxins Water Activity Microbials Terpenes Pesticides Heavy Metals Residuals Filth Moisture PASSED PASSED PASSED PASSED Solvents PASSED PASSED NOT **TESTED** TESTED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 84.087% .120% 89.736% Total THC/Container : 420.435 mg Total CBD/Container : 5.600 mg Total Cannabinoids/Container : 448.680 ma THCA CBGA тнсу CBC D9-THC CBD D8-THC CRG CBN CRDV 84.004 0.095 1.120 ND ND 3.081 ND 0.849 0.325 ND 0.262 420.02 0.48 5.60 ND ND 15.41 ND 4.25 1.63 ND 1.31 ma/unit LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 1440 Extraction date: 11/07/24 12:56:05 Extracted by: 3335 Weight: 0.1111q Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA079822POT Instrument Used : DA-LC-003 (Edibles) Batch Date : 11/07/24 09:47:18 Analyzed Date : 11/08/24 09:22:27 Dilution: 400

Reagent : 110424.R06; 071624.04; 101724.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/10/24



Kaycha Labs

Supply Vape Cartridge 500mg - ICC (I) ICC (I) Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41106003-005 Harvest/Lot ID: 4811 3617 7329 8827 Batch# : 4811 3617 7329 8827 Sampled : 11/06/24 Complet

Ordered : 11/06/24

29 8827 Sample Size Received : 31 units Total Amount : 1475 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	15.66	3.131		OCIMENE	0.007	ND	ND	
IMONENE	0.007	6.87	1.373		PULEGONE	0.007	ND	ND	
INALOOL	0.007	1.38	0.275		SABINENE	0.007	ND	ND	
LPHA-PINENE	0.007	1.21	0.242		SABINENE HYDRATE	0.007	ND	ND	
TA-PINENE	0.007	1.15	0.229		VALENCENE	0.007	ND	ND	
TA-CARYOPHYLLENE	0.007	1.03	0.206		ALPHA-CEDRENE	0.005	ND	ND	
LPHA-TERPINOLENE	0.007	0.43	0.086		CIS-NEROLIDOL	0.003	ND	ND	
AMPHENE	0.007	0.37	0.073		TRANS-NEROLIDOL	0.005	ND	ND	
ETA-MYRCENE	0.007	0.37	0.073		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
ENCHYL ALCOHOL	0.007	0.36	0.071		3605, 4451, 585, 1440	0.2176g		24 12:22:51	
PHA-HUMULENE	0.007	0.33	0.066		Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL			
ARNESENE	0.001	0.33	0.065		Analytical Batch : DA079837TER Instrument Used : DA-GCMS-004			Batah Da	te: 11/07/24 10:30:34
RNEOL	0.013	0.31	0.061		Analyzed Date : 11/08/24 09:22:29			Datch Da	ue:11/07/24:10.30.34
PHA-BISABOLOL	0.007	0.26	0.052		Dilution : 10				
LPHA-TERPINEOL	0.007	0.25	0.050		Reagent : 090924.01				
RYOPHYLLENE OXIDE	0.007	0.22	0.044		Consumables : 947.109; 240321-634-A; Pipette : DA-065	280670723; CE0123			
MPHOR	0.007	0.18	0.035						
AMMA-TERPINENE	0.007	0.18	0.035		rependid testing is performed utilizing Gas (unromatograpny Mass Spectr	ometry. For all	Hower sample	es, the Total Terpenes % is dry-weight corrected.
JAIOL	0.007	0.17	0.034						
PHA-PHELLANDRENE	0.007	0.16	0.031						
PHA-TERPINENE	0.007	0.15	0.030						
CARENE	0.007	ND	ND						
DROL	0.007	ND	ND						
JCALYPTOL	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
OPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
otal (%)			3.131						

Total (%)

3.131

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24



Kaycha Labs

Type: Distillate

Supply Vape Cartridge 500mg - ICC (I) ICC (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

(954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41106003-005 Harvest/Lot ID: 4811 3617 7329 8827 Batch#: 4811 3617 7329

8827 Sampled : 11/06/24 Ordered : 11/06/24

Sample Size Received : 31 units Total Amount : 1475 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 P

Pesticides

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
DTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
DTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		maa	3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm			
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	maa	0.1	PASS	ND
DSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND		0.010		0.15		ND
ILORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *				PASS	
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
AZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh		xtraction da	ta	Extract	od bu
IETHOATE	0.010	ppm	0.1	PASS	ND	3379, 3621, 585, 1440 0.2584		1/07/24 16:5		3379	eu by:
HOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville)	5)
OFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	, 50111150120	2.11 2 (Darie)	, 501111101201		
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA079817PES					
NHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date : 11/07/	/24 09:41:56	
NOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/08/24 11:02:50					
NPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 110624.R55; 081023.01					
PRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A: 20240202: 32625	50IW				
DNICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	0111				
UDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	a Liauid Chror	matography T	riple-Ouadrupo	le Mass Spectror	metrv in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.			1		. ,
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extrac	tion date:		Extracted	d by:
IDACLOPRID	0.010	ppm	0.4	PASS	ND	4640, 585, 1440 0.2584g	11/07/	24 16:55:25		3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville)	, SOP.T.30.15	51A.FL (Davie	e), SOP.T.40.15	51.FL	
ALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079819VOL		Detail D	- 11/07/24 00	. 44.41	
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010		Batch Date	e:11/07/24 09	1:44:41	
THIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/08/24 10:52:44					
THOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 110624.R55; 081023.01; 102824.R16	102824 017	7			
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 32625					
CLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	,	- 1			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24

PASSED

PASSED



Type: Distillate

Supply Vape Cartridge 500mg - ICC (I) ICC (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41106003-005

 Harvest/Lot ID: 4811 3617 7329
 8827

 Batch #: 4811 3617 7329
 Sample

 8827
 Total Ar

 Sampled: 11/06/24
 Complet

 Ordered: 11/06/24
 Sample

329 8827 Sample Size Received : 31 units Total Amount : 1475 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0214g	Extraction date: 11/08/24 12:06:26		E x 85	tracted by:
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA079858SOL nstrument Used : DA-GCMS-002 nalyzed Date : 11/08/24 14:36:05			Batch Date : 11/07/24 1	3:58:00	

Reagent : 030420.09 Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24

PASSED

PASSED



Supply Vape Cartridge 500mg - ICC (I) ICC (I) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

kaycha°

LABS

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41106003-005 Harvest/Lot ID: 4811 3617 7329 8827 Batch# : 4811 3617 7329 Sample

8827 Sampled : 11/06/24 Ordered : 11/06/24 Sample Size Received : 31 units Total Amount : 1475 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 5 of 6

Kaycha Labs

Type: Distillate

Ċ,	Microb	ial			PAS	SED	ڳ	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREIIS			Not Present		Level	AFLATOXIN B	2		0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present			AFLATOXIN B			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXIN	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN G	1		0.00	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN G	2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE TOTAL YEAS		10.0	0 CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 3621, 58	i, 1440	Weight 0.2584		n date:	5	Extractor 3379	ed by:
Analyzed by: 4520, 585, 144	Weight 0 0.8010		raction date: 07/24 09:40:5	8	Extracted by 4044,4520	/:			30.101.FL (Gair SOP.T.40.102.I		40.101.Fl	. (Gainesv	ille),	
Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL 4044,4520 Analytical Batch: DA079806MIC Batch Date: 11/07/24 Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems Batch Date: 11/07/24						11/07/24	Analytical Batcl Instrument Use Analyzed Date	n:DA0798 d:N/A	820MYC		atch Date	:11/07/2	4 09:45:3	6
2720 Thermoc DA-020,Fisher Scientific Isote	ycler DA-010,Fisher Scientific Isotemp I mp Heat Block (55 ³ : 11/08/24 10:23:01	r Scientific I Heat Block (*C) DA-021	sotemp Heat	Block (55*C)	07:53:16		Dilution : 250 Reagent : 1106 Consumables : Pipette : N/A		81023.01 34-A; 20240202	2; 326250IW				
ilution:10 eagent:0925 onsumables: ipette:N/A	524.08; 100324.09; 7576003026	100824.R3	0; 101624.12				Mycotoxins testi accordance with		Liquid Chromatog 4ER20-39.	graphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 1520, 3621, 58		Veight:).801g					Hg	Hea	avy Me	etals			PAS	SED
Analytical Batc	od:SOP.T.40.208 (0 h:DA079807TYM						Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Use DA-3821	ed : Incubator (25*C	C) DA- 328 [calibrated wit	:h Batch Da	ate: 11/07/24	4 07:54:3	TOTAL CONT	MINANT	LOAD METAL	.s 0.08	ppm	ND	PASS	1.1
	: 11/10/24 09:38:3	5					ARSENIC			0.02	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	524.08; 100324.09;	082024.R1	.8				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in						Analyzed by: 1022, 585, 1440)	Weight: 0.2874g	Extraction dat 11/07/24 11:3			xtracted k 022,4056	y:	
accordance with	F.S. Rule 64ER20-39.						Analysis Metho Analytical Batcl Instrument Use Analyzed Date	n:DA0798 d:DA-ICP	MS-004		h Date : 1	11/07/24 1	0:21:46	
							Dilution : 50	24 001. 1	10424 011, 110	0424 R08· 1104	24 P00- 1	10424 01	0.06172	1.01.

Reagent : 101424.R01; 110424.R11; 110424.R08; 110424.R09; 110424.R10; 061724.01; 110424.R12 Consumables : 179436; 20240202; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 500mg - ICC (I) ICC (I) Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41106003-005 Harvest/Lot ID: 4811 3617 7329 8827 Batch#: 4811 3617 7329 8827

Sampled : 11/06/24 Ordered : 11/06/24

Sample Size Received : 31 units Total Amount : 1475 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010



Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/07/24 12:29:41	Extracted by: 1879
		al Microscope Batch	Date : 11/07/24 11:58:46
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A		
	naterial inspection is perf cordance with F.S. Rule 6	ormed by visual inspection utiliz 4ER20-39.	ing naked eye and microscope
()	Water Ad	ctivity	PASSED

Analyte Water Activity	_	. OD).010	Units aw	Result 0.495	P/F PASS	Action Level 0.85		
Analyzed by: 4512, 585, 1440						Extracted by: 4512		
Analysis Method : SOP. Analytical Batch : DA07 Instrument Used : DA25 Analyzed Date : 11/08/2	9843WAT 57 Rotronic Hygi	roPalr	n	Batch Da	ate:11/07/2	24 11:26:58		
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24

PASSED

Page 6 of 6