

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

..... Good News Disposable Vape 500mg - Lmnde



Lemonade Matrix: Derivative Classification: High THC Type: Distillate Production Method: Other - Not Listed

СОМ		CE FO	te (R RETA 06003-010		۹na	lys	is	Cultivat Process	Harvest/Lo Bat tion Facility ing Facility Source Faci	ot ID: 2101 9 ch#: 2101 9 y: FL - India : FL - India ility: FL - India	ther - Not Listed 736 7776 2022 736 7776 2022 antown (4430) antown (4430) diantown (4430) 0615955677659
	IN THE STREET STRE	SUNNYSIDE DAATILOADD3-010 With Manager Statements With Manager Statements							Ret	le Size Rec Total Amo ail Product Ord Sam Compl	Date: 10/31/24 eived: 31 units unt: 1971 units Size: 0.5 gram Servings: 1 lered: 11/06/24 hpled: 11/06/24 leted: 11/10/24 d: SOP.T.20.010
22205 Sw N), 2024 Martin Hwy , FL, 34956, US	-	de		Sı	JNN	ysic	de*	® Page	es 1 of 6	PASSED
SAFETY R	ESULTS										MISC.
Pestici PASS	des Hea	Hg vy Metals ASSED	Microbials PASSED	Mycol PAS		Residuals Solvents PASSED	Filth PASSED		Activity SSED	Moisture	Terpenes TESTED
Ä	Cannab	oinoid									PASSED
	Total 80 Total T	THC 2949 HC/Container	% 401.470 mg		3 1.	al CBD 840%	,) : 9.200 mg		-)87	Cannabinoid 0479 nnabinoids/Cor	ls / ntainer : 435.235
% mg/unit LOD	^{D9-THC} 80.026 400.13 0.001 %	THCA 0.306 1.53 0.001 %	свр 1.840 9.20 0.001 %	CBDA ND ND 0.001 %	D8-тнс ND ND 0.001 %	свс 3.466 17.33 0.001 %	CBGA ND ND 0.001 %	CBN 1.070 5.35 0.001 %	тнсv 0.185 0.93 0.001 %	своу ND ND 0.001 %	свс 0.154 0.77 0.001 %
Analyzed by: 3335, 1665, 585				Weight: 0.118g		Extraction date: 11/07/24 12:56:05				Extracted by: 3335	
Analysis Method Analytical Batch Instrument Use	d: SOP.T.40.031, SC 1: DA079822POT d: DA-LC-003 (Edib) 11/08/24 09:22:54	es)		0.1109		11/07/24 12.30:0:		/07/24 09:47:18			

Diution : 400 Reagent : 110424.R06; 071624.04; 101724.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24



Good News Disposable Vape 500mg - Lmnde Lemonade Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41106003-010

 Harvest/Lot ID: 2101 9736 7776 2022

 Batch#: 2101 9736 7776
 Sample

 2022
 Total An

Sampled : 11/06/24 Ordered : 11/06/24 Sample Size Received : 31 units Total Amount : 1971 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	16.84	3.367		ISOPULEGOL	0.007	ND	ND	
IMONENE	0.007	7.48	1.496		PULEGONE	0.007	ND	ND	
INALOOL	0.007	1.13	0.225		SABINENE HYDRATE	0.007	ND	ND	
ETA-PINENE	0.007	1.04	0.208		VALENCENE	0.007	ND	ND	
AMMA-TERPINENE	0.007	1.02	0.203		ALPHA-CEDRENE	0.005	ND	ND	
ERANYL ACETATE	0.007	1.01	0.202		ALPHA-PHELLANDRENE	0.007	ND	ND	
LPHA-TERPINOLENE	0.007	0.91	0.182		CIS-NEROLIDOL	0.003	ND	ND	
ERANIOL	0.007	0.85	0.169		TRANS-NEROLIDOL	0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.44	0.088		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
ETA-MYRCENE	0.007	0.43	0.085		3605, 4451, 585, 1440	0.2226g		24 12:22:51	
LPHA-TERPINEOL	0.007	0.36	0.072		Analysis Method : SOP.T.30.061				
LPHA-PINENE	0.007	0.33	0.066		Analytical Batch : DA079837TER Instrument Used : DA-GCMS-004			Batah Da	te:11/07/24:10:30:34
ORNEOL	0.013	0.29	0.057		Analyzed Date : 11/08/24 09:22:			Datch Da	UE:11/07/2410.30.34
LPHA-BISABOLOL	0.007	0.24	0.048		Dilution : 10				
IEROL	0.007	0.20	0.039		Reagent : 090924.01				
LPHA-HUMULENE	0.007	0.19	0.037		Consumables : 947.109; 240321	-634-A; 280670723; CE0123			
LPHA-TERPINENE	0.007	0.19	0.037		Pipette : DA-065				
CIMENE	0.007	0.18	0.036		Terpenoid testing is performed utiliz	ing Gas Chromatography Mass Spectr	ometry. For all I	Hower sample	es, the Total Terpenes % is dry-weight corrected.
ENCHYL ALCOHOL	0.007	0.18	0.035						
-CARENE	0.007	0.16	0.031						
ABINENE	0.007	0.14	0.027						
AMPHENE	0.007	0.12	0.024						
AMPHOR	0.007	ND	ND						
ARYOPHYLLENE OXIDE	0.007	ND	ND						
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
ENCHONE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/10/24



Type: Distillate

. Good News Disposable Vape 500mg - Lmnde Lemonade Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41106003-010 Harvest/Lot ID: 2101 9736 7776 2022 Batch#: 2101 9736 7776

Sampled : 11/06/24 Ordered : 11/06/24

Sample Size Received : 31 units Total Amount : 1971 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

sticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
AMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
EPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
ENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
SCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010	ppm	0.5	PASS	ND					0.1	PASS	ND
RBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010				
LORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)) *	0.010		0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
IMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND		Weight:		traction date			
IETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 3621, 585, 1440	0.259a		./07/24 16:55:		Extract 3379	ea by:
IOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gai)
FENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	10001110,7,0001		211 2 (00010))	501111101202		//
DXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA079817PES						
HEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch	Date:11/07/2	24 09:41:56	
IOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/08/24 11:02:56						
PYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250						
RONIL	0.010	ppm	0.1	PASS	ND	Reagent : 110624.R55; 081023.01 Consumables : 240321-634-A: 2024020	12. 326250IW					
NICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A	2, 320230111					
DIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	d utilizina Liau	id Chron	natography Tri	ple-Quadrupol	e Mass Spectron	netry in
YTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
ZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weig	ght:	Extract	ion date:		Extracted	l by:
DACLOPRID	0.010	ppm	0.4	PASS	ND	4640, 585, 1440 0.25	9g	11/07/2	4 16:55:26		3379	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gai	nesville), SOP	T.30.15	1A.FL (Davie)	, SOP.T.40.15	1.FL	
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA079819VOL				11/07/24 00		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010 Analyzed Date : 11/08/24 10:52:47			Batch Date	11/07/24 09:	44:41	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 110624.R55; 081023.01; 102	824 R16· 1029	324 R17				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 2024020						
	0.010		0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218						
CLOBUTANIL												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/10/24



Type: Distillate

Good News Disposable Vape 500mg - Lmnde Lemonade Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com
 Sample : DA41106003-010

 Harvest/Lot ID: 2101 9736 7776 2022

 Batch# : 2101 9736 7776
 Sample

 2022
 Total Ar

 Sample: 11/06/24
 Complex

 Ordered : 11/06/24
 Sample

776 2022 Sample Size Received : 31 units Total Amount : 1971 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
CETONE	75.000	ppm	750	PASS	ND		
CETONITRILE	6.000	ppm	60	PASS	ND		
ENZENE	0.100	ppm	1	PASS	ND		
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
HLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	<200.000		
THYL ETHER	50.000	ppm	500	PASS	ND		
HYLENE OXIDE	0.500	ppm	5	PASS	ND		
EPTANE	500.000	ppm	5000	PASS	ND		
ETHANOL	25.000	ppm	250	PASS	ND		
HEXANE	25.000	ppm	250	PASS	ND		
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
OLUENE	15.000	ppm	150	PASS	ND		
OTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0299g	Extraction date: 11/08/24 12:06:26		Extracted by: 850			
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA079858SOL nstrument Used : DA-GCMS-002 nalyzed Date : 11/08/24 14:36:09	Batch Date : 11/07/24 13:58:00						

Reagent : 030420.09 Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24



Good News Disposable Vape 500mg - Lmnde Lemonade Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41106003-010 Harvest/Lot ID: 2101 9736 7776 2022 Batch# : 2101 9736 7776 Sample

2022 Sampled : 11/06/24 Ordered : 11/06/24 Sample Size Received : 31 units Total Amount : 1971 units Completed : 11/10/24 Expires: 11/10/25 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

Ċ,	Microb	ial			PAS	SED	လို့	Мус	otoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present		Level	AFLATOXIN I	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN I	31		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	SPERGILLUS FLAVUS Not Present PASS				AFLATOXIN	51		0.00	ppm	ND	PASS	0.02		
5ALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA TOTAL YEAST AND MOLD		10.00) CFU/g	Not Present <10		100000	Analyzed by: 3379, 3621, 58	5, 1440	Weight 0.259g		n date: 16:55:26	5	Extracte 3379	d by:
Analyzed by: Weight: Extraction date: Extracted by: Analysis Method : SOP.T.30.101.FL (Ga 4520, 585, 1440 0.834g 11/07/24 09:40:58 4044,4520 SOP.T.30.102.FL (Davie), SOP.T.40.102										40.101.FL	. (Gainesv	ille),		
nalytical Batc	od : SOP.T.40.056C, S h : DA079806MIC ed : PathogenDx Sca				Batch Date :	11/07/24	Analytical Bate Instrument Use Analyzed Date	h:DA079820 ed:N/A	МҮС		atch Date	:11/07/2	4 09:45:3	δ
A-020,Fisher cientific Isote	ycler DA-010,Fisher Scientific Isotemp H mp Heat Block (55*0 : 11/08/24 10:23:12	eat Block (07:53:16		Dilution : 250 Reagent : 1106 Consumables : Pipette : N/A			; 326250IW				
ilution:10 eagent:0925 onsumables: ipette:N/A	524.08; 100324.09; 2 7576003026	100824.R30	0; 101624.12				Mycotoxins test accordance wit	ing utilizing Liqu n F.S. Rule 64ER	uid Chromatog 20-39.	raphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 520, 3621, 58			Extraction da 11/07/24 09:4		Extracted 4044,452		Hg	Heav	у Ме	etals			PAS	SED
nalytical Batc	od : SOP.T.40.208 (G h : DA079807TYM				ate:11/07/2	4.07.54.21	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-3821	ed : Incubator (25*C)	DA- 320 [0	Landrated with	Batch Da	ite: 11/07/2	4 07.54.5.	TOTAL CONT	AMINANT LO	AD METAL	S 0.08	ppm	ND	PASS	1.1
nalyzed Date	: 11/10/24 09:38:38						ARSENIC			0.02	ppm	ND	PASS	0.2
ilution: 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	524.08; 100324.09; (082024.R18	8				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in							Analyzed by: 1022, 585, 144		/eight: .2949g	Extraction dat 11/07/24 11:2			xtracted b 022,4056	
ccordance with	F.S. Rule 64ER20-39.						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA079831 ed:DA-ICPMS-	HEA -004		:h Date :]	11/07/24 1	0:21:46	
							Dilution : 50 Reagent : 1014	24.R01: 1104	24.R11: 110)424.R08; 1104	24.R09: 1	10424.R1	0: 061724	4.01:

Reagent : 101424.R01; 110424.R11; 110424.R08; 110424.R09; 110424.R10; 061724.01; 110424.R12 Consumables : 179436; 20240202; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/10/24



Good News Disposable Vape 500mg - Lmnde Lemonade Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41106003-010 Harvest/Lot ID: 2101 9736 7776 2022 Batch# : 2101 9736 7776 2022 Sampled : 11/06/24 Completer

Ordered : 11/06/24

/76 2022
Sample Size Received : 31 units
Total Amount : 1971 units
Completed : 11/10/24 Expires: 11/10/25
Sample Method : SOP.T.20.010



 1879, 585, 1440
 1g
 11/07/24 12:29:41
 1879

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA079850FIL
 Instrument Used : Filth/Foreign Material Microscope
 Batch Date : 11/07/24 11:58:46

 Analyzed Date : 11/07/24 12:33:00
 Dilution : N/A
 Reagent : N/A
 Consumables : N/A

Consumables : N Pipette : N/A

-

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	DD U		Result 0.483	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.2572g		tion dat /24 17:5			tracted by:
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 11/08/	79843WAT 257 Rotronic Hygr	oPalm		Batch Dat	e: 11/07/2	24 11:26:58
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/10/24

PASSED

Page 6 of 6

Type: Distillate