



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41106003-016



**Production Method:** Cured  
**Harvest/Lot ID:** 8369 4467 6714 1276  
**Batch#:** 8369 4467 6714 1276  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 7178636270457435  
**Harvest Date:** 11/06/24  
**Sample Size Received:** 5 units  
**Total Amount:** 1057 units  
**Retail Product Size:** 7 gram  
**Servings:** 1  
**Ordered:** 11/06/24  
**Sampled:** 11/06/24  
**Completed:** 11/10/24  
**Revision Date:** 11/29/24  
**Sampling Method:** SOP.T.20.010

Nov 29, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**20.278%**

Total THC/Container : 1419.460 mg



**Total CBD**  
**0.054%**

Total CBD/Container : 3.780 mg



**Total Cannabinoids**  
**24.110%**

Total Cannabinoids/Container : 1687.700 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.369	22.702	ND	0.062	0.058	0.078	0.571	ND	ND	ND	0.270
mg/unit	25.83	1589.14	ND	4.34	4.06	5.46	39.97	ND	ND	ND	18.90
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.2001g

Extraction date:  
11/07/24 13:03:31

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA079824POT  
Instrument Used : DA-LC-001  
Analyzed Date : 11/09/24 08:00:19

Batch Date : 11/07/24 09:54:24

Dilution : 400  
Reagent : 110424.R04; 071624.04; 110424.R02  
Consumables : 947.109; 20240202; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

Analyte	LOD	Units	Pass/Fail	Result	Analyte	LOD	Units	Pass/Fail	Result
TOTAL THC PER CAPSULE	0.001	mg	TESTED	ND	TOTAL CBD PER CAPSULE	0.001	mg	TESTED	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
11/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41106003-016

Harvest/Lot ID: 8369 4467 6714 1276

Batch# : 8369 4467 6714 1276

Sampled : 11/06/24  
Ordered : 11/06/24

Sample Size Received : 5 units

Total Amount : 1057 units

Completed : 11/10/24 Expires: 11/29/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	100.94 1.442		SABINENE HYDRATE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	30.17 0.431		VALENCENE	0.007	ND ND	
LIMONENE	0.007	21.77 0.311		ALPHA-CEDRENE	0.005	ND ND	
BETA-MYRCENE	0.007	12.67 0.181		ALPHA-PHELLANDRENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	9.87 0.141		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	9.52 0.136		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-BISABOLOL	0.007	5.18 0.074		CIS-NEROLIDOL	0.003	ND ND	
BETA-PINENE	0.007	3.29 0.047		GAMMA-TERPINENE	0.007	ND ND	
ALPHA-PINENE	0.007	2.31 0.033		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 1.1301g	Extraction date: 11/07/24 12:22:13	Extracted by: 4451
FENCHYL ALCOHOL	0.007	2.24 0.032		Analytical Batch : DA079835TER			
ALPHA-TERPINEOL	0.007	2.24 0.032		Instrument Used : DA-GCMS-008			
TRANS-NEROLIDOL	0.005	1.68 0.024		Analyzed Date : 11/08/24 09:36:33			Batch Date : 11/07/24 10:29:17
3-CARENE	0.007	ND ND		Dilution : 10			
BORNEOL	0.013	ND ND		Reagent : 090924.01			
CAMPHENE	0.007	ND ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123			
CAMPHOR	0.007	ND ND		Pipette : DA-065			
CARYOPHYLLENE OXIDE	0.007	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
<b>Total (%)</b>		<b>1.442</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
11/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41106003-016  
Harvest/Lot ID: 8369 4467 6714 1276

Batch# : 8369 4467 6714 1276  
Sample Size Received : 5 units  
Total Amount : 1057 units  
Completed : 11/10/24 Expires: 11/29/25  
Ordered : 11/06/24  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.085	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.085	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 3621, 585, 1440	<b>Weight:</b> 1.0081g	<b>Extraction date:</b> 11/07/24 16:58:00	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA079814PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					<b>Batch Date :</b> 11/07/24 09:36:30
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 11/10/24 09:43:48					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 110624.R55; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 240321-634-A; 20240202; 326250W					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4640, 585, 1440	<b>Weight:</b> 1.0081g	<b>Extraction date:</b> 11/07/24 16:58:00	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA079815VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-011					<b>Batch Date :</b> 11/07/24 09:38:38
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 11/10/24 09:41:10					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 110624.R55; 081023.01; 102824.R16; 102824.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 240321-634-A; 20240202; 326250W; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
11/10/24



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

**Sample : DA41106003-016**

 Harvest/Lot ID: 8369 4467 6714 1276  
 Batch#: 8369 4467 6714 1276  
 Sample Size Received : 5 units  
 Total Amount : 1057 units  
 Completed : 11/10/24 Expires: 11/29/25  
 Sample Method : SOP.T.20.010  
 Ordered : 11/06/24

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	25000	PASS	100000

Analyzed by: 4520, 585, 1440      Weight: 0.863g      Extraction date: 11/07/24 09:40:59      Extracted by: 4044,4520  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA079806MIC  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021  
 Analyzed Date : 11/08/24 10:23:16  
 Dilution : 10  
 Reagent : 092524.08; 100324.09; 100824.R30; 101624.12  
 Consumables : 7576003026  
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 3621, 585, 1440      Weight: 1.0081g      Extraction date: 11/07/24 16:58:00      Extracted by: 3379  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA079816MYC  
 Instrument Used : N/A      Batch Date : 11/07/24 09:39:48  
 Analyzed Date : 11/08/24 09:24:28  
 Dilution : 250  
 Reagent : 110624.R55; 081023.01  
 Consumables : 240321-634-A; 20240202; 3262501W  
 Pipette : N/A  
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440      Weight: 0.2935g      Extraction date: 11/07/24 11:03:08      Extracted by: 1022,4056  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA079826HEA  
 Instrument Used : DA-ICPMS-004      Batch Date : 11/07/24 10:10:59  
 Analyzed Date : 11/08/24 09:23:43  
 Dilution : 50  
 Reagent : 101424.R01; 110424.R11; 110424.R08; 110424.R09; 110424.R10; 061724.01; 110424.R12  
 Consumables : 179436; 20240202; 210508058  
 Pipette : DA-061; DA-191; DA-216  
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



 Signature  
 11/10/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41106003-016  
Harvest/Lot ID: 8369 4467 6714 1276  
Batch# : 8369 4467 6714 1276  
Sample Size Received : 5 units  
Total Amount : 1057 units  
Sampled : 11/06/24  
Ordered : 11/06/24  
Completed : 11/10/24 Expires: 11/29/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.93	PASS	15
<b>Analyzed by:</b> 1879, 585, 1440 <b>Weight:</b> 1g <b>Extraction date:</b> 11/07/24 12:29:41 <b>Batch Date:</b> 11/07/24 11:58:46 <b>Analysis Method:</b> SOP.T.40.090 <b>Analytical Batch:</b> DA079850FIL <b>Instrument Used:</b> Filth/Foreign Material Microscope <b>Analyzed Date:</b> 11/07/24 12:32:51 <b>Dilution:</b> N/A <b>Reagent:</b> N/A <b>Consumables:</b> N/A <b>Pipette:</b> N/A						<b>Analyzed by:</b> 4512, 585, 1440 <b>Weight:</b> 0.5g <b>Extraction date:</b> 11/07/24 16:08:28 <b>Batch Date:</b> 11/07/24 10:30:34 <b>Analysis Method:</b> SOP.T.40.021 <b>Analytical Batch:</b> DA079836MOI <b>Instrument Used:</b> DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 Moisture Analyzer <b>Analyzed Date:</b> 11/08/24 09:27:04 <b>Dilution:</b> N/A <b>Reagent:</b> 092520.50; 020124.02 <b>Consumables:</b> N/A <b>Pipette:</b> DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.558	PASS	0.65
<b>Analyzed by:</b> 4512, 585, 1440 <b>Weight:</b> 0.749g <b>Extraction date:</b> 11/07/24 17:19:43 <b>Batch Date:</b> 11/07/24 10:48:22 <b>Analysis Method:</b> SOP.T.40.019 <b>Analytical Batch:</b> DA079839WAT <b>Instrument Used:</b> DA257 Rotronic HygroPalm <b>Analyzed Date:</b> 11/08/24 09:28:50 <b>Dilution:</b> N/A <b>Reagent:</b> 051624.02 <b>Consumables:</b> PS-14 <b>Pipette:</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/10/24