



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41108013-016



Nov 12, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

19.091%

Total THC/Container : 2672.740 mg



Total CBD

0.064%

Total CBD/Container : 8.960 mg



Total Cannabinoids

22.577%

Total Cannabinoids/Container : 3160.780 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBD	CBGA	CBN	THCV	CBDV	CBC
%	0.464	21.240	ND	0.074	ND	0.074	0.518	ND	ND	ND	0.207
mg/unit	64.96	2973.60	ND	10.36	ND	10.36	72.52	ND	ND	ND	28.98
LOD	0.001	0.001	ND	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2047g

Extraction date:
11/11/24 11:46:52

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA079973POT
Instrument Used : DA-LC-001
Analyzed Date : 11/12/24 10:24:23

Batch Date : 11/11/24 08:12:08

Dilution : 400
Reagent : N/A
Consumables : N/A
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
11/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)

Sr Apls Bnanas (S)

Matrix : Flower

Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41108013-016

Harvest/Lot ID: 6966 2678 0772 2717

Batch# : 6966 2678 0772
2717

Sampled : 11/08/24

Ordered : 11/08/24

Sample Size Received : 3 units

Total Amount : 500 units

Completed : 11/12/24 Expires: 11/12/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	152.04	1.086		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	38.36	0.274		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	34.72	0.248		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	22.96	0.164		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	14.28	0.102		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	13.44	0.096		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	7.98	0.057		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	5.74	0.041		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.06	0.029		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	3.92	0.028		4451, 3605, 585, 1440	1.1847g	11/09/24 15:12:30	4451	
ALPHA-TERPINEOL	0.007	3.92	0.028		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.005	2.66	0.019		Analytical Batch : DA079918TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-004		Batch Date : 11/09/24 09:59:33		
BORNEOL	0.013	ND	ND		Analyzed Date : 11/12/24 10:24:27				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 090924.01				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			1.086						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/12/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA41108013-016

Harvest/Lot ID: 6966 2678 0772 2717

 Batch# : 6966 2678 0772
 2717

 Sampled : 11/08/24
 Ordered : 11/08/24


Sample Size Received : 3 units

Total Amount : 500 units

Completed : 11/12/24 Expires: 11/12/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.091	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.091	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 1.0011gExtraction date: 11/10/24 07:06:58Extracted by: 4640,3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA079914PES</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 11/09/24 09:49:31</div> <div>Analyzed Date : 11/12/24 13:19:15</div> <div>Dilution : 250</div> <div>Reagent : 110924.R01; 081023.01</div> <div>Consumables : 240321-634-A; 20240202; 326250IW</div> <div>Pipette : N/A</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> <div>Analyzed by: 4640, 450, 585, 1440Weight: 1.0011gExtraction date: 11/10/24 07:06:58Extracted by: 4640,3379</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch : DA079915VOL</div> <div>Instrument Used : DA-GCMS-010Batch Date : 11/09/24 09:54:34</div> <div>Analyzed Date : 11/12/24 09:56:54</div> <div>Dilution : 250</div> <div>Reagent : 110924.R01; 081023.01; 102824.R16; 102824.R17</div> <div>Consumables : 240321-634-A; 20240202; 326250IW; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)
Sr Apls Bnanas (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41108013-016

Harvest/Lot ID: 6966 2678 0772 2717

Batch# : 6966 2678 0772
2717

Sampled : 11/08/24
Ordered : 11/08/24



Sample Size Received : 3 units

Total Amount : 500 units

Completed : 11/12/24 Expires: 11/12/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED		
Analyte	LOD	Units	Result	Pass / Fail	Action Level		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10.00	CFU/g	35000	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 092524.30; 100324.12; 103024.R39; 101624.12							
Consumables : 7575004042							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.18g	Extraction date: 11/09/24 11:18:42	Extracted by: 4044				
Analytical Batch : DA079907MIC							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367							
Analysis Date : 11/12/24 12:05:34							
Dilution : 10							
Reagent : 0925							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Sr Apls Bnanas (S)
Sr Apls Bnanas (S)
Matrix : Flower
Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41108013-016

Harvest/Lot ID: 6966 2678 0772 2717

Batch# : 6966 2678 0772
2717

Sampled : 11/08/24
Ordered : 11/08/24

Sample Size Received : 3 units

Total Amount : 500 units

Completed : 11/12/24 Expires: 11/12/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.85	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/11/24 12:07:21			Extracted by: 585	Analyzed by: 4512, 585, 1440	Weight: 0.507g	Extraction date: 11/10/24 12:12:35			Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA079952FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/12/24 10:20:56						Analysis Method : SOP.T.40.021 Analytical Batch : DA079930MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:56:12 Moisture Analyzer Analyzed Date : 11/12/24 09:31:44					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.534	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.757g	Extraction date: 11/10/24 13:43:55	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA079931WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 11/12/24 09:47:40 Batch Date : 11/09/24 12:13:53					
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/12/24