

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664 **Kaycha Labs**

Good News Vegas Cartridge 1g Vegas Matrix: Derivative Classification: High THC



Matrix: Derivative Classification: High THC Type: Extract for Inhalation **Production Method:** Other - Not Listed **Harvest/Lot ID:** 9073 0876 4279 7864

Certificate of Analysis Batch#: 9073 0876 4279 7864 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA41112010-003 Source Facility: FL - Indiantown (4430) Seed to Sale#: 0680821397180712 Harvest Date: 11/05/24 SUNNYSIDE DA41112010-003 r Sample Size Received: 16 units Total Amount: 1115 units Retail Product Size: 1 gram Servings: 1 Ordered: 11/12/24 Sampled: 11/12/24 Completed: 11/15/24 Sampling Method: SOP.T.20.010 Nov 15, 2024 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Hg 0 Mycotoxins Water Activity Microbials Residuals Terpenes Pesticides Heavy Metals Filth Moisture PASSED PASSED PASSED PASSED Solvents PASSED PASSED NOT **TESTED** TESTED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 86.936% 955% 94 1 .216% Total THC/Container : 869.360 mg Total CBD/Container : 19.550 mg Total Cannabinoids/Container : 942.160 mg THCA CBDA CBN тнсу CBC D9-THC CBD D8-THC CBG CRGA CBDV 86.557 0.433 1.955 ND ND 3.720 0.028 1.155 0.198 < 0.010 0.170 865.57 4.33 19.55 ND ND 37.20 0.28 11.55 1.98 <0.10 1.70 ma/unit LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 4351, 1665, 585, 1440 Weight: 0.1048q Extraction date: 11/13/24 11:34:33 Extracted by: 3335,4351 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA080036POT Batch Date : 11/13/24 09:52:58 Instrument Used : DA-LC-003 Analyzed Date : 11/14/24 09:22:10 Dilution: 400 Reagent : 110424.R06; 071624.04; 101724.R03 Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24



Good News Vegas Cartridge 1g Vegas Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41112010-003 Harvest/Lot ID: 9073 0876 4279 7864 Batch# : 9073 0876 4279 7864 Sampled : 11/12/24 Complet

Ordered : 11/12/24

79 7864 Sample Size Received :16 units Total Amount : 1115 units Completed : 11/15/24 Expires: 11/15/25 Sample Method : SOP.T.20.010

Page 2 of 6

(

Terpenes

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	49.14	4.914		SABINENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	14.83	1.483		SABINENE HYDRATE	0.007	ND	ND	
IMONENE	0.007	9.94	0.994		ALPHA-CEDRENE	0.005	ND	ND	
INALOOL	0.007	4.27	0.427		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALENCENE	0.007	4.02	0.402		ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	3.79	0.379		CIS-NEROLIDOL	0.003	ND	ND	
ETA-MYRCENE	0.007	3.28	0.328		GAMMA-TERPINENE	0.007	ND	ND	
ETA-PINENE	0.007	1.69	0.169		TRANS-NEROLIDOL	0.005	ND	ND	
IEXAHYDROTHYMOL	0.007	1.59	0.159		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LPHA-BISABOLOL	0.007	1.18	0.118		4451, 3605, 585, 1440	0.2077g		24 12:09:34	
ENCHYL ALCOHOL	0.007	1.10	0.110		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL			
LPHA-PINENE	0.007	0.97	0.097		Analytical Batch : DA080048TER				te: 11/13/24 10:28:29
LPHA-TERPINEOL	0.007	0.81	0.081		Instrument Used : DA-GCMS-008 Analyzed Date : 11/14/24 09:22:11			Batch Dat	te:11/13/24 10:28:29
ARYOPHYLLENE OXIDE	0.007	0.55	0.055		Dilution : 10				
LPHA-TERPINOLENE	0.007	0.31	0.031		Reagent : 090924.02				
ERANIOL	0.007	0.28	0.028		Consumables : 947.109; 240321-634	I-A; 280670723; CE0123			
AMPHENE	0.007	0.27	0.027		Pipette : DA-065				
CARENE	0.007	0.26	0.026		Terpenoid testing is performed utilizing G	as Chromatography Mass Spectro	ometry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
DRNEOL	0.013	ND	ND						
AMPHOR	0.007	ND	ND						
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
	0.007	ND	ND						
UAIOL	0.007	ND	ND						
	0.007								
OBORNEOL	0.007	ND	ND						
SOBORNEOL SOPULEGOL		ND ND	ND ND						
SOBORNEOL SOPULEGOL IEROL	0.007								
SUAIOL SOBORNEOL SOPULEGOL IEROL JULEGONE	0.007	ND	ND						

Total (%)

4.914

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24



Good News Vegas Cartridge 1g Vegas Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41112010-003 Harvest/Lot ID: 9073 0876 4279 7864 Batch#: 9073 0876 4279

7864 Sampled : 11/12/24 Ordered : 11/12/24

Sample Size Received : 16 units Total Amount : 1115 units Completed : 11/15/24 Expires: 11/15/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pe
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OX
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PA
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PH
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PII
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	
FOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PR
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PR
ACEPHATE	0.010	ppm	0.1	PASS	ND	PR
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PY
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SP
ALDICARB	0.010	ppm	0.1	PASS	ND	SP
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SP
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TE
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	TH
BOSCALID	0.010	ppm	0.1	PASS	ND	
CARBARYL	0.010	ppm	0.5	PASS	ND	TH
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TR
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PE
CHLORMEOUAT CHLORIDE	0.010	ppm	1	PASS	ND	PA
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CA
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CH
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CH
DAMINOZIDE	0.010		0.1	PASS	ND	C
DIAZINON	0.010	ppm	0.1	PASS	ND	C
DICHLORVOS	0.010	maa	0.1	PASS	ND	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	An 33
THOPROPHOS	0.010		0.1	PASS	ND	33 An
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SO
TOXAZOLE	0.010	ppm	0.1	PASS	ND	An
ENHEXAMID	0.010	maa	0.1	PASS	ND	Ins
ENOXYCARB	0.010	maa	0.1	PASS	ND	An
ENPYROXIMATE	0.010		0.1	PASS	ND	Di
IPRONIL	0.010		0.1	PASS	ND	Re
	0.010		0.1	PASS	ND	Co
FLUDIOXONIL	0.010		0.1	PASS	ND	Pi Te
HEXYTHIAZOX	0.010		0.1	PASS	ND	ac
MAZALIL	0.010		0.1	PASS	ND	An
MIDACLOPRID	0.010		0.4	PASS	ND	45
CRESOXIM-METHYL	0.010		0.1	PASS	ND	An
MALATHION	0.010		0.2	PASS	ND	An
MALATHION	0.010	1.1.	0.2	PASS	ND	Ins
METALAXYL METHIOCARB	0.010		0.1	PASS	ND	An
METHIOCARB	0.010		0.1	PASS	ND	Di
	0.010		0.1	PASS	ND	Re
MEVINPHOS MYCLOBUTANIL	0.010		0.1	PASS	ND	Co Pip
	0.010		0.1	PASS	ND	Te
NALED	0.010	hhiii	0.25	PASS	ND	ac

Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
OXAMYL		0.010	ppm	0.5	PASS	ND	
PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND	
PHOSMET		0.010	ppm	0.1	PASS	ND	
PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND	
PRALLETHRIN		0.010	ppm	0.1	PASS	ND	
PROPICONAZOLE		0.010	ppm	0.1	PASS	ND	
PROPOXUR		0.010	ppm	0.1	PASS	ND	
PYRIDABEN		0.010	ppm	0.2	PASS	ND	
SPIROMESIFEN		0.010	ppm	0.1	PASS	ND	
SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND	
SPIROXAMINE		0.010	ppm	0.1	PASS	ND	
TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND	
THIACLOPRID		0.010	ppm	0.1	PASS	ND	
THIAMETHOXAM		0.010	ppm	0.5	PASS	ND	
TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND	
PENTACHLORONITROBENZENI	E (PCNB) *	0.010	PPM	0.15	PASS	ND	
PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND	
CAPTAN *		0.070	PPM	0.7	PASS	ND	
CHLORDANE *		0.010	PPM	0.1	PASS	ND	
CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND	
CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND	
CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND	
Analyzed by: 3379, 585, 1440	Weight: 0.2495g		ion date: 4 14:44:26	Extracted by: 3621			
Analysis Method :SOP.T.30.10 SOP.T.40.102.FL (Davie) Analytical Batch :DA080028PE Instrument Used :DA-LCMS-00 Analyzed Date :11/14/24 10:43	.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), 5 6 (PES) Batch Date : 11/13/24 09:07:37						
Dilution : 250 Reagent : N/A Consumables : N/A Pipette : N/A							
Testing for agricultural agents is accordance with F.S. Rule 64ER20)-39.			riple-Quadrupol			
Analyzed by: 450, 585, 1440	Weight: 0.2495g		14:44:26		Extracted 3621	by:	
Analysis Method :SOP.T.30.15 Analytical Batch :DA080030VC Instrument Used :DA-GCMS-01 Analyzed Date :11/14/24 09:11)L .1	SOP.T.30.15		e), SOP.T.40.15 e:11/13/24 09:			
Dilution : 250 Reagent : 110224.R01; 081023 Consumables : 240321-634-A; Pipette : DA-080; DA-146; DA-2	20240202; 14725		IW				

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24

PASSED

PASSED



Good News Vegas Cartridge 1g Vegas Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41112010-003

 Harvest/Lot ID: 9073 0876 4279
 Sample

 Batch # : 9073 0876 4279
 Sample

 7864
 Total Ar

 Sampled : 11/12/24
 Complet

 Ordered : 11/12/24
 Sample

279 7864 Sample Size Received : 16 units Total Amount : 1115 units Completed : 11/15/24 Expires: 11/15/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0212g	Extraction date: 11/14/24 11:06:02		E > 85	tracted by: 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080062SOL nstrument Used : DA-GCMS-002 Analyzed Date : 11/14/24 12:18:25			Batch Date : 11/13/24 1	3:05:41	

Reagent : 030420.10 Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24

PASSED



Good News Vegas Cartridge 1g Vegas Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

S	i.	n	n	v	s	i	d	e

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41112010-003 Harvest/Lot ID: 9073 0876 4279 7864 Batch# : 9073 0876 4279 7864 Total Ar

Sampled : 11/12/24 Ordered : 11/12/24 Sample Size Received :16 units Total Amount :1115 units Completed :11/15/24 Expires: 11/15/25 Sample Method : SOP.T.20.010

	Pag	e	5	of	6
--	-----	---	---	----	---

Ţ.	Microk	bial			PAS	SED	လ္နီး	Му	/cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	81		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	51		0.00	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	52		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	ILLA T AND MOLD	10.00	0 CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2495g	Extraction da 11/13/24 14:			Extracted 3621	by:
Analyzed by: 1531, 4520, 58	5, 1440	Weight: 0.817a	Extraction of 11/13/24 09		Extracte 4531	d by:			.30.101.FL (Gain), SOP.T.40.102.F		40.101.FL	. (Gainesv	ille),	
Analysis Metho Analytical Bato	od : SOP.T.40.0560 :h : DA080020MIC ed : PathogenDx S	C, SOP.T.40.0	58.FL, SOP.T	40.209.FL	atch Date :	11/13/24	Analytical Bate Instrument Us Analyzed Date	h:DA080 ed:N/A	0029MYC		atch Date	:11/13/24	4 09:08:5	8
DA-020,Fisher Scientific Isote	ycler DA-010,Fishe Scientific Isotemp mp Heat Block (55 : 11/14/24 09:36:	Heat Block (5*C) DA-021			7:42:54		Dilution : 250 Reagent : N/A Consumables : Pipette : N/A	N/A						
Dilution : 10 Reagent : 0925 Consumables : Pipette : N/A	524.26; 100324.06 7575004036	5; 100324.07	; 103024.R39	; 101624.12			Mycotoxins tesi accordance wit		g Liquid Chromatog 64ER20-39.	raphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 4531, 4044, 58	35, 1440	Weight: 0.817g	Extraction 0		Extracte 4531	d by:	Hg	He	avy Me	etals			PAS	SED
Analytical Bate	bd : SOP.T.40.208 :h : DA080022TYM						Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Use DA-3821	ed : Incubator (25*	°C) DA- 328 [calibrated wi	th Batch Dat	e:11/13/2	4 07:48:43	TOTAL CONT	AMINAN [.]	T LOAD METAL	s 0.08	ppm	ND	PASS	1.1
	: 11/15/24 13:49:3	10					ARSENIC			0.02	ppm	ND	PASS	0.2
Dilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	524.26; 100324.06	5; 100324.07	;082024.R18	5			MERCURY			0.02	ppm	ND	PASS	0.2
consumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perfo		MPN and tradit	ional culture based	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2481g	Extraction da 11/13/24 10:			Extracted 4056	by:
accordance with	I F.S. Rule 64ER20-39).					Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA080 ed:DA-IC	PMS-004		:h Date :]	.1/13/24 0	9:14:15	
							Dilution : 50	24 012. *	111124 023. 110	1124 000, 1111	24 021.1	11124 00	2. 06172	1.01.

Reagent : 110824.R13; 111124.R23; 110424.R08; 111124.R21; 111124.R22; 061724.01; 110424.R12 Consumables : 179436; 20240202; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24



..... Good News Vegas Cartridge 1g Vegas Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41112010-003 Harvest/Lot ID: 9073 0876 4279 7864 Batch#: 9073 0876 4279 7864 Sampled : 11/12/24 Ordered : 11/12/24

Sample Size Received : 16 units Total Amount : 1115 units Completed : 11/15/24 Expires: 11/15/25 Sample Method : SOP.T.20.010

		Filth/Fo Materia	-	n		ΡΑ	SSED
	nalyte ilth and Forei	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
	nalyzed by: 879, 585, 1440	Weight: 1g		action da L3/24 15:2		Ex 1	tracted by: 79
A In	nalytical Batch strument Used	: SOP.T.40.090 : DA080065FIL : Filth/Foreign Mater 11/13/24 21:29:50	rial Micro	oscope	Batch I	Date : 11/13	3/24 15:26:51

Dilution : N/A Reagent : N/A Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.493	P/F 3 PASS	Action Level 0.85
Analyzed by: 4621, 585, 1440	Weight: 0.127g		traction d /13/24 15			tracted by:
Analysis Method : SOP Analytical Batch : DA08 Instrument Used : DA2 Analyzed Date : 11/14/	30059WAT 57 Rotronic Hyg	groPalr	n	Batch D	ate:11/13/2	24 11:11:44
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/15/24

PASSED

Page 6 of 6