



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113014-001



Production Method: Other - Not Listed

Harvest/Lot ID: 4556177455339118

Batch#: 4556177453339118

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1521530942835375

Harvest Date: 10/28/24

Sample Size Received: 31 units

Total Amount: 390 units

Retail Product Size: 0.5 gram

Servings: 1

Ordered: 11/13/24

Sampled: 11/13/24

Completed: 11/16/24

Revision Date: 11/18/24

Sampling Method: SOP.T.20.010

Nov 18, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

77.585%

Total THC/Container : 387.925 mg



Total CBD

0.158%

Total CBD/Container : 0.790 mg



Total Cannabinoids

82.002%

Total Cannabinoids/Container : 410.010 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	77.258	0.373	0.129	0.034	ND	3.106	0.016	0.086	0.302	ND	0.698
mg/unit	386.29	1.87	0.65	0.17	ND	15.53	0.08	0.43	1.51	ND	3.49
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.1089g

Extraction date:
11/14/24 12:54:46

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080093POT

Instrument Used : DA-LC-007

Analyzed Date : 11/15/24 09:50:52

Batch Date : 11/14/24 10:47:16

Dilution : 400

Reagent : 111324.R48; 071624.04; 111324.R46

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-001
Harvest/Lot ID: 4556177455339118

Batch# : 4556177453339118 Sample Size Received : 31 units
Sampled : 11/13/24 Total Amount : 390 units
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/18/25
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	27.29	5.458		NEROL	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	6.51	1.302		PULEGONE	0.007	ND	ND				
LIMONENE	0.007	6.39	1.277		SABINENE	0.007	ND	ND				
ALPHA-HUMULENE	0.007	2.78	0.555		SABINENE HYDRATE	0.007	ND	ND				
ALPHA-PINENE	0.007	2.27	0.453		VALENCE	0.007	ND	ND				
FARNESENE	0.001	1.68	0.335		ALPHA-CEDRENE	0.005	ND	ND				
LINALOOL	0.007	1.22	0.243		ALPHA-PHELLANDRENE	0.007	ND	ND				
FENCHYL ALCOHOL	0.007	1.06	0.211		CIS-NEROLIDOL	0.003	ND	ND				
ALPHA-TERPINEOL	0.007	0.87	0.173		ANALYZED BY:	4451, 3605, 585, 1440	Weight:	0.21g	Extraction date:	11/14/24 11:15:13	Extracted by:	4451
BETA-PINENE	0.007	0.80	0.159		ANALYSIS METHOD :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
BORNEOL	0.013	0.54	0.108		ANALYTICAL BATCH :	DA080074TER						
BETA-MYRCENE	0.007	0.47	0.094		INSTRUMENT USED :	DA-GCMS-004						
TRANS-NEROLIDOL	0.005	0.46	0.091		ANALYZED DATE :	11/15/24 09:50:53						
CAMPENE	0.007	0.39	0.077		DILUTION :	10						
OCIMENE	0.007	0.38	0.075		REAGENT :	090924.02						
GERANIOL	0.007	0.27	0.053		CONSUMABLES :	947.109; 240321-634-A; 280670723; CE0123						
ALPHA-TERPINOLENE	0.007	0.26	0.052		PIPETTE :	DA-065						
ALPHA-BISABOLOL	0.007	0.25	0.049		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
FENCHONE	0.007	0.24	0.047									
GAMMA-TERPINENE	0.007	0.20	0.039									
EUCALYPTOL	0.007	0.18	0.036									
ALPHA-TERPINENE	0.007	0.15	0.029									
3-CARENE	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
CARYOPHYLLENE OXIDE	0.007	ND	ND									
CEDROL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
Total (%)				5.458								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41113014-001

Harvest/Lot ID: 455617745339118

Batch# : 455617745339118

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 390 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 3379, 585, 1440	Weight: 0.2611g	Extraction date: 11/14/24 13:35:24	Extracted by: 4640,450,3379		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080080PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/14/24 09:31:44	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/15/24 11:24:24					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2611g	Extraction date: 11/14/24 13:35:24	Extracted by: 4640,450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080083VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 11/14/24 09:36:47	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/15/24 11:22:07					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-001

Harvest/Lot ID: 4556177455339118

Batch# : 4556177455339118

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 390 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0213g

Extraction date:
11/15/24 12:26:21

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA08011250L
Instrument Used : DA-GCMS-002
Analyzed Date : 11/15/24 13:21:39

Batch Date : 11/14/24 13:49:58

Dilution : 1
Reagent : 030420.10
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis



PASSED


Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41113014-001
Harvest/Lot ID: 4556177455339118
Batch# : 455617745339118 Sample Size Received : 31 units
Sampled : 11/13/24 Total Amount : 390 units
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/18/25
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS		Analyzed by: 3621, 3379, 585, 1440		Weight: 0.2611g	Extraction date: 11/14/24 13:35:24		Extracted by: 4640,450,3379									
TOTAL YEAST AND MOLD		10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		Analytical Batch : DA080081MYC												
Analyzed by: 4520, 585, 1440		Weight: 0.955g	Extraction date: 11/14/24 09:59:27		Extracted by: 4520		Instrument Used : N/A		Batch Date : 11/14/24 09:33:32												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL		Analytical Batch : DA080070MIC		Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720		Batch Date : 11/14/24 07:50:12		Analyzed Date : 11/15/24 10:00:18													
Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)		DA-020,Fisher Scientific Isotemp Heat Block (95°C)		DA-049,Fisher Scientific Isotemp Heat Block (55°C)		DA-021,Fisher Scientific Isotemp Heat Block (55°C)		DA-366,Fisher Scientific Isotemp Heat Block (95°C)		DA-367											
Analyzed Date : 11/15/24 10:09:10																					
Dilution : 10																					
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07																					
Consumables : 7575004058																					
Pipette : N/A																					
Analyzed by: 4520, 585, 1440		Weight: 0.955g	Extraction date: 11/14/24 09:59:27		Extracted by: 4520																
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA080071TYM		Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]		Batch Date : 11/14/24 07:51:05																	
Analyzed Date : 11/16/24 18:07:57																					
Dilution : 10																					
Reagent : 092524.25; 092524.27; 082024.R18; 110724.R13																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1				
ARSENIC		0.02	ppm	ND	PASS	0.2				
CADMIUM		0.02	ppm	ND	PASS	0.2				
MERCURY		0.02	ppm	ND	PASS	0.2				
LEAD		0.02	ppm	ND	PASS	0.5				
Analyzed by: 1022, 585, 1440		Weight: 0.2468g	Extraction date: 11/14/24 11:54:46		Extracted by: 4056					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : DA080086HEA										
Instrument Used : DA-ICPMS-004		Batch Date : 11/14/24 09:55:12								
Analyzed Date : 11/15/24 11:46:56										
Dilution : 50										
Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12										
Consumables : 179436; 20240202; 210508058										
Pipette : DA-061; DA-191; DA-216										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - White Trffl Mnts (I)
White Trffl Mnts (I)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-001

Harvest/Lot ID: 4556177455339118

Batch# : 4556177453339118

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 390 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/15/24 10:28:34	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080158FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/15/24 12:28:28

Batch Date : 11/15/24 10:22:52

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.492	PASS	0.85

Analyzed by: 4621, 585, 1440	Weight: 0.193g	Extraction date: 11/14/24 14:54:23	Extracted by: 4621
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080105WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 11/15/24 09:57:08

Batch Date : 11/14/24 11:55:51

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.