



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113014-004



**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 7518604361420890

**Batch#:** 7518604361420890

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 9835032421917509

**Harvest Date:** 11/07/24

**Sample Size Received:** 31 units

**Total Amount:** 1018 units

**Retail Product Size:** 0.5 gram

**Servings:** 1

**Ordered:** 11/13/24

**Sampled:** 11/13/24

**Completed:** 11/16/24

**Revision Date:** 11/18/24

**Sampling Method:** SOP.T.20.010

Nov 18, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



**Pesticides**  
**PASSED**



**Heavy Metals**  
**PASSED**



**Microbials**  
**PASSED**



**Mycotoxins**  
**PASSED**



**Residuals  
Solvents**  
**PASSED**



**Filth**  
**PASSED**



**Water Activity**  
**PASSED**



**Moisture**  
**NOT TESTED**



**Terpenes**  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**

**84.186%**

Total THC/Container : 420.930 mg



**Total CBD**

**1.027%**

Total CBD/Container : 5.135 mg



**Total Cannabinoids**

**89.722%**

Total Cannabinoids/Container : 448.610 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	84.132	0.062	1.027	ND	ND	3.275	ND	0.593	0.381	0.022	0.230
mg/unit	420.66	0.31	5.14	ND	ND	16.38	ND	2.97	1.91	0.11	1.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.1159g

Extraction date:  
11/14/24 12:54:46

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080093POT

Instrument Used : DA-LC-007

Analyzed Date : 11/15/24 10:00:43

Batch Date : 11/14/24 10:47:16

Dilution : 400

Reagent : 111324.R48; 071624.04; 111324.R46

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24

**Revision: #1**

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Melon

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-004  
Harvest/Lot ID: 7518604361420890

Batch# : 7518604361420890 Sample Size Received : 31 units  
Sampled : 11/13/24 Total Amount : 1018 units  
Ordered : 11/13/24 Completed : 11/16/24 Expires: 11/18/25  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	18.80	3.760		ISOPULEGOL	0.007	ND	ND	
LIMONENE	0.007	3.82	0.764		OCIMENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.35	0.670		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.74	0.548		SABINENE HYDRATE	0.007	ND	ND	
VALENCENE	0.007	1.72	0.344		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	1.05	0.209		CIS-NEROLIDOL	0.003	ND	ND	
GERANIOL	0.007	0.88	0.175		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.85	0.169		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.67	0.133		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-HUMULENE	0.007	0.53	0.106		4451, 3605, 585, 1440	0.2033g	11/14/24 11:15:13	4451	
FENCHYL ALCOHOL	0.007	0.53	0.105		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	0.51	0.102		Analytical Batch : DA080074TER				
ALPHA-PINENE	0.007	0.51	0.101		Instrument Used : DA-GCMS-004			Batch Date : 11/14/24 09:11:08	
CARYOPHYLLENE OXIDE	0.007	0.28	0.056		Analyzed Date : 11/15/24 10:00:45				
ALPHA-TERPINOLENE	0.007	0.26	0.051		Dilution : 10				
NEROL	0.007	0.23	0.046		Reagent : 090924.02				
CAMPENE	0.007	0.21	0.041		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
GUAJOL	0.007	0.21	0.041		Pipette : DA-065				
ALPHA-CEDRENE	0.005	0.18	0.036		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
SABINENE	0.007	0.17	0.034						
ALPHA-TERPINENE	0.007	0.15	0.029						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
Total (%)			3.760						

Total (%) 3.760

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Min

Melon

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41113014-004

Harvest/Lot ID: 7518604361420890

Batch# : 7518604361420890

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 1018 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3621, 3379, 585, 1440	Weight: 0.2487g	Extraction date: 11/14/24 13:35:25	Extracted by: 4640,450,3379		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080080PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/14/24 09:31:44	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/15/24 11:24:28					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250W					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2487g	Extraction date: 11/14/24 13:35:25	Extracted by: 4640,450,3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080083VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 11/14/24 09:36:47	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/15/24 11:22:08					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 240321-634-A; 20240202; 326250W; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Melon

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-004

Harvest/Lot ID: 7518604361420890

Batch# : 7518604361420890

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 1018 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0268g

Extraction date:  
11/15/24 12:26:21

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA080112SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 11/15/24 13:21:57

Batch Date : 11/14/24 13:49:58

Dilution : 1  
Reagent : 030420.10  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.




# PASSED


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
**Telephone:** (772) 631-0257  
**Email:** [Julio.Chavez@crescolabs.com](mailto:Julio.Chavez@crescolabs.com)


Sample : DA41113014-004  
Harvest/Lot ID: 7518604361420890  
Batch# : 7518604361420890  
Sampled : 11/13/24  
Ordered : 11/13/24

Sample Size Received : 31 units  
Total Amount : 1018 units  
Completed : 11/16/24 Expires: 11/18/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																																																																																																																																																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080070MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 07:50:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:09:13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.25; 092524.27; 103024.R39; 051624.07</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080070MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 07:50:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:09:13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.25; 092524.27; 103024.R39; 051624.07</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080070MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12		Analysis Date : 11/15/24 10:09:13						Dilution : 10						Reagent : 092524.25; 092524.27; 103024.R39; 051624.07						Consumables : 7575004058						Pipette : N/A						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080070MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12		Analysis Date : 11/15/24 10:09:13						Dilution : 10						Reagent : 092524.25; 092524.27; 103024.R39; 051624.07						Consumables : 7575004058						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080070MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 07:50:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:09:13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.25; 092524.27; 103024.R39; 051624.07</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080070MIC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 07:50:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:09:13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 092524.25; 092524.27; 103024.R39; 051624.07</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 7575004058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080070MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12		Analysis Date : 11/15/24 10:09:13						Dilution : 10						Reagent : 092524.25; 092524.27; 103024.R39; 051624.07						Consumables : 7575004058						Pipette : N/A						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA080070MIC						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12		Analysis Date : 11/15/24 10:09:13						Dilution : 10						Reagent : 092524.25; 092524.27; 103024.R39; 051624.07						Consumables : 7575004058						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																																																													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																																																																	
Analytical Batch : DA080070MIC																																																																																																																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12																																																																																																																																																																																																																																																																																													
Analysis Date : 11/15/24 10:09:13																																																																																																																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																																																																																																																	
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07																																																																																																																																																																																																																																																																																																	
Consumables : 7575004058																																																																																																																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																																																																																																																	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																																																																	
Analytical Batch : DA080070MIC																																																																																																																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12																																																																																																																																																																																																																																																																																													
Analysis Date : 11/15/24 10:09:13																																																																																																																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																																																																																																																	
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07																																																																																																																																																																																																																																																																																																	
Consumables : 7575004058																																																																																																																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																																																																																																																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																																																																																																												
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																																																																																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																																																																																																													
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																																																																																																													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000																																																																																																																																																																																																																																																																																												
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																																																																	
Analytical Batch : DA080070MIC																																																																																																																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12																																																																																																																																																																																																																																																																																													
Analysis Date : 11/15/24 10:09:13																																																																																																																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																																																																																																																	
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07																																																																																																																																																																																																																																																																																																	
Consumables : 7575004058																																																																																																																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																																																																																																																	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																																																																																																																																																																																	
Analytical Batch : DA080070MIC																																																																																																																																																																																																																																																																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/14/24 07:50:12																																																																																																																																																																																																																																																																																													
Analysis Date : 11/15/24 10:09:13																																																																																																																																																																																																																																																																																																	
Dilution : 10																																																																																																																																																																																																																																																																																																	
Reagent : 092524.25; 092524.27; 103024.R39; 051624.07																																																																																																																																																																																																																																																																																																	
Consumables : 7575004058																																																																																																																																																																																																																																																																																																	
Pipette : N/A																																																																																																																																																																																																																																																																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																																																																																																																	

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																																																																																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080081MYC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : N/A</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 09:33:32</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:00:19</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 250</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 111124.R20; 081023.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 240321-634-A; 20240202; 326250IW</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA080081MYC						Instrument Used : N/A				Batch Date : 11/14/24 09:33:32		Analysis Date : 11/15/24 10:00:19						Dilution : 250						Reagent : 111124.R20; 081023.01						Consumables : 240321-634-A; 20240202; 326250IW						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080081MYC</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : N/A</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 09:33:32</td><td></td></tr><tr><td>Analysis Date : 11/15/24 10:00:19</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 250</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 111124.R20; 081023.01</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 240321-634-A; 20240202; 326250IW</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : N/A</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA080081MYC						Instrument Used : N/A				Batch Date : 11/14/24 09:33:32		Analysis Date : 11/15/24 10:00:19						Dilution : 250						Reagent : 111124.R20; 081023.01						Consumables : 240321-634-A; 20240202; 326250IW						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																				
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																									
Analytical Batch : DA080081MYC																																																																																																																																																																									
Instrument Used : N/A				Batch Date : 11/14/24 09:33:32																																																																																																																																																																					
Analysis Date : 11/15/24 10:00:19																																																																																																																																																																									
Dilution : 250																																																																																																																																																																									
Reagent : 111124.R20; 081023.01																																																																																																																																																																									
Consumables : 240321-634-A; 20240202; 326250IW																																																																																																																																																																									
Pipette : N/A																																																																																																																																																																									
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																				
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																																																																																																																																																				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																									
Analytical Batch : DA080081MYC																																																																																																																																																																									
Instrument Used : N/A				Batch Date : 11/14/24 09:33:32																																																																																																																																																																					
Analysis Date : 11/15/24 10:00:19																																																																																																																																																																									
Dilution : 250																																																																																																																																																																									
Reagent : 111124.R20; 081023.01																																																																																																																																																																									
Consumables : 240321-634-A; 20240202; 326250IW																																																																																																																																																																									
Pipette : N/A																																																																																																																																																																									
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																									

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																																																																																							
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080086HEA</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : DA-ICPMS-004</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 09:55:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 11:46:58</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 179436; 20240202; 210508058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-061; DA-191; DA-216</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA080086HEA						Instrument Used : DA-ICPMS-004				Batch Date : 11/14/24 09:55:12		Analysis Date : 11/15/24 11:46:58						Dilution : 50						Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12						Consumables : 179436; 20240202; 210508058						Pipette : DA-061; DA-191; DA-216						<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Analytical Batch : DA080086HEA</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Instrument Used : DA-ICPMS-004</td><td></td><td></td><td></td><td>Batch Date : 11/14/24 09:55:12</td><td></td></tr><tr><td>Analysis Date : 11/15/24 11:46:58</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Dilution : 50</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Consumables : 179436; 20240202; 210508058</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Pipette : DA-061; DA-191; DA-216</td><td></td><td></td><td></td><td></td><td></td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA080086HEA						Instrument Used : DA-ICPMS-004				Batch Date : 11/14/24 09:55:12		Analysis Date : 11/15/24 11:46:58						Dilution : 50						Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12						Consumables : 179436; 20240202; 210508058						Pipette : DA-061; DA-191; DA-216					
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																				
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																									
Analytical Batch : DA080086HEA																																																																																																																																																																									
Instrument Used : DA-ICPMS-004				Batch Date : 11/14/24 09:55:12																																																																																																																																																																					
Analysis Date : 11/15/24 11:46:58																																																																																																																																																																									
Dilution : 50																																																																																																																																																																									
Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12																																																																																																																																																																									
Consumables : 179436; 20240202; 210508058																																																																																																																																																																									
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																									
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																				
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																				
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																									
Analytical Batch : DA080086HEA																																																																																																																																																																									
Instrument Used : DA-ICPMS-004				Batch Date : 11/14/24 09:55:12																																																																																																																																																																					
Analysis Date : 11/15/24 11:46:58																																																																																																																																																																									
Dilution : 50																																																																																																																																																																									
Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12																																																																																																																																																																									
Consumables : 179436; 20240202; 210508058																																																																																																																																																																									
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																									
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																									

  
Signature  
11/16/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln

Melon

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA41113014-004

Harvest/Lot ID: 7518604361420890

Batch# : 7518604361420890

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 31 units

Total Amount : 1018 units

Completed : 11/16/24 Expires: 11/18/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/15/24 10:28:34	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080158FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/15/24 12:28:26

Batch Date : 11/15/24 10:22:52

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.85

Analyzed by: 4621, 585, 1440	Weight: 0.363g	Extraction date: 11/14/24 14:54:24	Extracted by: 4621
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080105WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 11/15/24 09:57:09

Batch Date : 11/14/24 11:55:51

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/16/24

Revision: #1

This revision supersedes any and all previous versions of this document.