

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113014-005

Friyay

Good News Friyay Cartridge 500mg

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Kaycha Labs

Production Method: Other - Not Listed Harvest/Lot ID: 5053364188305732

Batch#: 5053364188305732

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 9200782916816579

Harvest Date: 11/06/24

Sample Size Received: 31 units Total Amount: 715 units

Retail Product Size: 0.5 gram

Servings: 1

Ordered: 11/13/24 Sampled: 11/13/24 Completed: 11/16/24

Revision Date: 11/18/24

Sampling Method: SOP.T.20.010

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US

Nov 18, 2024 | Sunnyside



Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**



Water Activity **PASSED**



Moisture



MISC.

Terpenes **TESTED**

PASSED



Cannabinoid

Total THC 85.042%

Total THC/Container: 425.210 mg



Total CBD 1.039%



Total Cannabinoids

Total Cannabinoids/Container: 453.190

3335 4351



11/14/24 12:54:46

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA080093POT

Instrument Used : DA-LC-007 Analyzed Date : 11/15/24 10:00:48

Dilution: 400 Bildion: 400
Reagent: 111324.R48; 071624.04; 111324.R46
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Ratch Date: 11/14/24 10:47:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/24



Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix : Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41113014-005 Harvest/Lot ID: 5053364188305732

Batch#:5053364188305732 Sample Size Received:31 units

Sampled: 11/13/24 Ordered: 11/13/24

Total Amount: 715 units
Completed: 11/16/24 Expires: 11/18/25
Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.08	2.415		VALENCENE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	3.57	0.713		ALPHA-BISABOLOL	0.007	ND	ND	
IMONENE	0.007	2.55	0.509		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	1.36	0.272		ALPHA-HUMULENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.25	0.250		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	0.72	0.144		CIS-NEROLIDOL	0.003	ND	ND	
CARYOPHYLLENE OXIDE	0.007	0.60	0.119		GAMMA-TERPINENE	0.007	ND	ND	
LPHA-PINENE	0.007	0.56	0.112		TRANS-NEROLIDOL	0.005	ND	ND	
INALOOL	0.007	0.36	0.071		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
-CARENE	0.007	0.34	0.067		4451, 3605, 585, 1440	0.2222g		/24 11:15:13	
LPHA-TERPINEOL	0.007	0.31	0.062		Analysis Method : SOP.T.30.061A.FL, SOP.T.	.40.061A.FL			
ENCHYL ALCOHOL	0.007	0.22	0.044		Analytical Batch : DA080074TER Instrument Used : DA-GCMS-004			Detail De	ite: 11/14/24 09:11:08
ABINENE	0.007	0.13	0.026		Analyzed Date : 11/15/24 10:00:50			patch Da	RE: 11/14/24 US.11.UO
LPHA-TERPINENE	0.007	0.13	0.026		Dilution: 10				
ORNEOL	0.013	ND	ND		Reagent: 090924.02				
AMPHENE	0.007	ND	ND		Consumables: 947.109; 240321-634-A; 280	0670723; CE0123			
AMPHOR	0.007	ND	ND		Pipette : DA-065				
EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chron	matograpny Mass Spectro	metry. For all	Flower sampi	es, the Total Terpenes % is dry-weight corrected.
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.001	ND	ND						
ENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
otal (%)			2.415						

Total (%) 2.415

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/24



Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41113014-005 Harvest/Lot ID: 5053364188305732

Pass/Fail Result

Sampled: 11/13/24 Ordered: 11/13/24

Batch#: 5053364188305732 Sample Size Received: 31 units Total Amount: 715 units Completed: 11/16/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND	AVAND/	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL				PASS	
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1		ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	1.1	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND			ppm	0.1	PASS	ND
BIFENAZATE	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE					
BIFENTHRIN	0.010	1.1	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 3379, 585, 1440 0.2528q		action date: .4/24 13:35:25		4640,450,33	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	301.1.30.10	JZ.I L (Davie),	301.1.40.101	.i L (Gairlesville)	',
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080080PES					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date:11/14/	24 09:31:44	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/15/24 11:24:29					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 111124.R20; 081023.01 Consumables: 240321-634-A: 20240202: 326250	NIV/				
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: N/A	JIVV				
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liauid Chron	natography Tri	ple-Ouadrupo	le Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					,
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction			Extracted by:	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2528g	11/14/24 1			4640,450,3379	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),	SOP.T.30.15	31A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080083VOL Instrument Used : DA-GCMS-010		Ratch Date	:11/14/24 09	36-47	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 11/15/24 11:22:09		Datel Date	.11/14/24 09	.50.47	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 111124.R20; 081023.01; 102824.R16;	102824.R17	,			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 240321-634-A; 20240202; 326250					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/16/24



Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41113014-005 Harvest/Lot ID: 5053364188305732

Batch#: 5053364188305732 Sample Size Received: 31 units

Sampled: 11/13/24 Ordered: 11/13/24

Total Amount: 715 units Completed: 11/16/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.02g	Extraction date: 11/15/24 13:55:56			xtracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080113SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** 11/16/24 18:10:33

Dilution: 1 Reagent: 030420.10

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

Batch Date: 11/14/24 13:56:10

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/24



Kaycha Labs

Good News Friyay Cartridge 500mg

Frivav

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41113014-005 Harvest/Lot ID: 5053364188305732

Batch#: 5053364188305732 Sample Size Received: 31 units

Sampled: 11/13/24 Ordered: 11/13/24

Total Amount: 715 units Completed: 11/16/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED

11/14/24 07:50:12



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 11/14/24 09:59:27 0.801g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080070MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: Thermocycler DA-10, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 11/15/24 10:09:15 Dilution: 10

Reagent: 092524.25; 092524.27; 103024.R39; 051624.07

Consumables : 7575004058

accordance with F.S. Rule 64ER20-39

Pipette: N/A

\$\text{C}_0

Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02	
Analyzed by: 3621, 3379, 585, 1440	Weight: 0.2528g	Extraction of			tracted b		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080081MYC

Instrument Used : N/A

Analyzed Date: 11/15/24 10:00:19

Dilution: 250

Reagent: 111124.R20; 081023.01

Consumables: 240321-634-A; 20240202; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

Heavy Metals

PASSED

Action

Result Pass /

Batch Date: 11/14/24 09:33:32

Analyzed by: 4520, 585, 1440	Weight: 0.801g	11/14/24 09:59:27	Extracted by: 4520
Analysis Method: SOF Analytical Batch: DAG Instrument Used: Inco DA-382] Analyzed Date: 11/16	080071TYM ubator (25*C) DA-	sville), SOP.T.40.209.FL - 328 [calibrated with	Batch Date : 11/14/24 07:51:05
Dilution: 10 Reagent: 092524.25; Consumables: N/A Pipette: N/A	092524.27; 0820)24.R18; 110724.R13	
Total yeast and mold tes	ting is performed u	tilizing MPN and traditional	culture based techniques in

					Fail	Level			
TOTAL CONTAMINA	NT LOAD METAL	L S 0.08	ppm	ND	PASS	1.1			
ARSENIC		0.02	ppm	ND	PASS	0.2			
CADMIUM		0.02	ppm	ND	PASS	0.2			
MERCURY		0.02	ppm	ND	PASS	0.2			
LEAD		0.02	ppm	ND	PASS	0.5			
		Extraction dat	Extraction date:			Extracted by:			
1022, 585, 1440	0.23a	11/14/24 11:5	7:17		4056				

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA080086HEA Instrument Used : DA-ICPMS-004

Batch Date: 11/14/24 09:55:12 Analyzed Date: 11/15/24 11:46:58

Dilution: 50

Reagent: 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01;

Consumables: 179436: 20240202: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/16/24



Kaycha Labs

Good News Friyay Cartridge 500mg

Friyay

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41113014-005 Harvest/Lot ID: 5053364188305732

Sampled: 11/13/24 Ordered: 11/13/24

Batch#: 5053364188305732 Sample Size Received: 31 units Total Amount: 715 units Completed: 11/16/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte Filth and Foreign Material LOD Units 0.100 %

Result P/F

Action Level PASS

ND

1 Extracted by:

Analyzed by: 1879, 585, 1440

Weight: Extraction date: 1g 11/15/24 10:28:34

1879

Analysis Method: SOP.T.40.090 Analytical Batch : DA080158FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/15/24 10:22:52

Analyzed Date: 11/15/24 12:28:25

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Batch Date: 11/14/24 11:55:51

Analyte Water Activity		LOD 0.010	Units aw	Result 0.498	P/F PASS	Action Level 0.85
Analyzed by: 4621, 585, 1440	Weight: 0.375g		traction d /14/24 14			tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch: DA080105WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date: 11/15/24 09:57:10

Dilution: N/A **Reagent**: 051624.02

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino

Lab Director

Signature 11/16/24

Revision: #1

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,

pass/fail does not include the MU. Any calculated totals may contain rounding errors