

**DAVIE, FL, 33314, US** 

**Kaycha Labs** 

MISC.

FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix: Derivative Classification: High THC

#### Type: Extract for Inhalation (954) 368-7664 Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 1306817332683409 Batch#: 1306817332683409 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA41113014-007 Source Facility: FL - Indiantown (4430) Seed to Sale#: 3027675601875742 Harvest Date: 11/08/24 Sample Size Received: 31 units Total Amount: 652 units Retail Product Size: 0.5 gram Servings: 1 Ordered: 11/13/24 Sampled: 11/13/24 Completed: 11/16/24 Revision Date: 11/18/24 Sampling Method: SOP.T.20.010 Nov 18, 2024 | Sunnyside PASSED Sunnyside<sup>\*</sup> 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6

SAFETY	RESULTS	
,	<b>-</b>	

R O	[	lg	Ċ,	ఫ్లో		Ä			$\mathbf{\mathbf{\mathbf{5}}}$		Ô	
Pesticides PASSED		/ Metals SSED	Microbials PASSED	Mycotoxin PASSED	S	esiduals olvents ASSED	Filth <b>PASSED</b>		Activity SSED	Moisture NOT TESTED	Terpene <b>TESTE</b>	
<u>للم</u> Ca	annabi	noid								I	PASSE	
Total THC 77.703% Total THC/Container : 388.515 mg Total CBD/Container : 0.870 mg Total Cannabinoids 81.896% Total CBD/Container : 0.870 mg Total Cannabinoids/Container : 409.480 mg												
	рэ-тнс 77,648	тнса 0.063	CBD 0.132		D8-тнс ND	свд	CBGA 0.106	CBN 0.089	тнсу 0.153	CBDV	свс	
	388.24	0.32	0.132		ND	14.06	0.53	0.089	0.155	ND	4.22	
	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	
%	%	%	%	%	%	%	%	%	%	%	%	
nalyzed by: 351, 1665, 585, 1440	0			Weight: 0.1118g		raction date: 14/24 12:54:47				<b>xtracted by:</b> 335,4351		
nalysis Method : SOP nalytical Batch : DAO	080093POT LC-007	Г.30.031				B	Batch Date : 11/14/24	10:47:16				
strument Used : DA- nalyzed Date : 11/15	5/24 10:01:21											

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/16/24



FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41113014-007 Harvest/Lot ID: 1306817332683409 Batch# : 1306817332683409 Sample Size Received : 31 units

 Sampled : 11/13/24
 Total Amount : 652 units

 Ordered : 11/13/24
 Completed : 11/16/24 Expires:

 Sample Method : SOP.T.20.010

Sample Size Received : 31 units Total Amount : 652 units Completed : 11/16/24 Expires: 11/18/25 Page 2 of 6

## **}**

### Terpenes

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	23.87	4.773		OCIMENE	0.007	ND	ND	
IMONENE	0.007	6.17	1.233		PULEGONE	0.007	ND	ND	
INALOOL	0.007	4.90	0.979		SABINENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	3.54	0.708		SABINENE HYDRATE	0.007	ND	ND	
LPHA-HUMULENE	0.007	1.27	0.254		VALENCENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.09	0.217		ALPHA-CEDRENE	0.005	ND	ND	
LPHA-PINENE	0.007	1.06	0.211		ALPHA-PHELLANDRENE	0.007	ND	ND	
RANS-NEROLIDOL	0.005	0.90	0.180		CIS-NEROLIDOL	0.003	ND	ND	
ENCHYL ALCOHOL	0.007	0.79	0.157		Analyzed by:	Weight:		tion date:	Extracted by:
LPHA-TERPINEOL	0.007	0.78	0.156		4451, 3605, 585, 1440	0.2094g	11/14/	24 11:15:13	4451
ORNEOL	0.013	0.49	0.098		Analysis Method : SOP.T.30.061A.FL, SOP.T Analytical Batch : DA080074TER	.40.061A.FL			
ETA-MYRCENE	0.007	0.44	0.087		Analytical Batch : DA0800741ER Instrument Used : DA-GCMS-004			Batch Dat	te:11/14/24 09:11:08
ETA-PINENE	0.007	0.40	0.080		Analyzed Date : 11/15/24 10:01:26			butter but	
ERANIOL	0.007	0.38	0.076		Dilution : 10				
AMPHENE	0.007	0.33	0.066		Reagent : 090924.02				
RNESENE	0.001	0.33	0.066		Consumables : 947.109; 240321-634-A; 280 Pipette : DA-065	J670723; CE0123			
LPHA-TERPINOLENE	0.007	0.26	0.051		Terpenoid testing is performed utilizing Gas Chro	make men hus Mana Canadar	mahay Fas all f		- the Tetal Terrare (/ is downsight corrected
ENCHONE	0.007	0.25	0.050		respendid testing is penormed utilizing das chro	matography mass spectro	inerry. For an r	riower sample	s, the fotal respensis is dry-weight corrected.
AMMA-TERPINENE	0.007	0.20	0.039						
JCALYPTOL	0.007	0.18	0.036						
LPHA-TERPINENE	0.007	0.15	0.029						
CARENE	0.007	ND	ND						
AMPHOR	0.007	ND	ND						
ARYOPHYLLENE OXIDE	0.007	ND	ND						
EDROL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
OBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
			4.773						

Total (%)

4.773

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 11/16/24



. . . . . . . . . . . . . . . . FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

#### Sample : DA41113014-007 Harvest/Lot ID: 1306817332683409

Sampled : 11/13/24 Ordered : 11/13/24

Batch#: 1306817332683409 Sample Size Received: 31 units Total Amount : 652 units Completed : 11/16/24 Expires: 11/18/25 Sample Method : SOP.T.20.010

Page 3 of 6



### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	) ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	) ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		) ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND			) ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN			0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		) ppm			
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		) ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010	) ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	) ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	) ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	) ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		) ppm	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		) ppm	0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			) PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		) PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		) PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	) PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	) PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	) PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	) PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight: Ext	raction date:		Extracted b	w
DIMETHOATE	0.010		0.1	PASS	ND			14/24 13:35:25		4640.450.33	
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gai		02.FL (Davie),	SOP.T.40.101.	FL (Gainesville	),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080080PES					
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date : 11/14/2	4 09:31:44	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :11/15/24 11:24:32					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 111124.R20; 081023.01					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 240321-634-A: 2024020	2: 326250IW				
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A	_,				
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performe	d utilizing Liquid Chro	matography Tri	ple-Quadrupol	e Mass Spectron	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:				Extracted by:	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>450, 585, 1440</b> 0.2674g				4640,450,3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gai	nesville), SOP.T.30.1	51A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch :DA080083VOL Instrument Used :DA-GCMS-010		Ratch Data	:11/14/24 09:	36.47	
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/15/24 11:22:12		batch bate	.11/14/24 05.	50.47	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01; 102	324.R16; 102824.R1	7			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 2024020					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	d utilizing Gas Chrom	atography Triple	e-Quadrupole !	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 11/16/24

# **Certificate of Analysis**

Result ND ND ND

PASSED



. FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Harvest/Lot ID: 1306817332683409 Sampled : 11/13/24 Ordered : 11/13/24

Batch#: 1306817332683409 Sample Size Received: 31 units Total Amount : 652 units Completed : 11/16/24 Expires: 11/18/25 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
CETONITRILE	6.000	ppm	60	PASS	ND			
ENZENE	0.100	ppm	1	PASS	ND			
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
HLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
EPTANE	500.000	ppm	5000	PASS	ND			
ETHANOL	25.000	ppm	250	PASS	ND			
-HEXANE	25.000	ppm	250	PASS	ND			
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
OTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.024g	Extraction date: 11/15/24 13:55:56		<b>Ex</b> 85	tracted by: 0			
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080113SOL nstrument Used : DA-GCMS-003 Analyzed Date : 11/16/24 18:10:35		Batch Date : 11/14/24 13:56:10						
Dilution : 1								

**Dilution**: 1 Reagent : 030420.10 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

 $\mathbb{Z}$ 

Signature 11/16/24

### Sample : DA41113014-007 Sunnyside

Revision: #1 This revision supersedes any and all previous versions of this document. PASSED



FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix : Derivative Type: Extract for Inhalation



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41113014-007 Harvest/Lot ID: 1306817332683409

Sampled : 11/13/24 Ordered : 11/13/24

Batch#: 1306817332683409 Sample Size Received: 31 units Total Amount : 652 units Completed : 11/16/24 Expires: 11/18/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ţ	Microbia	ıl			PAS	SED	٠¢٠	Мус	otoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	5 TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLUS	5 FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS	5 FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGEI	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction of	later	Ev	tracted by	
TOTAL YEAST	AND MOLD	10.00	CFU/g	<10	PASS	100000		35, 1440	0.2674g	11/14/24 13			40,450,3	
Analyzed by: 520, 585, 1440	Weight: 0 1.0652g		action date: 4/24 09:59:2	28	Extracted 4520	by:	Analysis Meth SOP.T.30.102			esville), SOP.T.4	40.101.FL	. (Gainesvi	lle),	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080070MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date :						te :	Analytical Bat Instrument Us Analyzed Date	ch : DA08008 ed : N/A	1MYC		atch Date	:11/14/24	09:33:3	2
Block (55*C) D/ Analyzed Date : Dilution : 10	np Heat Block (55*C) [ A-366,Fisher Scientific : 11/15/24 10:09:17 24.25; 092524.27; 103 7575004058	Isotemp H	leat Block (9		t		accordance wit	ting utilizing Lid h F.S. Rule 64E	uid Chromatogr	raphy with Triple	-Quadrupo			in SED
Analyzed by: 4520, 585, 1440	Weight: 0 1.0652g		action date: 4/24 09:59:2	00	Extracted 4520	by:	[ Hg ]	пеа	vy Me	lais		1	<b>FAJ</b>	JED
Analysis Metho	d : SOP.T.40.208 (Gain				4520		Metal			LOD	Units	Result	Pass / Fail	Action Level
	h : DA080071TYM d : Incubator (25*C) DA	1- 328 [ca	librated with	Batch Dat	e:11/14/2	4 07.51.04	TOTAL CONT	AMINANT L	OAD METALS	0.08	ppm	ND	PASS	1.1
A-382]		1 020 [cu	indiacea mie	buttin but	<b>C</b> · <u>11</u> / <u>1</u> -7/2	- 07.51.0.	ARSENIC			0.02	ppm	ND	PASS	0.2
nalyzed Date	: 11/16/24 18:08:00						CADMIUM			0.02	ppm	ND	PASS	0.2
ilution: 10							MERCURY			0.02	ppm	ND	PASS	0.2
	24.25; 092524.27; 082	024.R18;	110724.R13	3			LEAD			0.02	ppm	<0.100	PASS	0.5
onsumables : ipette : N/A	N/A						Analyzed by: 1022, 585, 144	10	Weight: 0.2889a	Extraction da 11/14/24 11:5			Extracted	by:
	nold testing is performed F.S. Rule 64ER20-39.	utilizing MF	PN and tradition	onal culture based	d techniques	in	Analysis Meth Analytical Bat Instrument Us Analyzed Date	od:SOP.T.30 ch:DA08008 ed:DA-ICPM:	.082.FL, SOP.T 6HEA 5-004	.40.082.FL		.1/14/24 0		
							Dilution : 50	824.R13; 111 179436; 202	124.R23; 1114 240202; 21050	424.R16; 1111 )8058	24.R21; 1	11124.R2	2; 061724	4.01;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 11/16/24



FloraCal Live Rosin Cartridge 500mg - Rnbw Belts (I) Rnbw Belts (I) Matrix : Derivative Type: Extract for Inhalation



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

# **Certificate of Analysis**

### PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41113014-007 Harvest/Lot ID: 1306817332683409 Batch# : 1306817332683409 Sample Size Received : 31 units

PASSED

Sampled : 11/13/24 Ordered : 11/13/24 Sample Size Received : 31 units Total Amount : 652 units Completed : 11/16/24 Expires: 11/18/25 Sample Method : SOP.T.20.010

	55ED					
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	<b>Units</b> %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		action da 5/24 10:2		<b>Ex</b> 1	tracted by: 79
	: Filth/Foreign Mate 11/15/24 12:28:23	rial Micro	scope	Batch I	<b>)ate :</b> 11/1	5/24 10:22:52
	naterial inspection is pe cordance with F.S. Rule			pection utilizi	ng naked ey	e and microscope
					ΡΑ	

Analyte Water Activity		<b>LOD</b> 0.010	<b>Units</b> aw	Result 0.461	P/F PASS	Action Level 0.85				
Analyzed by: 4621, 585, 1440										
Analysis Method : SOP.T.40.019           Analytical Batch : DA080105WAT           Instrument Used : DA257 Rotronic HygroPalm         Batch Date : 11/14/24 11:55:51           Analyzed Date : 11/15/24 09:57:11										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Signature 11/16/24

Page 6 of 6