



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41113014-008



Nov 17, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**23.018%**

Total THC/Container : 230.180 mg



Total CBD

**0.059%**

Total CBD/Container : 0.590 mg



Total Cannabinoids

**26.538%**

Total Cannabinoids/Container : 265.380 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.990	22.837	ND	0.068	ND	0.160	0.358	0.053	ND	0.072	ND
mg/unit	29.90	228.37	ND	0.68	ND	1.60	3.58	0.53	ND	0.72	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
4351, 3335, 1665, 585, 1440

Weight:  
0.2136g

Extraction date:  
11/14/24 12:35:30

Extracted by:  
4351

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA080077POT  
Instrument Used : DA-LC-002  
Analyzed Date : 11/17/24 12:16:36

Batch Date : 11/14/24 09:29:26

Dilution : 400  
Reagent : 101424.R04; 071624.04; 110424.R01  
Consumables : 947.109; 04311046; 20240202; R1K14270  
Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

  
Signature  
11/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Mt. Ripsmore (H)  
Mt. Ripsmore (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41113014-008

Harvest/Lot ID: 5072949880259413

Batch# : 5072949880259413

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 26 units

Total Amount : 1421 units

Completed : 11/17/24 Expires: 11/17/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	4.97	0.497		ALPHA-PINENE	0.007	ND	ND	
LINALOOL	0.007	1.61	0.161		ALPHA-TERPINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.37	0.137		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.51	0.051		BETA-MYRCENE	0.007	ND	ND	
FARNESENE	0.007	0.42	0.042		BETA-PINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.38	0.038		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	0.36	0.036		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.32	0.032		TRANS-NEROLIDOL	0.005	ND	ND	
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	ND	ND		Weight: 1.0236g				
CAMPHOR	0.007	ND	ND		Extraction date: 11/14/24 12:13:56				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Extracted by: 4451				
CEDROL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND		Analytical Batch : DA080907ER				
FENCHONE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
GERANIOL	0.007	ND	ND		Analyzed Date : 11/15/24 10:02:35				
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND		Dilution : 10				
HEXAHYDROTHYMOL	0.007	ND	ND		Reagent : 090924.02				
ISOBORNEOL	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
ISOPULEGOL	0.007	ND	ND		Pipette : DA-065				
LIMONENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.005	ND	ND						
ALPHA-PHELLANDRENE	0.007	ND	ND						
Total (%)			0.497						

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA080907ER  
Instrument Used : DA-GCMS-008  
Analyzed Date : 11/15/24 10:02:35  
Batch Date : 11/14/24 10:27:43  
Dilution : 10  
Reagent : 090924.02  
Consumables : 947.109; 240321-634-A; 280670723; CE0123  
Pipette : DA-065  
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/17/24



# Certificate of Analysis

**PASSED**

Sunnyside

 22205 Sw Martin Hwy  
 Indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: julio.chavez@crescolabs.com

Sample : DA41113014-008

Harvest/Lot ID: 5072949880259413

Batch# : 5072949880259413

Sampled : 11/13/24

Ordered : 11/13/24


Sample Size Received : 26 units

Total Amount : 1421 units

Completed : 11/17/24 Expires: 11/17/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 3379, 585, 1440 Weight: 1.0158g Extraction date: 11/14/24 13:37:17 Extracted by: 4640,450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA080076PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 11/14/24 09:27:49 Analyzed Date : 11/15/24 11:45:46 Dilution : 250 Reagent : 111124.R20; 081023.01 Consumables : 240321-634-A; 20240202; 326250IW Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 1.0158g Extraction date: 11/14/24 13:37:17 Extracted by: 4640,450,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA080079VOL Instrument Used : DA-GCMS-010 Batch Date : 11/14/24 09:30:09 Analyzed Date : 11/15/24 11:44:41 Dilution : 250 Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17 Consumables : 240321-634-A; 20240202; 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Mt. Ripsmore (H)  
Mt. Ripsmore (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com


Sample : DA41113014-008  
Harvest/Lot ID: 5072949880259413

Batch# : 5072949880259413 Sample Size Received : 26 units  
Sampled : 11/13/24 Total Amount : 1421 units  
Ordered : 11/13/24 Completed : 11/17/24 Expires: 11/17/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	170	PASS	100000
Analyzed by: 4520, 585, 1440	Weight: 0.9427g	Extraction date: 11/14/24 09:59:28	Extracted by: 4520		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080070MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 11/15/24 10:09:17					
Dilution : 10 Reagent : 092524.25; 092524.27; 103024.R39; 051624.07 Consumables : 7575004058 Pipette : N/A					
Analyzed by: 4520, 585, 1440	Weight: 0.9427g	Extraction date: 11/14/24 09:59:28	Extracted by: 4520		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA080071TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Analyzed Date : 11/16/24 18:08:01					
Dilution : 10 Reagent : 092524.25; 092524.27; 082024.R18; 110724.R13 Consumables : N/A Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 3379, 585, 1440	Weight: 1.0158g	Extraction date: 11/14/24 13:37:17	Extracted by: 4640,450,3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080078MYC Instrument Used : N/A Analyzed Date : 11/15/24 09:45:11					
Batch Date : 11/14/24 09:29:39					
Dilution : 250 Reagent : 111124.R20; 081023.01 Consumables : 240321-634-A; 20240202; 326250IW Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2613g	Extraction date: 11/14/24 12:30:59	Extracted by: 4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA080088HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 11/15/24 11:49:44					
Batch Date : 11/14/24 10:07:17					
Dilution : 50 Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12 Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/17/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Pre-Roll 1g - Mt. Ripsmore (H)  
Mt. Ripsmore (H)  
Matrix : Flower  
Type: Preroll



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41113014-008

Harvest/Lot ID: 5072949880259413

Batch# : 5072949880259413

Sampled : 11/13/24

Ordered : 11/13/24

Sample Size Received : 26 units

Total Amount : 1421 units

Completed : 11/17/24 Expires: 11/17/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.32	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/16/24 18:26:05	Extracted by: N/A			Analyzed by: 4512, 585, 1440	Weight: 0.503g	Extraction date: 11/14/24 16:44:54	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA080158FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/15/24 12:28:22						Analysis Method : SOP.T.40.021 Analytical Batch : DA080087MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:00:52 Moisture Analyzer Analyzed Date : 11/15/24 09:22:51					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.557	PASS	0.65
Analyzed by: 4621, 585, 1440	Weight: 0.653g	Extraction date: 11/14/24 16:16:30	Extracted by: 4621		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA080101WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 11/14/24 11:53:27		
Analyzed Date : 11/15/24 09:30:09					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/17/24