

**COMPLIANCE FOR RETAIL** 

Laboratory Sample ID: DA41114011-002

## **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple

Matrix: Derivative Classification: High THC Type: Vape

Production Method: Other - Not Listed **Certificate of Analysis** Harvest/Lot ID: 6326586872685294

Batch#: 6326586872685294

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 5871313306343438

**Harvest Date: 11/12/24** 

Sample Size Received: 31 units

Total Amount: 400 units Retail Product Size: 0.5 gram

Servings: 1

Ordered: 11/14/24 Sampled: 11/14/24

Completed: 11/18/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

22205 Sw Martin Hwy indiantown, FL, 34956, US SAFETY RESULTS

Nov 18, 2024 | Sunnyside



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



Mycotoxins **PASSED** 



Sunnyside

Residuals Solvents **PASSED** 



Filth **PASSED** 

Batch Date: 11/15/24 08:16:14



Water Activity **PASSED** 



Moisture **TESTED** 



Ternenes **TESTED** 

**PASSED** 



## Cannabinoid

**Total THC** 

87.040% Total THC/Container: 435.200 mg



**Total CBD** 0.774%



**Total Cannabinoids** 

Total Cannabinoids/Container: 461.655

THCA THCV CBD CBDA D8-THC CBG CBGA CRN CRDV 0.209 86,990 0.058 0.748 0.030 ND 3.183 ND 0.733 0.380 ND 434.95 0.29 3.74 0.15 ND 15.92 ND 3.67 1.90 ND 1.05 ma/unit LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % Analyzed by: 3335, 1665, 585, 1440 Extraction date: 11/15/24 11:12:21 Extracted by: 3335 Weight: 0.1081q

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA080126POT

Instrument Used: DA-LC-003 Analyzed Date: 11/18/24 09:13:54

Dilution: 400

Reagent: 111324.R49; 073024.51; 111324.R47 Consumables: 947.109; 20240202; CE0123; R1KB14270

**Pipette**: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



## **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Vape



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41114011-002 Harvest/Lot ID: 6326586872685294

Sampled: 11/14/24 Ordered: 11/14/24

Batch#: 6326586872685294 Sample Size Received: 31 units Total Amount : 400 units Completed: 11/18/24 Expires: 11/18/25Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.60	2.320		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	3.36	0.672		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.71	0.542		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.13	0.426		ALPHA-TERPINEOL	0.007	ND	ND	
BETA-PINENE	0.007	0.90	0.180		ALPHA-TERPINOLENE	0.007	ND	ND	
IMONENE	0.007	0.72	0.143		CIS-NEROLIDOL	0.003	ND	ND	
LPHA-HUMULENE	0.007	0.44	0.087		GAMMA-TERPINENE	0.007	ND	ND	
LPHA-BISABOLOL	0.007	0.38	0.075		TRANS-NEROLIDOL	0.005	ND	ND	
ARNESENE	0.007	0.33	0.065		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
INALOOL	0.007	0.25	0.050		4451, 3605, 585, 1440	0.2022g		24 11:13:47	
ARYOPHYLLENE OXIDE	0.007	0.20	0.040		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL			
ENCHYL ALCOHOL	0.007	0.10	0.020		Analytical Batch : DA080149TER				
UAIOL	0.007	0.10	0.020		Instrument Used: DA-GCMS-008 Analyzed Date: 11/18/24 09:13:55			Batch Da	rte: 11/15/24 09:50:26
-CARENE	0.007	ND	ND		Dilution: 10				
ORNEOL	0.013	ND	ND		Reagent : 090924.02				
AMPHENE	0.007	ND	ND		Consumables: 947.109; 240321-634-A	; 280670723; CE0123			
AMPHOR	0.007	ND	ND		Pipette : DA-065				
EDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography Mass Spectro	metry. For all I	Flower sample	es, the Total Terpenes % is dry-weight corrected.
UCALYPTOL	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
ULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
otal (%)			2.320						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## **Kaycha Labs**

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Vape



## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41114011-002 Harvest/Lot ID: 6326586872685294

Sampled: 11/14/24 Ordered: 11/14/24

Batch#: 6326586872685294 Sample Size Received: 31 units Total Amount : 400 units Completed: 11/18/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 3 of 6



## **Pesticides**

## **PASSED**

sticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	mag	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND				0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010				
QUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010	1.1.	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
RBARYL	0.010	1.1.	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *			0.1	PASS	
.ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070				ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by: Weight:	F)	ctraction da	te:	Extract	ed hv:
IETHOATE	0.010		0.1	PASS	ND	<b>3379, 3621, 585, 1440</b> 0.252q		1/15/24 12:0		3621	cu 29.
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), S	OP.T.30.10	2.FL (Davie)	, SOP.T.40.101	.FL (Gainesville	),
FENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
XAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080138PES					
IHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batci	n Date: 11/15/	24 09:31:40	
OXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/18/24 09:27:56  Dilution : 250					
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 111424.R03; 111324.R03; 111124.R20;	111124 RO	14· 102124 R	08· 111324 R	11 081023 01	
RONIL	0.010		0.1	PASS	ND	Consumables : 326250IW		, 20222711	, 111527111	, 501025.01	
DNICAMID	0.010		0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
JDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iquid Chron	natography T	riple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted	l by:
DACLOPRID	0.010		0.4	PASS	ND	<b>4640, 585, 1440</b> 0.252g		4 12:08:32	) COD T 40 5	3621	
SOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), S Analytical Batch: DA080140VOL	UP.1.30.15	IA.FL (Davie	e), SOP.1.40.15	)1.FL	
ATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date	:11/15/24 09	:35:06	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date :11/18/24 09:24:52			2/ 20/ 2 7 00		
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 111124.R20; 081023.01; 102824.R16; 1	02824.R17	,			
VINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 240321-634-A; 202402	)2; 147254	101			
	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
CLOBUTANIL	0.010	pp	0.25	PASS	ND	Testing for agricultural agents is performed utilizing G					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Vape



## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41114011-002 Harvest/Lot ID: 6326586872685294

Batch#: 6326586872685294 Sample Size Received: 31 units Sampled: 11/14/24

Total Amount: 400 units Ordered: 11/14/24 Completed: 11/18/24 Expires: 11/18/25

Sample Method: SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0265g	Extraction date: 11/18/24 11:29:03	8		ctracted by:	

0.0265g 11/18/24 11:29:03

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080159SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 11/18/24 12:09:57

Dilution: 1 Reagent: 030420.10 Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 11/15/24 14:18:33

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

**Vivian Celestino** Lab Director

Testing 97164



## Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Vape



## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41114011-002 Harvest/Lot ID: 6326586872685294

Sampled: 11/14/24 Ordered: 11/14/24

Batch#: 6326586872685294 Sample Size Received: 31 units Total Amount : 400 units Completed: 11/18/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 5 of 6



## **Microbial**



Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Ac Le
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.0
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.0
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.0
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.0
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.0
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction	n date:		Extracte	ed by
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	3379, 3621, 585, 1440	0.252g	11/15/24	12:08:32		3621	
						COD T 30	101 FL (0 : :	II ) CODT	40 101 FI	10 .	11. 3	

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 585, 1440 11/15/24 10:24:39 0.82g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080118MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55\*C)
DA-020,Fisher Scientific Isotemp Heat Block (95\*C) DA-049,Fisher Batch Date: 11/15/24

Scientific Isotemp Heat Block (55\*C) DA-021

Analyzed Date: 11/18/24 08:45:46

Reagent: 092524.22; 092524.24; 103024.R39; 051624.07 Consumables: 7575004052

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 4044, 585, 1440	0.82g	11/15/24 10:24:39	4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA080119TYM

Instrument Used: Incubator (25\*C) DA- 328 [calibrated with Batch Date: 11/15/24 07:42:11

**Analyzed Date:** 11/18/24 09:12:54

Dilution: 10

Reagent: 092524.22; 092524.24; 082024.R18; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Q°	Mycotoxins	
alyte		LOD

Mycotoxins	
------------	--

## **PASSED**

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 3621, 585, 1440	Weight:	Extraction	n date:		Extracte	ed by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA080139MYC Instrument Used : N/A

Batch Date: 11/15/24 09:35:04 **Analyzed Date:** 11/18/24 09:29:46

Dilution: 250
Reagent: 111424.R03; 111324.R03; 111124.R20; 111124.R04; 102124.R08; 111324.R01;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## **Heavy Metals**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: Weight: **Extraction date:** Extracted by: 1022, 585, 1440 0.272g 11/15/24 10:26:07

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA080117HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 11/18/24 09:36:19

Batch Date: 11/15/24 07:24:40

Dilution: 50

Reagent: 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12

Consumables: 179436; 20240202; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



## Kaycha Labs

Good News Disposable Vape 500mg - Pnppl

Pineapple Matrix: Derivative

Type: Vape



## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41114011-002 Harvest/Lot ID: 6326586872685294

Sampled: 11/14/24 Ordered: 11/14/24

Batch#: 6326586872685294 Sample Size Received: 31 units Total Amount: 400 units Completed: 11/18/24 Expires: 11/18/25 Sample Method: SOP.T.20.010

Page 6 of 6



## Filth/Foreign **Material**

**PASSED** 

1

**Action Level** 

Analyte LOD Units Result P/F Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 11/15/24 10:29:37 1879

Analysis Method : SOP.T.40.090

Analytical Batch : DA080158FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/15/24 10:22:52

Analyzed Date: 11/15/24 12:27:54

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte	_	OD Units	Result	P/F	Action Level
Water Activity		.010 aw	0.500	PASS	0.85
Analyzed by: 4512 585 1440	Weight:	Extraction of			tracted by:

Analysis Method : SOP.T.40.019

Analytical Batch : DA080157WAT Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 11/15/24 10:12:41 Analyzed Date: 11/18/24 09:05:13

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/18/24

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha