



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-004



Nov 20, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**0.242%**

Total THC/Container : 104.171 mg



**Total CBD**  
**0.241%**

Total CBD/Container : 103.741 mg



**Total Cannabinoids**  
**0.497%**

Total Cannabinoids/Container : 213.939 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.242	ND	0.241	ND	ND	0.014	ND	ND	ND	ND	ND
mg/unit	104.17	ND	103.74	ND	ND	6.03	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1879

Weight:  
2.9469g

Extraction date:  
11/18/24 11:02:47

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080231POT

Instrument Used : DA-LC-007

Analyzed Date : 11/19/24 10:51:00

Batch Date : 11/18/24 08:04:50

Dilution : 40

Reagent : 061724.01; 111324.R48; 071124.23; 071624.04; 111324.R46

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1  
Strawberry 1:1  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-004  
Harvest/Lot ID: 6889441330931135

Batch# : 6889 4413 3093 Sample Size Received : 13 units  
1135 Total Amount : 2895 units  
Sampled : 11/15/24 Completed : 11/20/24 Expires: 11/20/25  
Ordered : 11/15/24 Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1879	Weight: 1.0425g	Extraction date: 11/18/24 17:55:20	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080206PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/16/24 12:35:00	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/20/24 10:02:07					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	Reagent : 111124.R20; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1879	Weight: 1.0425g	Extraction date: 11/18/24 17:55:20	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analytical Batch : DA080207VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 11/16/24 12:37:05	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed Date : 11/20/24 10:01:12					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	2	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
METALAXYL	0.010	ppm	3	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1  
Strawberry 1:1  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-004

Harvest/Lot ID: 6889441330931135

Batch# : 6889 4413 3093  
1135

Sampled : 11/15/24  
Ordered : 11/15/24

Sample Size Received : 13 units

Total Amount : 2895 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1879

Weight:  
0.0235g

Extraction date:  
11/19/24 13:39:14

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA080218SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 11/19/24 15:43:59

Batch Date : 11/16/24 16:34:25

Dilution : 1  
Reagent : 030420.10  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1  
Strawberry 1:1  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-004  
Harvest/Lot ID: 6889441330931135

Batch# : 6889 4413 3093 Sample Size Received : 13 units  
1135 Total Amount : 2895 units  
Sampled : 11/15/24 Completed : 11/20/24 Expires: 11/20/25  
Ordered : 11/15/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED												
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	ECOLI SHIGELLA			Not Present	PASS													
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 3379, 585, 1879	Extraction date: 11/18/24 17:55:20	Extracted by: 450,3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31						
Analyzed by: 4520, 4531, 585, 1879	Weight: 1.122g	Extraction date: 11/16/24 10:57:44	Extracted by: 4520,4531			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 3379, 585, 1879	Extraction date: 11/18/24 17:55:20	Extracted by: 450,3379			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Analytical Batch : DA080208MYC	Instrument Used : N/A	Batch Date : 11/16/24 12:38:31						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Batch Date : 11/16/24 09:26:32	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Batch Date : 11/16/24 12:38:31	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Batch Date : 11/16/24 12:38:31
Analytical Batch : DA080163MIC					Batch Date : 11/16/24 09:26:32	Analytical Batch : DA080208MYC					Batch Date : 11/16/24 12:38:31	Analytical Batch : DA080208MYC					Batch Date : 11/16/24 12:38:31	Analytical Batch : DA080208MYC					Batch Date : 11/16/24 12:38:31	Analytical Batch : DA080208MYC					Batch Date : 11/16/24 12:38:31
Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367					Batch Date : 11/16/24 09:26:32	Instrument Used : N/A					Batch Date : 11/16/24 12:38:31	Instrument Used : N/A					Batch Date : 11/16/24 12:38:31	Instrument Used : N/A					Batch Date : 11/16/24 12:38:31	Instrument Used : N/A					Batch Date : 11/16/24 12:38:31
Analyzed Date : 11/19/24 12:53:11					Batch Date : 11/16/24 09:26:32	Analyzed Date : 11/19/24 10:59:07					Batch Date : 11/16/24 12:38:31	Analyzed Date : 11/19/24 10:59:07					Batch Date : 11/16/24 12:38:31	Analyzed Date : 11/19/24 10:59:07					Batch Date : 11/16/24 12:38:31	Analyzed Date : 11/19/24 10:59:07					Batch Date : 11/16/24 12:38:31
Dilution : 10					Batch Date : 11/16/24 09:26:32	Dilution : 250					Batch Date : 11/16/24 12:38:31	Dilution : 250					Batch Date : 11/16/24 12:38:31	Dilution : 250					Batch Date : 11/16/24 12:38:31	Dilution : 250					Batch Date : 11/16/24 12:38:31
Reagent : 092524.21; 092524.28; 103024.R39; 051624.07					Batch Date : 11/16/24 09:26:32	Reagent : 111124.R20; 081023.01					Batch Date : 11/16/24 12:38:31	Reagent : 111124.R20; 081023.01					Batch Date : 11/16/24 12:38:31	Reagent : 111124.R20; 081023.01					Batch Date : 11/16/24 12:38:31	Reagent : 111124.R20; 081023.01					Batch Date : 11/16/24 12:38:31
Consumables : 7575004053					Batch Date : 11/16/24 09:26:32	Consumables : 240321-634-A; 20240202; 326250IWI					Batch Date : 11/16/24 12:38:31	Consumables : 240321-634-A; 20240202; 326250IWI					Batch Date : 11/16/24 12:38:31	Consumables : 240321-634-A; 20240202; 326250IWI					Batch Date : 11/16/24 12:38:31	Consumables : 240321-634-A; 20240202; 326250IWI					Batch Date : 11/16/24 12:38:31
Pipette : N/A					Batch Date : 11/16/24 09:26:32	Pipette : N/A					Batch Date : 11/16/24 12:38:31	Pipette : N/A					Batch Date : 11/16/24 12:38:31	Pipette : N/A					Batch Date : 11/16/24 12:38:31	Pipette : N/A					Batch Date : 11/16/24 12:38:31
Analyzed by: 4520, 4351, 585, 1879	Weight: 1.122g	Extraction date: 11/16/24 10:57:44	Extracted by: 4520,4531			Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2468g	Extraction date: 11/16/24 14:49:59	Extracted by: 4056			Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2468g	Extraction date: 11/16/24 14:49:59	Extracted by: 4056			Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2468g	Extraction date: 11/16/24 14:49:59	Extracted by: 4056								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					Batch Date : 11/16/24 09:27:18	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Batch Date : 11/16/24 12:12:45	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Batch Date : 11/16/24 12:12:45	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Batch Date : 11/16/24 12:12:45	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Batch Date : 11/16/24 12:12:45
Analytical Batch : DA080164TYM					Batch Date : 11/16/24 09:27:18	Analytical Batch : DA080189HEA					Batch Date : 11/16/24 12:12:45	Analytical Batch : DA080189HEA					Batch Date : 11/16/24 12:12:45	Analytical Batch : DA080189HEA					Batch Date : 11/16/24 12:12:45	Analytical Batch : DA080189HEA					Batch Date : 11/16/24 12:12:45
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]					Batch Date : 11/16/24 09:27:18	Instrument Used : DA-ICPMS-004					Batch Date : 11/16/24 12:12:45	Instrument Used : DA-ICPMS-004					Batch Date : 11/16/24 12:12:45	Instrument Used : DA-ICPMS-004					Batch Date : 11/16/24 12:12:45	Instrument Used : DA-ICPMS-004					Batch Date : 11/16/24 12:12:45
Analyzed Date : 11/19/24 10:53:55					Batch Date : 11/16/24 09:27:18	Analyzed Date : 11/19/24 10:42:58					Batch Date : 11/16/24 12:12:45	Analyzed Date : 11/19/24 10:42:58					Batch Date : 11/16/24 12:12:45	Analyzed Date : 11/19/24 10:42:58					Batch Date : 11/16/24 12:12:45	Analyzed Date : 11/19/24 10:42:58					Batch Date : 11/16/24 12:12:45
Dilution : 10					Batch Date : 11/16/24 09:27:18	Dilution : 50					Batch Date : 11/16/24 12:12:45	Dilution : 50					Batch Date : 11/16/24 12:12:45	Dilution : 50					Batch Date : 11/16/24 12:12:45	Dilution : 50					Batch Date : 11/16/24 12:12:45
Reagent : 092524.21; 092524.28; 082024.R18; 110724.R13					Batch Date : 11/16/24 09:27:18	Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Batch Date : 11/16/24 12:12:45	Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Batch Date : 11/16/24 12:12:45	Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Batch Date : 11/16/24 12:12:45	Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Batch Date : 11/16/24 12:12:45
Consumables : N/A					Batch Date : 11/16/24 09:27:18	Consumables : 179436; 20240202; 210508058					Batch Date : 11/16/24 12:12:45	Consumables : 179436; 20240202; 210508058					Batch Date : 11/16/24 12:12:45	Consumables : 179436; 20240202; 210508058					Batch Date : 11/16/24 12:12:45	Consumables : 179436; 20240202; 210508058					Batch Date : 11/16/24 12:12:45
Pipette : N/A					Batch Date : 11/16/24 09:27:18	Pipette : DA-061; DA-191; DA-216					Batch Date : 11/16/24 12:12:45	Pipette : DA-061; DA-191; DA-216					Batch Date : 11/16/24 12:12:45	Pipette : DA-061; DA-191; DA-216					Batch Date : 11/16/24 12:12:45	Pipette : DA-061; DA-191; DA-216					Batch Date : 11/16/24 12:12:45
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					Batch Date : 11/16/24 09:27:18	Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Batch Date : 11/16/24 12:12:45	Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Batch Date : 11/16/24 12:12:45	Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Batch Date : 11/16/24 12:12:45	Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Batch Date : 11/16/24 12:12:45

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1  
Strawberry 1:1  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-004  
Harvest/Lot ID: 6889441330931135

Batch# : 6889 4413 3093 Sample Size Received : 13 units  
1135 Total Amount : 2895 units  
Sampled : 11/15/24 Completed : 11/20/24 Expires: 11/20/25  
Ordered : 11/15/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 24

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: 1g	Extraction date: 11/17/24 12:55:22	Extracted by: 1879
Analysis Method : SOP.T.40.090		Batch Date : 11/17/24 12:23:06	
Analytical Batch : DA080222FIL			
Instrument Used : Filth/Foreign Material Microscope			
Analyzed Date : 11/17/24 13:41:08			

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.654	PASS	0.85

Analyzed by: 4512, 585, 1879	Weight: 7.3502g	Extraction date: 11/17/24 12:22:30	Extracted by: 4512
Analysis Method : SOP.T.40.019		Batch Date : 11/16/24 12:47:09	
Analytical Batch : DA080214WAT			
Instrument Used : DA257 Rotronic HygroPalm			
Analyzed Date : 11/19/24 10:21:03			

Dilution : N/A  
Reagent : 051624.02  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	0.827	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	0.793	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4621, 4444, 585, 1879	4.276g	11/16/24 15:54:48	4621

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA080182HOM

Instrument Used : DA-LC-005

Batch Date : 11/16/24 12:09:11

Analyzed Date : 11/19/24 10:45:08

Dilution : 40

Reagent : 111424.R14; 071124.23; 020124.02; 111424.R10

Consumables : 947.109; LCJ0311R; 20240202; 1009034917; 1009056395; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24