



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-008



Nov 20, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**23.445%**

Total THC/Container : 1641.150 mg



Total CBD

**0.059%**

Total CBD/Container : 4.130 mg



Total Cannabinoids

**27.364%**

Total Cannabinoids/Container : 1915.480 mg

|         | D9-THC | THCA    | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 1.218  | 25.345  | ND    | 0.068 | ND     | 0.053 | 0.302 | ND    | ND    | ND    | 0.378 |
| mg/unit | 85.26  | 1774.15 | ND    | 4.76  | ND     | 3.71  | 21.14 | ND    | ND    | ND    | 26.46 |
| LOD     | 0.001  | 0.001   | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %       |        |         |       |       |        |       |       |       |       |       |       |

Analyzed by:  
3335, 1665, 585, 1879

Weight:  
0.2099g

Extraction date:  
11/18/24 11:13:39

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080225POT

Instrument Used : DA-LC-002

Analyzed Date : 11/20/24 08:53:04

Batch Date : 11/18/24 07:48:24

Dilution : 400

Reagent : 100724.R04; 071624.04; 110424.R02

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Grntz (I)  
Grntz (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41115006-008

Harvest/Lot ID: 0855 4143 3177 2889

Batch# : 0855 4143 3177  
2889

Sample Size Received : 5 units  
Total Amount : 480 units  
Completed : 11/20/24 Expires: 11/20/25  
Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

| Terpenes            | LOD (%) | mg/unit | %     | Result (%) | Terpenes   | LOD (%) | mg/unit           | %             | Result (%)                     |
|---------------------|---------|---------|-------|------------|--|---------|-------------------|---------------|--------------------------------|
| TOTAL TERPENES      | 0.007   | 123.83  | 1.769 |            | SABINENE HYDRATE   | 0.007   | ND                | ND            |                                |
| BETA-CARYOPHYLLENE  | 0.007   | 41.51   | 0.593 |            | VALENCENE  | 0.007   | ND                | ND            |                                |
| LIMONENE            | 0.007   | 23.17   | 0.331 |            | ALPHA-CEDRENE  | 0.005   | ND                | ND            |                                |
| LINALOOL            | 0.007   | 13.65   | 0.195 |            | ALPHA-PHELLANDRENE   | 0.007   | ND                | ND            |                                |
| ALPHA-HUMULENE      | 0.007   | 12.81   | 0.183 |            | ALPHA-TERPINENE  | 0.007   | ND                | ND            |                                |
| ALPHA-PINENE        | 0.007   | 6.44    | 0.092 |            | ALPHA-TERPINOLENE  | 0.007   | ND                | ND            |                                |
| BETA-PINENE         | 0.007   | 5.53    | 0.079 |            | CIS-NEROLIDOL  | 0.003   | ND                | ND            |                                |
| ALPHA-TERPINEOL     | 0.007   | 4.41    | 0.063 |            | GAMMA-TERPINENE  | 0.007   | ND                | ND            |                                |
| FARNESENE           | 0.007   | 4.13    | 0.059 |            | Analyzed by:   | Weight: | Extraction date:  | Extracted by: |                                |
| FENCHYL ALCOHOL     | 0.007   | 4.13    | 0.059 |            | 4451, 3605, 585, 1879  | 1.0391g | 11/16/24 15:03:59 | 4451          |                                |
| ALPHA-BISABOLOL     | 0.007   | 3.92    | 0.056 |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL   |         |                   |               |                                |
| BETA-MYRCENE        | 0.007   | 2.17    | 0.031 |            | Analytical Batch : DA080175TER   |         |                   |               |                                |
| TRANS-NEROLIDOL     | 0.005   | 1.96    | 0.028 |            | Instrument Used : DA-GCMS-009  |         |                   |               |                                |
| 3-CARENE            | 0.007   | ND      | ND    |            | Analyzed Date : 11/19/24 10:48:07  |         |                   |               | Batch Date : 11/16/24 11:51:11 |
| BORNEOL             | 0.013   | ND      | ND    |            | Dilution : 10  |         |                   |               |                                |
| CAMPHENE            | 0.007   | ND      | ND    |            | Reagent : 090924.02  |         |                   |               |                                |
| CAMPOR              | 0.007   | ND      | ND    |            | Consumables : 947.109; 240321-634-A; 280670723; CE0123   |         |                   |               |                                |
| CARYOPHYLLENE OXIDE | 0.007   | ND      | ND    |            | Pipette : DA-065   |         |                   |               |                                |
| CEDROL              | 0.007   | ND      | ND    |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |                   |               |                                |
| EUCALYPTOL          | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| FENCHONE            | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| GERANIOL            | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| GERANYL ACETATE     | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| GUAIOL              | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| ISOBORNEOL          | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| ISOPULEGOL          | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| NEROL               | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| OCIMENE             | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| PULEGONE            | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| SABINENE            | 0.007   | ND      | ND    |            |  |         |                   |               |                                |
| Total (%)           |         |         | 1.769 |            |  |         |                   |               |                                |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Grntz (I)  
Grntz (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-008

Harvest/Lot ID: 0855 4143 3177 2889

Batch# : 0855 4143 3177  
2889

Sampled : 11/15/24  
Ordered : 11/15/24

Sample Size Received : 5 units

Total Amount : 480 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide  | LOD   | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | <0.050 | OXAMYL   | 0.010 | ppm   | 0.5          | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE   | 0.010 | ppm   | 3            | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN  | 0.010 | ppm   | 0.2          | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM   | 0.010 | ppm   | 0.5          | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *   | 0.010 | PPM   | 0.15         | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *   | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *   | 0.070 | PPM   | 0.7          | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | <0.050 | CHLORDANE *  | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *   | 0.010 | PPM   | 0.1          | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *   | 0.050 | PPM   | 0.5          | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *   | 0.050 | PPM   | 0.5          | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 3621, 585, 1879 Weight: 1.0249g Extraction date: 11/16/24 17:35:01 Extracted by: 4640,3621,585  |       |       |              |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)                         |       |       |              |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA080190PES   |       |       |              |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)  |       |       |              |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 11/20/24 09:26:00  |       |       |              |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250   |       |       |              |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 111124.R20; 081023.01  |       |       |              |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 240321-634-A; 20240202; 326250IW   |       |       |              |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : N/A  |       |       |              |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |       |       |              |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 4640, 450, 585, 1879 Weight: 1.0249g Extraction date: 11/16/24 17:35:01 Extracted by: 4640,3621,585   |       |       |              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL   |       |       |              |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA080192VOL   |       |       |              |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-010  |       |       |              |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 11/19/24 10:07:25  |       |       |              |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     | Dilution : 250   |       |       |              |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17  |       |       |              |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     | Consumables : 240321-634-A; 20240202; 326250IW; 14725401   |       |       |              |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218   |       |       |              |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |       |       |              |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |  |       |       |              |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |  |       |       |              |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |  |       |       |              |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |  |       |       |              |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Grntz (I)  
Grntz (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-008

Harvest/Lot ID: 0855 4143 3177 2889

Batch# : 0855 4143 3177

2889

Sampled : 11/15/24

Ordered : 11/15/24




Sample Size Received : 5 units

Total Amount : 480 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 4 of 5

|   |           |   |                                    |  |                         |                                   |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
|---|-----------|---|------------------------------------|--|-------------------------|-----------------------------------|--|--|-----------------|------------------------------------|---|-----------------------------|--------------|--|--|--|--------|--|--|--|--|
|    | Microbial |   |                                    |  |                         | PASSED                            |  |  |                 |                                    |  | Mycotoxins                  |              |  |  |  | PASSED |  |  |  |  |
| Analyte   |           | LOD   | Units                              | Result   | Pass / Fail             | Action Level                      | Analyte  |  | LOD             | Units                              | Result  | Pass / Fail                 | Action Level |  |  |  |        |  |  |  |  |
| ASPERGILLUS TERREUS   |           |   |                                    | Not Present  | PASS                    |                                   | AFLATOXIN B2   |  | 0.00            | ppm                                | ND  | PASS                        | 0.02         |  |  |  |        |  |  |  |  |
| ASPERGILLUS NIGER   |           |   |                                    | Not Present  | PASS                    |                                   | AFLATOXIN B1   |  | 0.00            | ppm                                | ND  | PASS                        | 0.02         |  |  |  |        |  |  |  |  |
| ASPERGILLUS FUMIGATUS   |           |   |                                    | Not Present  | PASS                    |                                   | OCHRATOXIN A   |  | 0.00            | ppm                                | ND  | PASS                        | 0.02         |  |  |  |        |  |  |  |  |
| ASPERGILLUS FLAVUS  |           |   |                                    | Not Present  | PASS                    |                                   | AFLATOXIN G1   |  | 0.00            | ppm                                | ND  | PASS                        | 0.02         |  |  |  |        |  |  |  |  |
| SALMONELLA SPECIFIC GENE  |           |   |                                    | Not Present  | PASS                    |                                   | AFLATOXIN G2   |  | 0.00            | ppm                                | ND  | PASS                        | 0.02         |  |  |  |        |  |  |  |  |
| ECOLI SHIGELLA  |           |   |                                    | Not Present  | PASS                    |                                   | Analyzed by: 3621, 585, 1879   |  | Weight: 1.0249g | Extraction date: 11/16/24 17:35:01 |   | Extracted by: 4640,3621,585 |              |  |  |  |        |  |  |  |  |
| TOTAL YEAST AND MOLD  |           | 10.00   | CFU/g                              | 600  | PASS                    | 100000                            |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Analyzed by: 4520, 4531, 585, 1879  |           | Weight: 0.9962g   | Extraction date: 11/16/24 10:57:45 |  | Extracted by: 4520,4531 |                                   | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL   |           | Analytical Batch : DA080163MIC  |                                    | Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367 |                         | Batch Date : 11/16/24 09:26:32    |  | Analytical Batch : DA080194MYC                 |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Analyzed Date : 11/19/24 12:53:19   |           |   |                                    |  |                         |                                   |  | Instrument Used : N/A                          |                 | Batch Date : 11/16/24 12:17:29     |   |                             |              |  |  |  |        |  |  |  |  |
|   |           |   |                                    |  |                         |                                   |  | Analyzed Date : 11/19/24 10:10:30              |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Dilution : 10   |           |   |                                    |  |                         |                                   |  | Dilution : 250                                 |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Reagent : 092524.21; 092524.28; 103024.R39; 051624.07   |           |   |                                    |  |                         |                                   |  | Reagent : 111124.R20; 081023.01                |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Consumables : 7575004053  |           |   |                                    |  |                         |                                   |  | Consumables : 240321-634-A; 20240202; 326250IW |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Pipette : N/A   |           |   |                                    |  |                         |                                   |  | Pipette : N/A                                  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |           |   |                                    |  |                         |                                   |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
|    |           | Heavy Metals  |                                    |  |                         |                                   | PASSED   |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Metal   |           | LOD   | Units                              | Result   | Pass / Fail             | Action Level                      |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| TOTAL CONTAMINANT LOAD METALS   |           | 0.08  | ppm                                | ND   | PASS                    | 1.1                               |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| ARSENIC   |           | 0.02  | ppm                                | <0.100   | PASS                    | 0.2                               |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| CADMIUM   |           | 0.02  | ppm                                | ND   | PASS                    | 0.2                               |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| MERCURY   |           | 0.02  | ppm                                | ND   | PASS                    | 0.2                               |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| LEAD  |           | 0.02  | ppm                                | ND   | PASS                    | 0.5                               |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Analyzed by: 1022, 585, 1879  |           | Weight: 0.2052g   | Extraction date: 11/16/24 13:40:42 |  | Extracted by: 4056      |                                   | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL   |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Analytical Batch : DA080179HEA  |           | Instrument Used : DA-ICPMS-004  |                                    | Batch Date : 11/16/24 12:05:36   |                         | Analyzed Date : 11/19/24 09:42:51 |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Dilution : 50   |           | Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12 |                                    | Consumables : 179436; 20240202; 210508058  |                         | Pipette : DA-061; DA-191; DA-216  |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.       |           |   |                                    |  |                         |                                   |  |  |                 |                                    |   |                             |              |  |  |  |        |  |  |  |  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Grntz (I)  
Grntz (I)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-008

Harvest/Lot ID: 0855 4143 3177 2889

Batch# : 0855 4143 3177  
2889

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 5 units

Total Amount : 480 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

| Analyte   |               | LOD                                   | Units | Result | P/F  | Action Level          | Analyte   |                 | LOD                                   | Units | Result | P/F  | Action Level          |
|---|---------------|---------------------------------------|-------|--------|------|-----------------------|---|-----------------|---------------------------------------|-------|--------|------|-----------------------|
| Filth and Foreign Material  |               | 0.100                                 | %     | ND     | PASS | 1                     | Moisture Content  |                 | 1.00                                  | %     | 14.43  | PASS | 15                    |
| Analyzed by:<br>1879, 585   | Weight:<br>1g | Extraction date:<br>11/17/24 12:55:22 |       |        |      | Extracted by:<br>1879 | Analyzed by:<br>4512, 585, 1879   | Weight:<br>0.5g | Extraction date:<br>11/17/24 10:22:57 |       |        |      | Extracted by:<br>4512 |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : DA080222FIL<br>Instrument Used : Filth/Foreign Material Microscope<br>Analyzed Date : 11/17/24 14:15:12    |               |                                       |       |        |      |                       | Analysis Method : SOP.T.40.021<br>Analytical Batch : DA080210MOI<br>Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 Moisture Analyzer<br>Analyzed Date : 11/19/24 09:45:47 |                 |                                       |       |        |      |                       |
| Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A   |               |                                       |       |        |      |                       | Dilution : N/A<br>Reagent : 092520.50; 020124.02<br>Consumables : N/A<br>Pipette : DA-066   |                 |                                       |       |        |      |                       |
| Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. |               |                                       |       |        |      |                       |   |                 |                                       |       |        |      |                       |



Water Activity

PASSED

| Analyte                                    | LOD               | Units                                 | Result                         | P/F  | Action Level |
|--|-------------------|---------------------------------------|--------------------------------|------|--------------|
| Water Activity                             | 0.010             | aw                                    | 0.535                          | PASS | 0.65         |
| Analyzed by:<br>4512, 585, 1879            | Weight:<br>0.734g | Extraction date:<br>11/17/24 11:47:33 | Extracted by:<br>4512          |      |              |
| Analysis Method : SOP.T.40.019             |                   |                                       |                                |      |              |
| Analytical Batch : DA080212WAT             |                   |                                       |                                |      |              |
| Instrument Used : DA257 Rotronic HygroPalm |                   |                                       | Batch Date : 11/16/24 12:43:25 |      |              |
| Analyzed Date : 11/19/24 10:36:21          |                   |                                       |                                |      |              |
| Dilution : N/A                             |                   |                                       |                                |      |              |
| Reagent : 051624.02                        |                   |                                       |                                |      |              |
| Consumables : PS-14                        |                   |                                       |                                |      |              |
| Pipette : N/A                              |                   |                                       |                                |      |              |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/20/24