



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-011



**Production Method:** Other - Not Listed

**Harvest/Lot ID:** 6353030915350870

**Batch#:** 6353030915350870

**Cultivation Facility:** FL - Indiantown (4430)

**Processing Facility:** FL - Indiantown (4430)

**Source Facility:** FL - Indiantown (4430)

**Seed to Sale#:** 2071497112993827

**Harvest Date:** 11/15/24

**Sample Size Received:** 6 units

**Total Amount:** 1275 units

**Retail Product Size:** 7 gram

**Retail Serving Size:** 7 gram

**Servings:** 1

**Ordered:** 11/15/24

**Sampled:** 11/15/24

**Completed:** 11/19/24

**Sampling Method:** SOP.T.20.010

Nov 19, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**

**22.913%**

Total THC/Container : 1603.910 mg



**Total CBD**

**0.049%**

Total CBD/Container : 3.430 mg



**Total Cannabinoids**

**27.008%**

Total Cannabinoids/Container : 1890.560 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.701	25.328	ND	0.057	0.032	0.082	0.763	ND	ND	ND	0.045
mg/unit	49.07	1772.96	ND	3.99	2.24	5.74	53.41	ND	ND	ND	3.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1879

Weight:  
0.2143g

Extraction date:  
11/18/24 11:13:39

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080225POT

Instrument Used : DA-LC-002

Analyzed Date : 11/19/24 10:45:37

Batch Date : 11/18/24 07:48:24

Dilution : 400

Reagent : 100724.R04; 071624.04; 110424.R02

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rnbw Belts (I)  
Rainbow Belts  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41115006-011

Harvest/Lot ID: 6353030915350870

Batch# : 6353030915350870

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 6 units

Total Amount : 1275 units

Completed : 11/19/24 Expires: 11/19/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	175.98	2.514		SABINENE HYDRATE	0.007	ND	ND	
LINALOOL	0.007	50.26	0.718		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	44.66	0.638		ALPHA-CEDRENE	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	28.35	0.405		ALPHA-PHELLANDRENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	10.08	0.144		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	9.31	0.133		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	7.56	0.108		CIS-NEROLIDOL	0.003	ND	ND	
BETA-PINENE	0.007	7.42	0.106		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-TERPINEOL	0.007	5.88	0.084		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	5.18	0.074		4451, 3605, 585, 1879	1.1612g	11/16/24 15:03:59	4451	
ALPHA-PINENE	0.007	4.55	0.065		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BETA-MYRCENE	0.007	2.73	0.039		Analytical Batch :	DA080175TER			
3-CARENE	0.007	ND	ND		Instrument Used :	DA-GCMS-009			
BORNEOL	0.013	ND	ND		Analyzed Date :	11/19/24 10:45:40			
CAMPHENE	0.007	ND	ND		Dilution :	10			
CAMPHOR	0.007	ND	ND		Reagent :	090924.02			
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables :	947.109; 240321-634-A; 280670723; CE0123			
CEDROL	0.007	ND	ND		Pipette :	DA-065			
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.514						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/19/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rnbw Belts (I)  
Rainbow Belts  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-011

Harvest/Lot ID: 6353030915350870

Batch# : 6353030915350870

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 6 units

Total Amount : 1275 units

Completed : 11/19/24 Expires: 11/19/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.119	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.119	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879	Weight: 1.0177g	Extraction date: 11/17/24 15:53:57	Extracted by: 4640,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080195PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/16/24 12:18:19	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/19/24 11:18:38					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : N/A					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1879	Weight: 1.0177g	Extraction date: 11/17/24 15:53:57	Extracted by: 4640,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080197VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 11/16/24 12:19:31	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/19/24 10:46:41					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : N/A					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/19/24



# Certificate of Analysis

**PASSED**


Sunnyside


 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com


 Sample : DA41115006-011  
 Harvest/Lot ID: 6353030915350870

 Batch# : 6353030915350870 Sample Size Received : 6 units  
 Sampled : 11/15/24 Total Amount : 1275 units  
 Ordered : 11/15/24 Completed : 11/19/24 Expires: 11/19/25  
 Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>5000</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	5000	PASS	100000		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																													
ASPERGILLUS TERREUS			Not Present	PASS																																														
ASPERGILLUS NIGER			Not Present	PASS																																														
ASPERGILLUS FUMIGATUS			Not Present	PASS																																														
ASPERGILLUS FLAVUS			Not Present	PASS																																														
SALMONELLA SPECIFIC GENE			Not Present	PASS																																														
ECOLI SHIGELLA			Not Present	PASS																																														
TOTAL YEAST AND MOLD	10.00	CFU/g	5000	PASS	100000																																													
<div>Analyzed by: 4520, 4531, 585, 1879</div> <div>Weight: 0.8236g</div> <div>Extraction date: 11/16/24 10:57:45</div> <div>Extracted by: 4520,4531</div>																																																		
<div>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</div> <div>Analytical Batch : DA080163MIC</div> <div>Instrument Used : PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</div> <div>Batch Date : 11/16/24 09:26:32</div> <div>Analyzed Date : 11/19/24 12:53:22</div>																																																		
<div>Dilution : 10</div> <div>Reagent : 092524.21; 092524.28; 103024.R39; 051624.07</div> <div>Consumables : 7575004053</div> <div>Pipette : N/A</div>																																																		
<div>Analyzed by: 4520, 4351, 585, 1879</div> <div>Weight: 0.8236g</div> <div>Extraction date: 11/16/24 10:57:45</div> <div>Extracted by: 4520,4531</div>																																																		
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA080164TYM</div> <div>Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</div> <div>Batch Date : 11/16/24 09:27:18</div> <div>Analyzed Date : 11/19/24 10:53:59</div>																																																		
<div>Dilution : 10</div> <div>Reagent : 092524.21; 092524.28; 082024.R18; 110724.R13</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>																																																		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																		

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02		
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																	
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																	
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																	
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																	
<div>Analyzed by: 3379, 585, 1879</div> <div>Weight: 1.0177g</div> <div>Extraction date: 11/17/24 15:53:57</div> <div>Extracted by: 4640,585</div>																																						
<div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA080198MYC</div> <div>Instrument Used : N/A</div> <div>Batch Date : 11/16/24 12:21:00</div> <div>Analyzed Date : 11/19/24 11:20:48</div>																																						
<div>Dilution : N/A</div> <div>Reagent : 111124.R20; 081023.01</div> <div>Consumables : 240321-634-A; 20240202; 326250IW</div> <div>Pipette : N/A</div>																																						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>																																				
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>&lt;0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.100	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5		
Metal	LOD	Units	Result	Pass / Fail	Action Level																																	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																	
ARSENIC	0.02	ppm	<0.100	PASS	0.2																																	
CADMIUM	0.02	ppm	ND	PASS	0.2																																	
MERCURY	0.02	ppm	ND	PASS	0.2																																	
LEAD	0.02	ppm	ND	PASS	0.5																																	
<div>Analyzed by: 1022, 585, 1879</div> <div>Weight: 0.2339g</div> <div>Extraction date: 11/16/24 13:55:52</div> <div>Extracted by: 4056</div>																																						
<div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA080181HEA</div> <div>Instrument Used : DA-ICPMS-004</div> <div>Batch Date : 11/16/24 12:06:46</div> <div>Analyzed Date : 11/19/24 10:55:29</div>																																						
<div>Dilution : 50</div> <div>Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12</div> <div>Consumables : 179436; 20240202; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div>																																						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Smalls 7g - Rnbw Belts (I)  
Rainbow Belts  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-011  
Harvest/Lot ID: 6353030915350870

Batch# : 6353030915350870 Sample Size Received : 6 units  
Sampled : 11/15/24 Total Amount : 1275 units  
Ordered : 11/15/24 Completed : 11/19/24 Expires: 11/19/25  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte		LOD	Units	Result	P/F	Action Level	Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign Material		0.100	%	ND	PASS	1	Moisture Content		1.00	%	13.21	PASS	15
Analyzed by: 1879, 585	Weight: 1g	Extraction date: 11/17/24 12:55:22				Extracted by: 1879	Analyzed by: 4512, 585, 1879	Weight: 0.508g	Extraction date: 11/17/24 10:31:03				Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA080222FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/17/24 13:38:31							Analysis Method : SOP.T.40.021 Analytical Batch : DA080210MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 12:41:01 Moisture Analyzer Analyzed Date : 11/19/24 09:45:49						
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066						
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.													



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.462	PASS	0.65
Analyzed by: 4512, 585, 1879	Weight: 0.727g	Extraction date: 11/17/24 11:47:33	Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA080212WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 11/19/24 10:36:23 Batch Date : 11/16/24 12:43:25					
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/19/24