

Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-014



Dec 02, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Production Method: Other - Not Listed Harvest/Lot ID: 6058512497228580

Batch#: 6058512497228580

Cultivation Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3762528742268618

Harvest Date: 11/14/24

Sample Size Received: 16 units

Total Amount: 375 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 11/15/24 Sampled: 11/15/24

Completed: 11/20/24 Revision Date: 12/02/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 11/18/24 07:53:06



Water Activity **PASSED**



Moisture **NOT TESTED**





Terpenes **PASSED**

PASSED

СВС

0.231

2.31

0.001



Cannabinoid

Total THC 90.164%

Total THC/Container: 901.640 mg




Total CBD 0.307%

Total CBD/Container: 3.070 mg



Total Cannabinoids 94.003%

Total Cannabinoids/Container: 940.030



Analyzed by: 3335, 1665, 585, 1879 Weight Extraction date: Extracted by: 11/18/24 11:06:26

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA080227POT

Instrument Used : DA-LC-003 Analyzed Date : 11/29/24 00:09:48

Dilution: 400 Dilution: 400
Reagent: 111324.R49; 071624.04; 111324.R47
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/20/24



Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41115006-014 Harvest/Lot ID: 6058512497228580

Sampled: 11/15/24 **Ordered:** 11/15/24

Batch#: 6058512497228580 Sample Size Received: 16 units Total Amount: 375 units

Completed: 11/20/24 Expires: 12/02/25Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg/unit	t %	Result (%)			
TOTAL TERPENES	0.007	21.23	2.123		SABINENE	0.007	ND	ND				
ALPHA-TERPINOLENE	0.007	10.77	1.077		SABINENE HYDRATE	0.007	ND	ND				
BETA-MYRCENE	0.007	2.70	0.270		VALENCENE	0.007	ND	ND				
OCIMENE	0.007	1.84	0.184		ALPHA-CEDRENE	0.005	ND	ND				
LIMONENE	0.007	1.31	0.131		ALPHA-TERPINEOL	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	1.13	0.113		CIS-NEROLIDOL	0.003	ND	ND				
BETA-PINENE	0.007	0.74	0.074		GAMMA-TERPINENE	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	0.50	0.050		TRANS-NEROLIDOL	0.005	ND	ND				
ALPHA-HUMULENE	0.007	0.49	0.049		Analyzed by:	Weight:	Extra	ction date:	Extracted by:			
ALPHA-PINENE	0.007	0.48	0.048		4451, 3605, 585, 1879	0.2435g		5/24 15:06:40				
ALPHA-BISABOLOL	0.007	0.37	0.037		Analysis Method : SOP.T.30.061A.FL, SOP.	.T.40.061A.FL						
3-CARENE	0.007	0.34	0.034		Analytical Batch : DA080178TER				11/20/24 12:02:05			
ALPHA-TERPINENE	0.007	0.29	0.029		Instrument Used : DA-GCMS-008 Analyzed Date : 11/19/24 10:47:18			Batch Da	te: 11/16/24 12:03:55			
LINALOOL	0.007	0.27	0.027		Dilution: 10							
BORNEOL	0.013	ND	ND		Reagent: 090924.02							
CAMPHENE	0.007	ND	ND		Consumables: 947.109; 240321-634-A; 280670723; CE0123							
CAMPHOR	0.007	ND	ND		Pipette : DA-065							
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chr	romatography Mass Spectro	metry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
FARNESENE	0.007	ND	ND									
FENCHONE	0.007	ND	ND									
FENCHYL ALCOHOL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
GUAIOL	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND		i							
ISOBORNEOL	0.007	ND	ND		İ							
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
Total (%)			2.123									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-014 Harvest/Lot ID: 6058512497228580

Pass/Fail Result

Sampled: 11/15/24 Ordered: 11/15/24

Batch#: 6058512497228580 Sample Size Received: 16 units Total Amount: 375 units

Completed: 11/20/24 Expires: 12/02/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND					0.1		
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0.010			PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	nnm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	SPIROXAMINE				0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010				
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE ((PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010 ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879	Weight: 0.2571q	Extraction 11/16/24	on date:		Extracted 4640,585	by:
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.F				SOP T 40 101		1)
ETOFENPROX	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gamesvine),	301.11.30.10	Z.I L (DUVIC	, 301.11.40.103	L (Guillesville	-//
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA080199PES						
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batc	h Date:11/16/	24 12:21:50	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Analyzed Date: 11/20/24 10:03:0)1					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010 ppm	0.1	PASS	ND	Reagent: 111124.R20; 081023.0 Consumables: 240321-634-A: 20		NW.				
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: N/A	7240202, 320230	7144				
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is pe	rformed utilizina	Liauid Chrom	natography 1	riple-Ouadrupo	le Mass Spectroi	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-3		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
IMAZALIL	0.010 ppm	0.1	PASS	ND		Weight:	Extraction	n date:		Extracted b	y:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	, ,	0.2571g	11/16/24			4640,585	
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.F		SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA080201VOL Instrument Used : DA-GCMS-011			Batch Dat	e:11/16/24 12	.24.12	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date :11/20/24 09:54:5			שמננוו שמנ	5. 11/10/24 12	.4.13	
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 111124.R20; 081023.0	1; 102824.R16: 1	102824.R17				
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 240321-634-A; 20	240202; 326250					
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010 ppm	0.25	PASS	ND	Testing for agricultural agents is per		Gas Chromat	ography Tri	ole-Quadrupole	Mass Spectrome	etry in
					accordance with F.S. Rule 64ER20-3	39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41115006-014 Harvest/Lot ID: 6058512497228580

Batch#: 6058512497228580 Sample Size Received: 16 units

Sampled: 11/15/24 Total Amount: 375 units Ordered: 11/15/24 Completed: 11/20/24 Expires: 12/02/25

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1879	Weight: 0.0222g	Extraction date: 11/18/24 13:45:15			extracted by:	

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080215SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 11/19/24 12:03:34

Dilution: 1 Reagent: 030420.10

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

Batch Date: 11/16/24 15:25:06

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-014 Harvest/Lot ID: 6058512497228580

Sampled: 11/15/24 Ordered: 11/15/24

Batch#: 6058512497228580 Sample Size Received: 16 units Total Amount: 375 units

Completed: 11/20/24 Expires: 12/02/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

Extracted by



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: 4520, 4531, 585, 1879 Weight: **Extraction date:** Extracted by: 0.931g 11/16/24 10:57:46 4520,4531

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080163MIC

Instrument Used: PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55*C) DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021,Fisher

Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Weight:

Analyzed Date : 11/19/24 12:53:26

Dilution: 10

Reagent: 092524.21; 092524.28; 103024.R39; 051624.07

Consumables: 7575004053

Pipette: N/A Analyzed by

مگه	•					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02

					raii	Levei
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:		Extracted by:		
3379, 585, 1879	0.2571g	11/16/24 17:3	7:06	4640,585		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA080202MYC

Instrument Used : N/A Analyzed Date: 11/19/24 09:38:52

Dilution: 250

Reagent: 111124.R20; 081023.01

Consumables: 240321-634-A; 20240202; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

Heavy Metals

PASSED

Action

Result Pass /

Batch Date: 11/16/24 12:26:09

4520, 4351, 585, 1879	0.931g	11/16/24 10:57:46	4520,4531
Analysis Method : SOP.T.40.2 Analytical Batch : DA080164' Instrument Used : Incubator DA-382] Analyzed Date : 11/19/24 10:	TYM (25*C) DA- 328		h Date: 11/16/24 09:27:18
Dilution: 10 Reagent: 092524.21; 09252 Consumables: N/A Pipette: N/A	4.28; 082024.F	R18; 110724.R13	
Total years and mold testing is n	orformed utilizin	a MPN and traditional culture	hasad tashniquas in

Extraction date

rictai		LOD	Offics	Result	Fail	Level
TOTAL CONTAMINANT LOAD	METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2602g	Extraction 11/16/24	n date: 15:12:05		Extracte 4056	ed by:

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA080183HEA Instrument Used : DA-ICPMS-004

Batch Date: 11/16/24 12:09:19 Analyzed Date: 11/19/24 12:51:10

Dilution: 50

Reagent: 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01;

Consumables: 179436: 20240202: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Bloom Classic Disposable Vape 1g - Maui W (S)

Maui Waui

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-014 Harvest/Lot ID: 6058512497228580

Batch#: 6058512497228580 Sample Size Received: 16 units

Sampled: 11/15/24 Ordered: 11/15/24

Total Amount: 375 units Completed: 11/20/24 Expires: 12/02/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Extraction date Extracted by:

Analyzed by: 1879, 585 Weight: 1g 11/17/24 12:55:23 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080222FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/17/24 12:23:06 **Analyzed Date :** 11/17/24 13:38:29

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD Units		P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1879	Weight: 0.2275g				tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch : DA080214WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 11/16/24 12:47:09

Analyzed Date: 11/19/24 10:21:04

Dilution : N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164