

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-015

#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade

Matrix: Derivative Classification: High THC



Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 9386162071535208

Batch#: 9386162071535208

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 8796180612279335

**Harvest Date: 11/11/24** 

Sample Size Received: 31 units

Total Amount: 796 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 11/15/24 Sampled: 11/15/24

Completed: 11/20/24 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

#### SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED** 



**Heavy Metals PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Sunnyside

Residuals Solvents **PASSED** 



Filth **PASSED** 

Ratch Date: 11/18/24 07:53:06



Water Activity **PASSED** 



Moisture



MISC.

Terpenes **PASSED** 

**PASSED** 



#### Cannabinoid

Nov 20, 2024 | Sunnyside

**Total THC** 84.284%

Total THC/Container: 421.420 mg



**Total CBD** 0.136%

Total CBD/Container: 0.680 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 443.925



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA080227POT

Instrument Used : DA-LC-003 Analyzed Date : 11/19/24 10:47:23

Dilution: 400 Dilution: 400
Reagent: 111324.R49; 071624.04; 111324.R47
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade Matrix: Derivative

Type: Extract for Inhalation



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41115006-015 Harvest/Lot ID: 9386162071535208

Batch#: 9386162071535208 Sample Size Received: 31 units

Sampled: 11/15/24

Total Amount : 796 units **Ordered:** 11/15/24  $\textbf{Completed:}\ 11/20/24\ \textbf{Expires:}\ 11/20/25$ 

Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**PASSED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	16.56	3.312		SABINENE HYDRATE	0.007	ND	ND	
IMONENE	0.007	8.96	1.791		VALENCENE	0.007	ND	ND	
GERANYL ACETATE	0.007	1.19	0.238		ALPHA-CEDRENE	0.005	ND	ND	
INALOOL	0.007	1.16	0.231		ALPHA-HUMULENE	0.007	ND	ND	
BETA-PINENE	0.007	1.06	0.211		ALPHA-PHELLANDRENE	0.007	ND	ND	
GAMMA-TERPINENE	0.007	1.00	0.199		ALPHA-TERPINENE	0.007	ND	ND	
GERANIOL	0.007	0.89	0.177		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINOLENE	0.007	0.88	0.175		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-MYRCENE	0.007	0.40	0.080	Ī	Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
BETA-CARYOPHYLLENE	0.007	0.39	0.077		4451, 3605, 585, 1879	0.2273g		/24 15:06:4	
ALPHA-PINENE	0.007	0.30	0.059		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.00	61A.FL			
ALPHA-TERPINEOL	0.007	0.25	0.049		Analytical Batch : DA080178TER Instrument Used : DA-GCMS-008				ate: 11/16/24 12:03:55
ALPHA-BISABOLOL	0.007	0.13	0.025	·	Instrument Used : DA-GCMS-008 Analyzed Date : 11/19/24 10:47:25			Batch D	ate: 11/10/24 12:U3:DD
3-CARENE	0.007	ND	ND		Dilution: 10				
ORNEOL	0.013	ND	ND		Reagent: 090924.02				
CAMPHENE	0.007	ND	ND		Consumables: 947.109; 240321-634-A; 2806707	723; CE0123			
CAMPHOR	0.007	ND	ND		Pipette : DA-065				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatog	graphy Mass Spectro	metry. For all	Flower samp	les, the Total Terpenes % is dry-weight corrected
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
ARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
	0.007	ND	ND						
DCIMENE									
	0.007	ND	ND						
DCIMENE		ND ND	ND ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade Matrix: Derivative

Type: Extract for Inhalation



## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-015 Harvest/Lot ID: 9386162071535208

Sampled: 11/15/24 Ordered: 11/15/24

Batch#: 9386162071535208 Sample Size Received: 31 units Total Amount : 796 units

Completed: 11/20/24 Expires: 11/20/25 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

#### **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND					0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010				
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010	1.1	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
BARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		NE (DCND) *	0.010		0.15	PASS	ND
ORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PUNB)	0.010		0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *						
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted I	
ETHOATE	0.010		0.1	PASS	ND	3379, 585, 1879	0.252a		17:37:07		4640.585	. · ·
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.1	L01.FL (Gainesville	, SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville	),
FENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
XAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080199						
IHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-(			Batcl	h Date:11/16	24 12:21:50	
IOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 11/20/24 09:	56:27					
IPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 111124.R20; 0810	23.01					
RONIL	0.010	ppm	0.1	PASS	ND	Consumables: 240321-634-A		50IW				
DNICAMID	0.010		0.1	PASS	ND	Pipette: N/A	.,, 5202, 5202					
JDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents i	is performed utilizin	g Liquid Chron	natography T	riple-Quadrupo	le Mass Spectror	netry in
CYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER		- '	,			
AZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted b	y:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1879	0.252g	11/16/24			4640,585	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1		), SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080201' Instrument Used : DA-GCMS-			Patch Date	e:11/16/24 12	24.12	
FALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date: 11/20/24 09:			שמננוו שמני	<b>5.</b> 11/10/24 12	.4.13	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	J 1.52					
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 111124.R20; 0810	23.01: 102824.R16	i: 102824.R17				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-						
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA						
LED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents i	is porformed utilizin	a Gac Chromat	tography Tri	ole-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade Matrix : Derivative

Type: Extract for Inhalation



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41115006-015 Harvest/Lot ID: 9386162071535208

Batch#:9386162071535208 Sample Size Received:31 units

Sampled: 11/15/24 Ordered: 11/15/24 Sample Size Received: 31 units
Total Amount: 796 units
Completed: 11/20/24 Expires: 11/20/25
Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	<200.000
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1879	Weight: 0.0232g	Extraction date: 11/18/24 13:45:15			Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080215SOL Instrument Used: DA-GCMS-002

Instrument Used: DA-GCMS-002 Analyzed Date: 11/19/24 12:03:35

Reagent: U3042U.10
Consumables: 430274; 319008
Pipette: DA-309 25 uL Syringe 35028
Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Dilution: 1
Reagent: 030420.10

**Vivian Celestino** 

Batch Date: 11/16/24 15:25:06

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Signature 11/20/24



#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade

Matrix: Derivative Type: Extract for Inhalation



## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-015 Harvest/Lot ID: 9386162071535208

Sampled: 11/15/24 Ordered: 11/15/24

Batch#: 9386162071535208 Sample Size Received: 31 units Total Amount: 796 units Completed: 11/20/24 Expires: 11/20/25 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**



Analyte	LOD	Units	Result	Pass / Fail	Action Level	I
ASPERGILLUS TERREUS			Not Present	PASS		1
ASPERGILLUS NIGER			Not Present	PASS		ŀ
ASPERGILLUS FUMIGATUS			Not Present	PASS		(
ASPERGILLUS FLAVUS			Not Present	PASS		1
SALMONELLA SPECIFIC GENE			Not Present	PASS		ŀ
ECOLI SHIGELLA			Not Present	PASS		Α
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	

Analyzed by: 4520, 4531, 585, 1879 Weight: **Extraction date:** Extracted by: 11/16/24 10:57:46 0.811g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080163MIC

Instrument Used: PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55\*C) DA-020,Fisher Scientific Isotemp Heat Block (95\*C) DA-049,Fisher Scientific Isotemp Heat Block (55\*C) DA-021,Fisher

Scientific Isotemp Heat Block (55\*C) DA-366, Fisher Scientific Isotemp Heat Block (95\*C) DA-367

**Analyzed Date :** 11/19/24 12:53:27

Dilution: 10

Reagent: 092524.21; 092524.28; 103024.R39; 051624.07

**Consumables :** 7575004053 Pipette: N/A

accordance with F.S. Rule 64ER20-39

240	Mycocoxiiis			'	i AJ	JLD
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.00	ppm	ND	PASS	0.02
OCHPATOVIN	Λ.	0.00	nnm	ND	DASS	0.02

•					Fail	Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:			xtracted	by:
3379. 585. 1879	0.252a	11/16/24 17:3	7.∩7	4	640 585	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA080202MYC

Instrument Used : N/A

**Analyzed Date:** 11/19/24 09:38:53

Dilution: 250

Reagent: 111124.R20; 081023.01

Consumables: 240321-634-A; 20240202; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

#### **PASSED**

Batch Date: 11/16/24 12:26:09

4520, 4351, 585, 1879	0.811g	11/16/24 10:57:46	4520,4531
Analysis Method : SOP.T.40.2 Analytical Batch : DA0801647 Instrument Used : Incubator (DA-382] Analyzed Date : 11/19/24 10:	YM 25*C) DA- 328		h Date: 11/16/24 09:27:18
Dilution: 10 Reagent: 092524.21; 092524 Consumables: N/A Pipette: N/A	1.28; 082024.1	R18; 110724.R13	
Total yeast and mold testing is n	erformed utilizir	ng MPN and traditional culture	hased techniques in

	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS			ND	PASS	1.1
ARSENIC CADMIUM		ppm ppm	ND	PASS PASS	0.2
			ND		0.2
	0.02	ppm	ND	PASS	0.2
	0.02	ppm	ND	PASS	0.5
nalyzed by: Weight: 022, 4056, 585, 1879 0.2387g				Extracte	ed by:
	Weight:	AD METALS 0.08 0.02 0.02 0.02 0.02 Weight: Extractio	0.08 ppm 0.02 ppm 0.02 ppm 0.02 ppm 0.02 ppm 0.02 ppm 0.02 ppm	0.08 ppm ND 0.02 ppm ND	Fail

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA080183HEA Instrument Used : DA-ICPMS-004

Batch Date: 11/16/24 12:09:19 Analyzed Date: 11/19/24 12:51:10

Dilution: 50

Reagent: 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01;

Consumables: 179436: 20240202: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Good News Vape Cartridge 500mg - Lmnde

Lemonade

Matrix: Derivative Type: Extract for Inhalation



# **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41115006-015 Harvest/Lot ID: 9386162071535208

Batch#: 9386162071535208 Sample Size Received: 31 units Sampled: 11/15/24 Ordered: 11/15/24

Total Amount: 796 units Completed: 11/20/24 Expires: 11/20/25 Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS Analyzed by: 1879, 585 Extraction date Weight: Extracted by: 1g 11/17/24 12:55:23 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080222FIL
Instrument Used : Filth/Foreign Material Microscope Batch Date: 11/17/24 12:23:06

Analyzed Date: 11/17/24 13:38:23

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.010	aw	0.535	PASS	0.85
Analyzed by: 4512, 585, 1879	<b>Weight:</b> 0.0954g		traction ( /17/24 12		<b>Ex</b> : 45	tracted by: 12

Analysis Method: SOP.T.40.019

Analytical Batch : DA080214WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 11/16/24 12:47:09

**Analyzed Date:** 11/19/24 10:21:05

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/20/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors