



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41115006-016



Production Method: Other - Not Listed
Harvest/Lot ID: 2830538419035082
Batch#: 2830538419035082
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 0175001018000502
Harvest Date: 11/11/24
Sample Size Received: 31 units
Total Amount: 550 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 11/15/24
Sampled: 11/15/24
Completed: 11/20/24
Sampling Method: SOP.T.20.010

Nov 20, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC
83.809%

Total THC/Container : 419.045 mg



Total CBD
0.136%

Total CBD/Container : 0.680 mg



Total Cannabinoids
88.286%

Total Cannabinoids/Container : 441.430 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.578	0.264	0.136	ND	ND	2.720	ND	1.245	0.209	ND	0.134
mg/unit	417.89	1.32	0.68	ND	ND	13.60	ND	6.23	1.05	ND	0.67
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1879

Weight:
0.1048g

Extraction date:
11/18/24 11:06:26

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080227POT

Instrument Used : DA-LC-003

Analyzed Date : 11/19/24 10:47:28

Batch Date : 11/18/24 07:53:06

Dilution : 400

Reagent : 111324.R49; 071624.04; 111324.R47

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41115006-016

Harvest/Lot ID: 2830538419035082

Batch# : 2830538419035082

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 31 units

Total Amount : 550 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.75	3.549		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	9.56	1.912		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	1.28	0.255		ALPHA-CEDRENE	0.005	ND	ND	
GERANYL ACETATE	0.007	1.26	0.252		ALPHA-HUMULENE	0.007	ND	ND	
BETA-PINENE	0.007	1.14	0.228		ALPHA-PHELLANDRENE	0.007	ND	ND	
GAMMA-TERPINENE	0.007	1.11	0.221		ALPHA-TERPINENE	0.007	ND	ND	
GERANIOL	0.007	0.94	0.188		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINOLENE	0.007	0.92	0.184		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-MYRCENE	0.007	0.43	0.085		Analyzed by:	Weight:	Extraction date:	Extracted by:	
BETA-CARYOPHYLLENE	0.007	0.42	0.084		4451, 3605, 585, 1879	0.2145g	11/16/24 15:06:40	4451	
ALPHA-PINENE	0.007	0.32	0.064		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	0.26	0.052		Analytical Batch : DA080178TER				
ALPHA-BISABOLOL	0.007	0.12	0.024		Instrument Used : DA-GCMS-008				
3-CARENE	0.007	ND	ND		Analyzed Date : 11/19/24 10:47:30				Batch Date : 11/16/24 12:03:55
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 090924.02				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						

Total (%) 3.549

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-016

Harvest/Lot ID: 2830538419035082

Batch# : 2830538419035082

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 31 units

Total Amount : 550 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2501g	Extraction date: 11/16/24 17:37:07	Extracted by: 4640,585		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : DA080199PES					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 11/16/24 12:21:50		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/20/24 09:56:28					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2501g	Extraction date: 11/16/24 17:37:07	Extracted by: 4640,585		
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : DA080201VOL					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011			Batch Date : 11/16/24 12:24:13		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/20/24 09:54:52					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01; 102824.R16; 102824.R17					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	0.2	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41115006-016

Harvest/Lot ID: 2830538419035082

Batch# : 2830538419035082

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 31 units

Total Amount : 550 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	<200.000
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1879

Weight:
0.0271g

Extraction date:
11/18/24 13:45:15

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA080215SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 11/19/24 12:03:35

Batch Date : 11/16/24 15:25:06

Dilution : 1
Reagent : 030420.10
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41115006-016

Harvest/Lot ID: 2830538419035082

Batch# : 2830538419035082

Sampled : 11/15/24

Ordered : 11/15/24



Sample Size Received : 31 units


Total Amount : 550 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED						Mycotoxins					PASSED							
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	ECOLI SHIGELLA			Not Present	PASS								
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analyzed by: 4520, 4531, 585, 1879	Weight: 0.855g	Extraction date: 11/16/24 10:57:46	Extracted by: 4520,4531																					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)				
Analytical Batch : DA080163MIC					Analytical Batch : DA080202MYC					Analytical Batch : DA080202MYC					Analytical Batch : DA080202MYC					Analytical Batch : DA080202MYC				
Instrument Used : PathogenDx Scanner DA-111, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367					Batch Date : 11/16/24 09:26:32					Batch Date : 11/16/24 12:26:09					Batch Date : 11/16/24 12:26:09					Batch Date : 11/16/24 12:26:09				
Analyzed Date : 11/19/24 12:53:27					Analyzed Date : 11/19/24 09:38:54					Analyzed Date : 11/19/24 09:38:54					Analyzed Date : 11/19/24 09:38:54					Analyzed Date : 11/19/24 09:38:54				
Dilution : 10					Dilution : 250					Dilution : 250					Dilution : 250					Dilution : 250				
Reagent : 092524.21; 092524.28; 103024.R39; 051624.07					Reagent : 111124.R20; 081023.01					Reagent : 111124.R20; 081023.01					Reagent : 111124.R20; 081023.01					Reagent : 111124.R20; 081023.01				
Consumables : 7575004053					Consumables : 240321-634-A; 20240202; 3262501W					Consumables : 240321-634-A; 20240202; 3262501W					Consumables : 240321-634-A; 20240202; 3262501W					Consumables : 240321-634-A; 20240202; 3262501W				
Pipette : N/A					Pipette : N/A					Pipette : N/A					Pipette : N/A					Pipette : N/A				
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				

	Heavy Metals					PASSED																			
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level		
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2		
LEAD	0.02	ppm	ND	PASS	0.5																				
Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2137g	Extraction date: 11/16/24 15:13:30	Extracted by: 4056										Analyzed by: 1022, 4056, 585, 1879	Weight: 0.2137g	Extraction date: 11/16/24 15:13:30	Extracted by: 4056									
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA080183HEA					Analytical Batch : DA080183HEA					Analytical Batch : DA080183HEA					Analytical Batch : DA080183HEA					Analytical Batch : DA080183HEA					
Instrument Used : DA-ICPMS-004					Instrument Used : DA-ICPMS-004					Instrument Used : DA-ICPMS-004					Instrument Used : DA-ICPMS-004					Instrument Used : DA-ICPMS-004					
Analyzed Date : 11/19/24 12:51:11					Analyzed Date : 11/19/24 12:51:11					Analyzed Date : 11/19/24 12:51:11					Analyzed Date : 11/19/24 12:51:11					Analyzed Date : 11/19/24 12:51:11					
Dilution : 50					Dilution : 50					Dilution : 50					Dilution : 50					Dilution : 50					
Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					Reagent : 110824.R13; 111124.R23; 111424.R16; 111124.R21; 111124.R22; 061724.01; 110424.R12					
Consumables : 179436; 20240202; 210508058					Consumables : 179436; 20240202; 210508058					Consumables : 179436; 20240202; 210508058					Consumables : 179436; 20240202; 210508058					Consumables : 179436; 20240202; 210508058					
Pipette : DA-061; DA-191; DA-216					Pipette : DA-061; DA-191; DA-216					Pipette : DA-061; DA-191; DA-216					Pipette : DA-061; DA-191; DA-216					Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Lmnde

Lemonade

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41115006-016

Harvest/Lot ID: 2830538419035082

Batch# : 2830538419035082

Sampled : 11/15/24

Ordered : 11/15/24

Sample Size Received : 31 units

Total Amount : 550 units

Completed : 11/20/24 Expires: 11/20/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: 1g	Extraction date: 11/17/24 12:55:23	Extracted by: 1879
---------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080222FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/17/24 13:41:04

Batch Date : 11/17/24 12:23:06

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.558	PASS	0.85

Analyzed by: 4512, 585, 1879	Weight: 0.1685g	Extraction date: 11/17/24 12:22:30	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080214WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 11/19/24 10:21:05

Batch Date : 11/16/24 12:47:09

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/20/24