



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41119007-008



Production Method: Other - Not Listed

Harvest/Lot ID: 5985339470419868

Batch#: 5985339470419868

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 1253233408492834

Harvest Date: 11/12/24

Sample Size Received: 11 units

Total Amount: 2759 units

Retail Product Size: 3.5 gram

Retail Serving Size: 3.5 gram

Servings: 1

Ordered: 11/18/24

Sampled: 11/19/24

Completed: 11/21/24

Sampling Method: SOP.T.20.010

Nov 21, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC
25.109%

Total THC/Container : 878.815 mg



Total CBD
0.072%

Total CBD/Container : 2.520 mg



Total Cannabinoids
29.535%

Total Cannabinoids/Container : 1033.725 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.305	28.283	ND	0.083	0.032	0.064	0.722	ND	ND	ND	0.046
mg/unit	10.68	989.91	ND	2.91	1.12	2.24	25.27	ND	ND	ND	1.61
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 1440

Weight:
0.2068g

Extraction date:
11/19/24 13:40:50

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080260POT

Instrument Used : DA-LC-002

Analyzed Date : 11/20/24 12:20:26

Batch Date : 11/19/24 10:55:22

Dilution : 400

Reagent : 111824.R21; 073024.51; 111824.R22

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41119007-008

Harvest/Lot ID: 5985339470419868

Batch# : 5985339470419868

Sampled : 11/19/24

Ordered : 11/19/24

Sample Size Received : 11 units

Total Amount : 2759 units

Completed : 11/21/24 Expires: 11/21/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	54.74	1.564		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	12.71	0.363		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	11.48	0.328		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.06	0.316		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	5.32	0.152		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.69	0.134		CIS-NEROLIDOL	0.003	ND	ND	
GUAIOL	0.007	2.31	0.066		GAMMA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.96	0.056		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	1.82	0.052		Analysis by: 4451, 3605, 585, 1440	Weight: 1.1584g	Extraction date: 11/19/24 12:45:01	Extracted by: 4451	
ALPHA-PINENE	0.007	1.26	0.036		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	1.09	0.031		Analytical Batch : DA080261TER				
ALPHA-TERPINEOL	0.007	1.05	0.030		Instrument Used : DA-GCMS-008			Batch Date : 11/19/24 10:55:29	
3-CARENE	0.007	ND	ND		Analysis Date : 11/20/24 12:20:29				
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 090924.02				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.564						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41119007-008
Harvest/Lot ID: 5985339470419868

Batch# : 5985339470419868 Sample Size Received : 11 units
Sampled : 11/19/24 Total Amount : 2759 units
Ordered : 11/19/24 Completed : 11/21/24 Expires: 11/21/25
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	<0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	<0.050	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.0251g	Extraction date: 11/19/24 12:34:43	Extracted by: 4640,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080246PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/19/24 10:12:27	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/20/24 12:06:04					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 111124.R20; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0251g	Extraction date: 11/19/24 12:34:43	Extracted by: 4640,3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080249VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 11/19/24 10:15:20	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/20/24 10:46:29					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 111124.R20; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41119007-008

Harvest/Lot ID: 5985339470419868

Batch# : 5985339470419868

Sampled : 11/19/24

Ordered : 11/19/24


Sample Size Received : 11 units


Total Amount : 2759 units


Completed : 11/21/24 Expires: 11/21/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h1>PASSED</h1>																																															
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10.00</td><td>CFU/g</td><td>40</td><td>PASS</td><td>100000</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10.00	CFU/g	40	PASS	100000	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																												
ASPERGILLUS TERREUS			Not Present	PASS																																													
ASPERGILLUS NIGER			Not Present	PASS																																													
ASPERGILLUS FUMIGATUS			Not Present	PASS																																													
ASPERGILLUS FLAVUS			Not Present	PASS																																													
SALMONELLA SPECIFIC GENE			Not Present	PASS																																													
ECOLI SHIGELLA			Not Present	PASS																																													
TOTAL YEAST AND MOLD	10.00	CFU/g	40	PASS	100000																																												
<table><tr><td>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td>Weight: 1.0783g</td><td>Extraction date: 11/19/24 11:16:56</td><td>Extracted by: 4520</td></tr><tr><td colspan="4">Analytical Batch : DA080247MIC</td></tr><tr><td colspan="4">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367</td></tr><tr><td colspan="4">Batch Date : 11/19/24 10:15:00</td></tr><tr><td colspan="4">Analysis Date : 11/20/24 12:18:51</td></tr><tr><td colspan="4">Dilution : 10</td></tr><tr><td colspan="4">Reagent : 092524.09; 100324.08; 103024.R39; 051624.07</td></tr><tr><td colspan="4">Consumables : 7577003048</td></tr><tr><td colspan="4">Pipette : N/A</td></tr></table>	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0783g	Extraction date: 11/19/24 11:16:56	Extracted by: 4520	Analytical Batch : DA080247MIC				Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/19/24 10:15:00				Analysis Date : 11/20/24 12:18:51				Dilution : 10				Reagent : 092524.09; 100324.08; 103024.R39; 051624.07				Consumables : 7577003048				Pipette : N/A																
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 1.0783g	Extraction date: 11/19/24 11:16:56	Extracted by: 4520																																														
Analytical Batch : DA080247MIC																																																	
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367																																																	
Batch Date : 11/19/24 10:15:00																																																	
Analysis Date : 11/20/24 12:18:51																																																	
Dilution : 10																																																	
Reagent : 092524.09; 100324.08; 103024.R39; 051624.07																																																	
Consumables : 7577003048																																																	
Pipette : N/A																																																	
<table><tr><td>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td>Weight: 1.0783g</td><td>Extraction date: 11/19/24 11:16:56</td><td>Extracted by: 4520</td></tr><tr><td colspan="4">Analytical Batch : DA080250TYM</td></tr><tr><td colspan="4">Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]</td></tr><tr><td colspan="4">Batch Date : 11/19/24 10:15:55</td></tr><tr><td colspan="4">Analysis Date : 11/21/24 14:09:03</td></tr><tr><td colspan="4">Dilution : 10</td></tr><tr><td colspan="4">Reagent : 092524.09; 100324.08; 110724.R13</td></tr><tr><td colspan="4">Consumables : N/A</td></tr><tr><td colspan="4">Pipette : N/A</td></tr></table>	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.0783g	Extraction date: 11/19/24 11:16:56	Extracted by: 4520	Analytical Batch : DA080250TYM				Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/19/24 10:15:55				Analysis Date : 11/21/24 14:09:03				Dilution : 10				Reagent : 092524.09; 100324.08; 110724.R13				Consumables : N/A				Pipette : N/A																
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 1.0783g	Extraction date: 11/19/24 11:16:56	Extracted by: 4520																																														
Analytical Batch : DA080250TYM																																																	
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]																																																	
Batch Date : 11/19/24 10:15:55																																																	
Analysis Date : 11/21/24 14:09:03																																																	
Dilution : 10																																																	
Reagent : 092524.09; 100324.08; 110724.R13																																																	
Consumables : N/A																																																	
Pipette : N/A																																																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																	

	<h1>Mycotoxins</h1>	<h1>PASSED</h1>																																			
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.00</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02																																
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02																																
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02																																
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02																																
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02																																
<table><tr><td>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td><td>Weight: 1.0251g</td><td>Extraction date: 11/19/24 12:34:43</td><td>Extracted by: 4640,3621</td></tr><tr><td colspan="4">Analytical Batch : DA080248MYC</td></tr><tr><td colspan="4">Instrument Used : N/A</td></tr><tr><td colspan="4">Batch Date : 11/19/24 10:15:00</td></tr><tr><td colspan="4">Analysis Date : 11/20/24 12:03:06</td></tr><tr><td colspan="4">Dilution : 250</td></tr><tr><td colspan="4">Reagent : 111124.R20; 081023.01</td></tr><tr><td colspan="4">Consumables : 240321-634-A; 20240202; 326250IW</td></tr><tr><td colspan="4">Pipette : N/A</td></tr></table>	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 1.0251g	Extraction date: 11/19/24 12:34:43	Extracted by: 4640,3621	Analytical Batch : DA080248MYC				Instrument Used : N/A				Batch Date : 11/19/24 10:15:00				Analysis Date : 11/20/24 12:03:06				Dilution : 250				Reagent : 111124.R20; 081023.01				Consumables : 240321-634-A; 20240202; 326250IW				Pipette : N/A				
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 1.0251g	Extraction date: 11/19/24 12:34:43	Extracted by: 4640,3621																																		
Analytical Batch : DA080248MYC																																					
Instrument Used : N/A																																					
Batch Date : 11/19/24 10:15:00																																					
Analysis Date : 11/20/24 12:03:06																																					
Dilution : 250																																					
Reagent : 111124.R20; 081023.01																																					
Consumables : 240321-634-A; 20240202; 326250IW																																					
Pipette : N/A																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																					

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																			
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td><0.100</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	<0.100	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	
Metal	LOD	Units	Result	Pass / Fail	Action Level																																
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																
ARSENIC	0.02	ppm	<0.100	PASS	0.2																																
CADMIUM	0.02	ppm	ND	PASS	0.2																																
MERCURY	0.02	ppm	ND	PASS	0.2																																
LEAD	0.02	ppm	ND	PASS	0.5																																
<table><tr><td>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td><td>Weight: 0.2844g</td><td>Extraction date: 11/19/24 11:30:06</td><td>Extracted by: 4056</td></tr><tr><td colspan="4">Analytical Batch : DA080254HEA</td></tr><tr><td colspan="4">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="4">Batch Date : 11/19/24 10:27:38</td></tr><tr><td colspan="4">Analysis Date : 11/20/24 10:44:01</td></tr><tr><td colspan="4">Dilution : 50</td></tr><tr><td colspan="4">Reagent : 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39</td></tr><tr><td colspan="4">Consumables : 179436; 20240202; 210508058</td></tr><tr><td colspan="4">Pipette : DA-061; DA-191; DA-216</td></tr></table>	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2844g	Extraction date: 11/19/24 11:30:06	Extracted by: 4056	Analytical Batch : DA080254HEA				Instrument Used : DA-ICPMS-004				Batch Date : 11/19/24 10:27:38				Analysis Date : 11/20/24 10:44:01				Dilution : 50				Reagent : 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39				Consumables : 179436; 20240202; 210508058				Pipette : DA-061; DA-191; DA-216				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2844g	Extraction date: 11/19/24 11:30:06	Extracted by: 4056																																		
Analytical Batch : DA080254HEA																																					
Instrument Used : DA-ICPMS-004																																					
Batch Date : 11/19/24 10:27:38																																					
Analysis Date : 11/20/24 10:44:01																																					
Dilution : 50																																					
Reagent : 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39																																					
Consumables : 179436; 20240202; 210508058																																					
Pipette : DA-061; DA-191; DA-216																																					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Premium Flower 3.5g - Dulce de Uva (I)
Dulce de Uva (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41119007-008
Harvest/Lot ID: 5985339470419868

Batch# : 5985339470419868 Sample Size Received : 11 units
Sampled : 11/19/24 Total Amount : 2759 units
Ordered : 11/19/24 Completed : 11/21/24 Expires: 11/21/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.48	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/20/24 17:51:28	Extracted by: 1879			Analyzed by: 4571, 585, 1440	Weight: 0.504g	Extraction date: 11/19/24 15:52:40	Extracted by: 4571		
Analysis Method : SOP.T.40.090 Analytical Batch : DA080318FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/20/24 18:07:37						Analysis Method : SOP.T.40.021 Analytical Batch : DA080268MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:18:00 Moisture Analyzer Analyzed Date : 11/20/24 10:11:28					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.531	PASS	0.65
Analyzed by: 4571, 585, 1440	Weight: 0.515g	Extraction date: 11/19/24 15:55:52	Extracted by: 4571		
Analysis Method : SOP.T.40.019 Analytical Batch : DA080269WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 11/20/24 10:21:02 Batch Date : 11/19/24 11:20:06					
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A					
Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/21/24