

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

### **Kaycha Labs**

Good News Brunch Cartridge 500mg Brunch



Matrix: Derivative Classification: High THC Type: Vape

Production Method: Other - Not Listed

**Certificate of Analysis** Harvest/Lot ID: 7825876335648466 Batch#: 7825876335648466 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA41119020-002 Source Facility: FL - Indiantown (4430) Seed to Sale#: 1403502177943149 Harvest Date: 11/13/24 Sunnyside DA41119020-002 Sample Size Received: 31 units Total Amount: 470 units Retail Product Size: 0.5 gram Servings: 1 Ordered: 11/19/24 Sampled: 11/19/24 Completed: 11/22/24 Sampling Method: SOP.T.20.010 Nov 22, 2024 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Hg 0 Mycotoxins Water Activity Microbials Pesticides Heavy Metals Residuals Filth Moisture Terpenes PASSED PASSED PASSED PASSED Solvents PASSED PASSED NOT **TESTED** PASSED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 84.137% .135% 88.600% O Total THC/Container : 420.685 mg Total CBD/Container : 0.675 mg Total Cannabinoids/Container : 443.000 ma THCA тнсу CBC D9-THC CBD D8-THC CBG CRGA CBN CRDV 83,990 0.168 0.135 ND ND 2.731 ND 1.229 0.217 ND 0.130 419.95 0.84 0.68 ND ND 13.66 ND 6.15 1.09 ND 0.65 ma/unit LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1004q Extraction date: 11/20/24 11:25:17 Extracted by: 3335,4351 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA080293POT Batch Date : 11/20/24 08:29:03 Instrument Used : DA-LC-003 Analyzed Date : 11/21/24 09:38:40 Dilution: 400 Reagent : 111324.R49; 071624.04; 111324.R47 Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/22/24



Good News Brunch Cartridge 500mg Brunch Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41119020-002 Harvest/Lot ID: 7825876335648466 Batch# : 7825876335648466 Sample Size Received : 31 units

 Sampled : 11/19/24
 Total Amount : 470 units

 Ordered : 11/19/24
 Completed : 11/22/24 Expires: 11/22/25

 Sample Method : SOP.T.20.010

Page 2 of 6

# $\bigcirc$

## Terpenes

erpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)
OTAL TERPENES	0.007	18.09	3.618		PULEGONE	0.007	ND	ND	
MONENE	0.007	4.78	0.956		SABINENE	0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	3.29	0.657		SABINENE HYDRATE	0.007	ND	ND	
ETA-MYRCENE	0.007	3.00	0.600		VALENCENE	0.007	ND	ND	
NALOOL	0.007	1.43	0.286		ALPHA-PHELLANDRE	NE 0.007	ND	ND	
ETA-PINENE	0.007	0.98	0.196		ALPHA-TERPINENE	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.69	0.137		CIS-NEROLIDOL	0.003	ND	ND	
LPHA-BISABOLOL	0.007	0.69	0.137		TRANS-NEROLIDOL	0.005	ND	ND	
LPHA-TERPINEOL LPHA-PINENE	0.007	0.62	0.123		Analyzed by: 4451, 3605, 585, 1440	Weight: 0.2493g	Extra	ction date: )/24 10:35:38	Extracted by: 4451
	0.007	0.59	0.118				11/20	J/24 10.55.50	4451
LPHA-HUMULENE	0.007	0.28	0.056		Analysis Method : SOP. Analytical Batch : DA08	F.30.061A.FL, SOP.T.40.061A.FL 0311TER			
ARYOPHYLLENE OXIDE ERANIOL	0.007	0.28	0.055		Instrument Used : DA-0	CMS-004		Batch Da	te: 11/20/24 09:44:04
EROL	0.007	0.27	0.053		Analyzed Date : 11/21/	4 09:57:13			
LPHA-TERPINOLENE	0.007	0.25	0.049 0.047		Dilution : 10 Reagent : 022224.08				
AMPHENE	0.007	0.24	0.047			; 240321-634-A; 280670723; CE0123			
AMPHENE AMMA-TERPINENE	0.007	0.22	0.044		Pipette : DA-065	, 240521 05474, 200070725, 020125			
CIMENE	0.007	0.20	0.039		Terpenoid testing is perfo	med utilizing Gas Chromatography Mass Sp	ectrometry. For al	I Flower sample	es, the Total Terpenes % is dry-weight corrected.
LPHA-CEDRENE	0.007	0.15	0.036						
CARENE	0.005	0.15 ND	0.029 ND						
ORNEOL	0.013	ND							
AMPHOR	0.013	ND	ND ND						
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ARNESENE	0.007	ND	ND						
ENCHONE	0.001	ND	ND						
	0.007	ND	ND						
FRANYL ACETATE	0.007	ND	ND						
			ND I						
ERANYL ACETATE UAIOL			ND						
UAIOL IEXAHYDROTHYMOL	0.007	ND	ND						
UAIOL			ND ND ND						

Total (%)

3.618

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/22/24



Good News Brunch Cartridge 500mg Brunch Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sample : DA41119020-002

Sampled : 11/19/24

Ordered : 11/19/24

Harvest/Lot ID: 7825876335648466

Batch#: 7825876335648466 Sample Size Received: 31 units

Total Amount : 470 units

Sample Method : SOP.T.20.010

Completed : 11/22/24 Expires: 11/22/25

Sunnyside

R

FLUDIOXONIL

HEXYTHIAZOX

IMIDACLOPRID

MALATHION

METALAXYL

METHOMYL

MEVINPHOS

NALED

MYCLOBUTANIL

METHIOCARB

KRESOXIM-METHYL

IMAZALIL

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

## Pesticides

D Pesticide	S										PA	SSE
Pesticide			Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
OTAL PYRETHRINS		ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	nom	3	PASS	ND
TAL SPINETORAM		ppm	0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE						
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB		ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	nom	0.1	PASS	ND
RBOFURAN		ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PC	ND) *	0.010		0.15	PASS	ND
ILORANTRANILIPROLE	0.010	P.P.	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
ILORMEQUAT CHLORIDE	0.010		1	PASS	ND ND			0.010		0.7	PASS	ND
ILORPYRIFOS	0.010		0.1 0.2	PASS						0.1	PASS	ND
OFENTEZINE	0.010			PASS	ND	CHLORDANE *		0.010				
DUMAPHOS	0.010 0.010		0.1	PASS	ND ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
AMINOZIDE AZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS METHOATE	0.010		0.1	PASS	ND		Weight:		tion date:		Extracte	d by:
HOROPHOS	0.010		0.1	PASS	ND		0.2913g		24 14:06:41		3621	
OFENPROX	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (	(Gainesville), SOP	.T.30.10	2.FL (Davie	e), SOP.T.40.10	1.FL (Gainesville	),
OXAZOLE	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch : DA080304PES						
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-005 (PE	ES)		Bato	:h Date : 11/20	/24 09:36:31	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :11/21/24 09:47:47	- /					
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250						
PRONIL	0.010		0.1	PASS	ND	Reagent: 111824.R02; 112024.R13	; 111924.R03; 11	2024.R3	7; 102124.	R08; 112024.R	11;081023.01	
ONICAMID	0.010		0.1	PASS	ND	Consumables : 326250IW						
	0.010		0.1	DACC	ND	Pipette : DA-093; DA-094; DA-219						

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Extraction date: Extracted by: Analyzed by: 450, 585, 1440 0.2913g 11/20/24 14:06:41 3621 Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch :DA080306VOL Instrument Used :DA-GCMS-010 Batch Date :11/20/24 09:38:0 Batch Date :11/20/24 09:38:07 Analyzed Date :11/21/24 09:46:16 Dilution : 250 Reagent : 111924.R03;081023.01; 111824.R23; 111824.R24 Consumables : 326250(W); 240321-634-A; 20240202; 14725401 Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

0.010 ppm

0.010 ppm 0.010 ppm

0.010 ppm

0.010 ppm

0.010 ppm

0.010 ppm

0.010 ppm

0.1

0.2 0.1

0.1

0.1

0.1

0.1

0.25

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

///

Signature 11/22/24

## PASSED

Page 3 of 6

0.010 ppm PASS ND 0.1 0.010 ppm 0.1 PASS ND PASS 0.010 ppm 0.1 ND Weight: 0.010 ppm 0.4 PASS ND

ND

ND ND

ND

ND

ND

ND

ND

PASS

PASS

PASS

PASS

PASS

PASS

PASS

PASS



..... Good News Brunch Cartridge 500mg Brunch Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41119020-002 Harvest/Lot ID: 7825876335648466 Sampled : 11/19/24 Ordered : 11/19/24

Batch#: 7825876335648466 Sample Size Received: 31 units Total Amount : 470 units Completed : 11/22/24 Expires: 11/22/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
ENZENE	0.100	ppm	1	PASS	ND		
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
HEXANE	25.000	ppm	250	PASS	ND		
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
OLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0213g	Extraction date: 11/21/24 13:09:51		Extracted by: 850			
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA080320SOL nstrument Used : DA-GCMS-002 nalyzed Date : 11/21/24 13:45:43			Batch Date : 11/20/24 1	4:00:31			

Reagent : N/A

Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/22/24



..... ..... Good News Brunch Cartridge 500mg Brunch Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41119020-002 Harvest/Lot ID: 7825876335648466

Sampled : 11/19/24 Ordered : 11/19/24

Batch#: 7825876335648466 Sample Size Received: 31 units Total Amount : 470 units Completed : 11/22/24 Expires: 11/22/25 Sample Method : SOP.T.20.010

Page 5 of 6

S.	licrobia	al			PAS	SED	လို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TE	RRFUS			Not Present	PASS	Level	AFLATOXIN I	32		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NI				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLUS FU	MIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FL	AVUS			Not Present	PASS		AFLATOXIN	<b>31</b>		0.00	ppm	ND	PASS	0.02
SALMONELLA SP	ECIFIC GENE			Not Present	PASS		AFLATOXIN (	52		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:		Extracted	bv:
TOTAL YEAST AN	D MOLD	10.00	CFU/g	<10	PASS	100000	3621, 585, 144	0	0.2913g	11/20/24 14:			3621	
Analyzed by: 4520, 585, 1440	Weight: 0.9322g		<b>tion date:</b> /24 10:53:2		<b>xtracted b</b> 520,4044	у:			30.101.FL (Gair , SOP.T.40.102.	nesville), SOP.T. FL (Davie)	40.101.FL	. (Gainesv	ille),	
Analysis Method : S Analytical Batch : D nstrument Used : P	A080284MIC				<b>:h Date :</b> 1	1/20/24	Analytical Batc Instrument Use Analyzed Date	ed:N/A		B	atch Date	:11/20/2	4 09:38:0	5
Block (95*C) DA-04 DA-021 Analyzed Date : 11/ Dilution : 10 Reagent : 092524.2 Consumables : 757 Pipette : N/A	21/24 09:31:28 3; 092524.31; 102						081023.01 Consumables : Pipette : DA-09	326250IV 93; DA-094	/ 1; DA-219 Liquid Chromato	1924.R03; 1120 graphy with Triple				
Analyzed by: 4520, 585, 1440	<b>Weight:</b> 0.9322g	11/20	<b>tion date:</b> /24 10:53:2	6 4	<b>xtracted b</b> 520,4044	у:	Hg	Не	avy Me	etals			PAS	SED
Analysis Method : S Analytical Batch : D		iesville), S	OP.T.40.209	9.FL			Matal			LOD	11	Desult	Dene (	A
nstrument Used : Ir	ncubator (25*C) D	A- 328 [ca	librated wit	h Batch Date	e:11/20/2	4 07:43:18	Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-382] Mnalyzed Date: 11/	22/2/116:00:37						TOTAL CONT		LOAD METAL	<b>.s</b> 0.08	ppm	ND	PASS	1.1
	22/24 10:00:57						ARSENIC			0.02	ppm	ND	PASS	0.2
ilution : 10 eagent : 092524.2	3. 092524 31. 110	0724 R13					CADMIUM			0.02	ppm	ND	PASS	0.2
onsumables : N/A	5, 052524.51, 110	0724.1(10					MERCURY			0.02	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analyzed by: 4056, 585, 144	0	Weight: 0.23g	Extraction dat 11/20/24 09:4			Extracted 4056	l by:
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	h:DA080 ed:DA-ICI	MS-004		:h Date : 1	1/20/24 0	8:12:22	
							Dilution : 50 Reagent : 1108 111824.R39	324.R13; 1	11824.R38; 11	1424.R16; 1118	24.R36; 1	.11824.R3	7; 06172	4.01;

Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/22/24



Good News Brunch Cartridge 500mg Brunch Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41119020-002 Harvest/Lot ID: 7825876335648466 Batch# : 7825876335648466 Sample : 11/19/24 Total Amount : 470 units

 Batch#:7825876335648466
 Sample Size Received :31 units

 Sampled:11/19/24
 Total Amount :470 units

 Ordered:11/19/24
 Completed:11/22/24 Expires:11/22/25

 Sample Method:SOP.T.20.010

Filth/Foreign PASSED **Material** Analyte LOD Units Result P/F Action Level Filth and Foreign Material 0.100 % ND PASS 1 Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 11/20/24 17:51:30 1879 Analysis Method : SOP.T.40.090 Analytical Batch : DA080318FIL Instrument Used : Filth/Foreign Material Microscope Batch Date : 11/20/24 11:26:11 Analyzed Date : 11/20/24 18:07:21 Dilution: N/AReagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED -Water Activity

Analyte Water Activity	_	<b>OD U</b> .010 a	v W	<b>Result</b> 0.489	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.3086g		action d 0/24 14			tracted by: 512
Analysis Method : SO Analytical Batch : DA Instrument Used : DA Analyzed Date : 11/2	080315WAT 257 Rotronic Hygr	oPalm		Batch Dat	<b>e:</b> 11/20/2	24 09:47:35
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/22/24

### PASSED

Page 6 of 6