



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41119020-004



**Production Method:** Cured  
**Harvest/Lot ID:** 1953939661417777  
**Batch#:** 1953939661417777  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 9681808252276805  
**Harvest Date:** 11/15/24  
**Sample Size Received:** 6 units  
**Total Amount:** 1376 units  
**Retail Product Size:** 7 gram  
**Retail Serving Size:** 7 gram  
**Servings:** 1  
**Ordered:** 11/19/24  
**Sampled:** 11/19/24  
**Completed:** 11/22/24  
**Sampling Method:** SOP.T.20.010

Nov 22, 2024 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

 <b>Pesticides</b> PASSED	 <b>Heavy Metals</b> PASSED	 <b>Microbials</b> PASSED	 <b>Mycotoxins</b> PASSED	 <b>Residuals Solvents</b> NOT TESTED	 <b>Filtration</b> PASSED	 <b>Water Activity</b> PASSED	 <b>Moisture</b> PASSED	 <b>Terpenes</b> PASSED
---	---	---	---	---	--	---	---	---

### MISC.

 **Cannabinoid** **PASSED**

 <b>Total THC</b> <b>19.313%</b> Total THC/Container : 1351.910 mg	 <b>Total CBD</b> <b>0.038%</b> Total CBD/Container : 2.660 mg	 <b>Total Cannabinoids</b> <b>22.506%</b> Total Cannabinoids/Container : 1575.420 mg
--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.840	21.064	ND	0.044	ND	0.071	0.363	ND	ND	ND	0.124
mg/unit	58.80	1474.48	ND	3.08	ND	4.97	25.41	ND	ND	ND	8.68
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 3335, 1665, 585, 1440      Weight: 0.2083g      Extraction date: 11/20/24 11:16:46      Extracted by: 3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA080296POT  
 Instrument Used : DA-LC-001  
 Analyzed Date : 11/21/24 09:41:58      Batch Date : 11/20/24 08:35:13

Dilution : 400  
 Reagent : 111824.R21; 071624.04; 111824.R22  
 Consumables : 947.109; 20240202; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



Signature  
 11/22/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41119020-004  
Harvest/Lot ID : 1953939661417777

Batch# : 1953939661417777 Sample Size Received : 6 units  
Sampled : 11/19/24 Total Amount : 1376 units  
Ordered : 11/19/24 Completed : 11/22/24 Expires: 11/22/25  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	105.21	1.503	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	23.24	0.332	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	18.69	0.267	ALPHA-CEDRENE	0.005	ND	ND
LINALOOL	0.007	13.30	0.190	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	13.30	0.190	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	8.47	0.121	ALPHA-TERPINOLENE	0.007	ND	ND
GUAIOL	0.007	6.44	0.092	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	5.53	0.079	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	4.27	0.061				
FENCHYL ALCOHOL	0.007	4.06	0.058	Analysis by:	Weight:	Extraction date:	Extracted by:
ALPHA-TERPINEOL	0.007	3.71	0.053	4451, 3605, 585, 1440	1.0094g	11/20/24 10:32:51	4451
ALPHA-PINENE	0.007	2.52	0.036				
TRANS-NEROLIDOL	0.005	1.68	0.024	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND	ND	Analytical Batch : DA000310TER			Batch Date : 11/20/24 09:43:33
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-008			
CAMPHENE	0.007	ND	ND	Analyzed Date : 11/21/24 09:56:45			
CAMPHOR	0.007	ND	ND	Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Reagent : 022224.08			
CEDROL	0.007	ND	ND	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
EUCALYPTOL	0.007	ND	ND	Pipette : DA-065			
FARNESENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>1.503</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/22/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA4119020-004  
Harvest/Lot ID: 1953939661417777

Batch# : 1953939661417777 Sample Size Received : 6 units  
Sampled : 11/19/24 Total Amount : 1376 units  
Ordered : 11/19/24 Completed : 11/22/24 Expires: 11/22/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 585, 1440	<b>Weight:</b> 1.023g	<b>Extraction date:</b> 11/20/24 14:08:28	<b>Extracted by:</b> 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA080301PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)				<b>Batch Date :</b> 11/20/24 09:32:19	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 11/21/24 09:54:58					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 111824.R01; 112024.R13; 111924.R03; 111524.R04; 102124.R08; 112024.R11; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 1.023g	<b>Extraction date:</b> 11/20/24 14:08:28	<b>Extracted by:</b> 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA080303VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-010				<b>Batch Date :</b> 11/20/24 09:34:59	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 11/21/24 09:52:32					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 111824.R01; 112024.R13; 111924.R03; 111524.R04; 102124.R08; 112024.R11; 081023.01					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/22/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41119020-004  
Harvest/Lot ID : 1953939661417777  
Batch# : 1953939661417777 Sample Size Received : 6 units  
Sampled : 11/19/24 Total Amount : 1376 units  
Ordered : 11/19/24 Completed : 11/22/24 Expires: 11/22/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	6000	PASS	100000

**Analyzed by:** 4520, 585, 1440     **Weight:** 0.892g     **Extraction date:** 11/20/24 10:53:27     **Extracted by:** 4520,4044  
**Analysis Method :** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
**Analytical Batch :** DA080284MIC  
**Instrument Used :** PathogenDx Scanner DA-111,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021     **Batch Date :** 11/20/24 07:40:42  
**Analyzed Date :** 11/21/24 09:31:30  
**Dilution :** 10  
**Reagent :** 092524.23; 092524.31; 102924.R28; 051624.07  
**Consumables :** 7577003007  
**Pipette :** N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

**Analyzed by:** 3621, 585, 1440     **Weight:** 1.023g     **Extraction date:** 11/20/24 14:08:28     **Extracted by:** 3621  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA080302MYC  
**Instrument Used :** N/A     **Batch Date :** 11/20/24 09:34:57  
**Analyzed Date :** 11/21/24 09:54:06  
**Dilution :** 250  
**Reagent :** 111824.R01; 112024.R13; 111924.R03; 111524.R04; 102124.R08; 112024.R11; 081023.01  
**Consumables :** 326250IW  
**Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10.00	CFU/g	6000	PASS	100000

**Analyzed by:** 4520, 585, 1440     **Weight:** 0.892g     **Extraction date:** 11/20/24 10:53:27     **Extracted by:** 4520,4044  
**Analysis Method :** SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
**Analytical Batch :** DA080285TYM  
**Instrument Used :** Incubator (25°C) DA- 328 [calibrated with DA-382]     **Batch Date :** 11/20/24 07:43:18  
**Analyzed Date :** 11/22/24 16:00:38  
**Dilution :** 10  
**Reagent :** 092524.23; 092524.31; 110724.R13  
**Consumables :** N/A  
**Pipette :** N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

**Analyzed by:** 4056, 585, 1440     **Weight:** 0.2581g     **Extraction date:** 11/20/24 09:04:58     **Extracted by:** 4056,1879  
**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA080276HEA  
**Instrument Used :** DA-ICPMS-004     **Batch Date :** 11/19/24 11:45:45  
**Analyzed Date :** 11/21/24 10:10:42  
**Dilution :** 50  
**Reagent :** 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39  
**Consumables :** 179436; 20240202; 210508058  
**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/22/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA4119020-004  
Harvest/Lot ID : 1953939661417777  
Batch# : 1953939661417777 Sample Size Received : 6 units  
Sampled : 11/19/24 Total Amount : 1376 units  
Ordered : 11/19/24 Completed : 11/22/24 Expires: 11/22/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/20/24 17:51:30	Extracted by: 1879		
Analysis Method : SOP.T.40.090		Batch Date : 11/20/24 11:26:11			
Analytical Batch : DA080318FIL					
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 11/20/24 18:07:20					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.524	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.638g	Extraction date: 11/20/24 13:04:23	Extracted by: 4512		
Analysis Method : SOP.T.40.019		Batch Date : 11/20/24 09:44:49			
Analytical Batch : DA080313WAT					
Instrument Used : DA257 Rotronic HygroPalm					
Analyzed Date : 11/21/24 09:41:29					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.34	PASS	15
Analyzed by: 4512, 585, 1440	Weight: 0.502g	Extraction date: 11/20/24 14:57:28	Extracted by: 4512		
Analysis Method : SOP.T.40.021		Batch Date : 11/20/24			
Analytical Batch : DA080312MOI					
Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:44:28					
Moisture Analyzer					
Analyzed Date : 11/21/24 09:39:52					
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

