



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41120009-006



Nov 23, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**87.920%**

Total THC/Container : 879.200 mg



Total CBD

**0.953%**

Total CBD/Container : 9.530 mg



Total Cannabinoids

**93.386%**

Total Cannabinoids/Container : 933.860 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.827	0.107	0.953	ND	ND	2.952	ND	0.625	0.342	ND	0.580
mg/unit	878.27	1.07	9.53	ND	ND	29.52	ND	6.25	3.42	ND	5.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1146g

Extraction date:  
11/21/24 12:53:07

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080331POT

Instrument Used : DA-LC-003

Analyzed Date : 11/22/24 08:46:10

Batch Date : 11/21/24 08:02:54

Dilution : 400

Reagent : 111324.R49; 071624.04; 111324.R47

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g  
Brunch  
Matrix : Derivative  
Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41120009-006  
Harvest/Lot ID: 7902991362467779

Batch# : 7902991362467779 Sample Size Received : 16 units  
Sampled : 11/20/24 Total Amount : 600 units  
Ordered : 11/20/24 Completed : 11/23/24 Expires: 11/23/25  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	34.55	3.455		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	9.20	0.920		SABINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.79	0.579		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.71	0.571		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	2.56	0.256		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	1.89	0.189		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.41	0.141		CIS-NEROLIDOL	0.003	ND	ND	
FENCHYL ALCOHOL	0.007	1.24	0.124		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-PINENE	0.007	1.15	0.115		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	1.14	0.114		3605, 585, 1440	0.2271g	11/21/24 13:07:21	3605	
CARYOPHYLLENE OXIDE	0.007	0.69	0.069		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-HUMULENE	0.007	0.57	0.057		Analytical Batch : DA080345TER				
GERANIOL	0.007	0.54	0.054		Instrument Used : DA-GCMS-004				
ALPHA-TERPINOLENE	0.007	0.45	0.045		Analyzed Date : 11/22/24 09:33:03				Batch Date : 11/21/24 09:59:41
CAMPHENE	0.007	0.44	0.044		Dilution : 10				
GUAJOL	0.007	0.42	0.042		Reagent : 022224.08				
OCIMENE	0.007	0.39	0.039		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
GAMMA-TERPINENE	0.007	0.38	0.038		Pipette : DA-065				
ALPHA-CEDRENE	0.005	0.31	0.031		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	0.27	0.027						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			3.455						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g  
Brunch  
Matrix : Derivative  
Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41120009-006  
Harvest/Lot ID: 7902991362467779

Batch# : 7902991362467779 Sample Size Received : 16 units  
Sampled : 11/20/24 Total Amount : 600 units  
Ordered : 11/20/24 Completed : 11/23/24 Expires: 11/23/25  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2196g	Extraction date: 11/21/24 14:13:36	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080351PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/21/24 10:12:43	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/22/24 11:39:01					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 111824.R01; 112024.R13; 111924.R03; 112024.R36; 102124.R08; 112024.R11; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2196g	Extraction date: 11/21/24 14:13:36	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080356VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 11/21/24 10:16:50	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/22/24 09:28:02					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 111924.R03; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 240321-634-A; 20240202; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g

Brunch

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41120009-006

Harvest/Lot ID: 7902991362467779

Batch# : 7902991362467779

Sampled : 11/20/24

Ordered : 11/20/24

Sample Size Received : 16 units

Total Amount : 600 units

Completed : 11/23/24 Expires: 11/23/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0275g

Extraction date:  
11/22/24 14:56:20

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA080377SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 11/22/24 17:16:00

Batch Date : 11/21/24 15:10:48

Dilution : 1  
Reagent : N/A  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g  
Brunch  
Matrix : Derivative  
Type: Extract for Inhalation



# Certificate of Analysis



**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41120009-006  
Harvest/Lot ID: 7902991362467779  
Batch# : 7902991362467779 Sample Size Received : 16 units  
Sampled : 11/20/24 Total Amount : 600 units  
Ordered : 11/20/24 Completed : 11/23/24 Expires: 11/23/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED		Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.00	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.00	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.00	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.00	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.00	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS			Analyzed by: 3621, 585, 1440      Weight: 0.2196g      Extraction date: 11/21/24 14:13:36      Extracted by: 3621						
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analyzed by: 4044, 4520, 585, 1440      Weight: 1.04g      Extraction date: 11/21/24 10:29:59      Extracted by: 4520						Analytical Batch : DA080355MYC Instrument Used : N/A      Batch Date : 11/21/24 10:16:48 Analyzed Date : 11/22/24 11:39:53							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080338MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)      Batch Date : 11/21/24 08:24:30 DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 11/22/24 11:42:14						Dilution : 250 Reagent : 111824.R01; 112024.R13; 111924.R03; 112024.R36; 102124.R08; 112024.R11; 081023.01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219							
Dilution : 10 Reagent : 092524.15; 092524.20; 102924.R28; 051624.06 Consumables : 7577003047 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Analyzed by: 4044, 585, 1440      Weight: 1.04g      Extraction date: 11/21/24 10:29:59      Extracted by: 4520						<div><div><div>Hg</div></div></div> Heavy MetalsPASSED							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA080339TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]      Batch Date : 11/21/24 08:27:09 Analyzed Date : 11/23/24 20:39:02						MetalLODUnitsResultPass / FailAction Level							
Dilution : 10 Reagent : 092524.15; 092524.20; 110724.R13 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS0.08ppmNDPASS1.1							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						ARSENIC0.02ppmNDPASS0.2							
						CADMIUM0.02ppmNDPASS0.2							
						MERCURY0.02ppmNDPASS0.2							
						LEAD0.02ppmNDPASS0.5							
Analyzed by: 4056, 585, 1440      Weight: 0.223g      Extraction date: 11/21/24 11:27:22      Extracted by: 4056, 1879													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g

Brunch

Matrix : Derivative

Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41120009-006

Harvest/Lot ID: 7902991362467779

Batch# : 7902991362467779

Sampled : 11/20/24

Ordered : 11/20/24

Sample Size Received : 16 units

Total Amount : 600 units

Completed : 11/23/24 Expires: 11/23/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign  
Material**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/22/24 19:12:03	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080419FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/22/24 20:10:58

Batch Date : 11/22/24 10:20:49

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.659	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.3775g	Extraction date: 11/21/24 16:06:48	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080373WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 11/22/24 08:12:50

Batch Date : 11/21/24 11:04:27

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/23/24