

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41120009-012



Nov 25, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Kaycha Labs

Good News Pride Cartridge 500mg

ng ZXXX

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 6381493715225280

> > Batch#: 6381493715225280

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)
Seed to Sale#: 3570321803302638

Harvest Date: 11/12/24

Sample Size Received: 31 units

Total Amount: 997 units **Retail Product Size:** 0.5 gram

Servings: 1

Ordered: 11/20/24 Sampled: 11/20/24

Completed: 11/23/24 Revision Date: 11/25/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides PASSED



Heavy Metals PASSED



Microbials PASSED



Mycotoxins **PASSED**



Sunnyside

Residuals Solvents PASSED



Filth PASSED

Ratch Date: 11/21/24 08:02:54



Water Activity PASSED



Moisture



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC **86.399%**

Total THC/Container: 431.995 mg



Total CBD **0.133%**

Total CBD/Container: 0.665 mg



Total Cannabinoids

Total Cannabinoids/Container: 454.995

THCA THCV CBC CBD CRDA D8-THC CBG CRGA CBN CBDV 86.164 0.269 0.133 ND ND 2.795 ND 1,292 0.210 ND 0.136 430.82 1.35 0.67 ND ND 13.98 ND 6.46 1.05 ND 0.68 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD Analyzed by: 3335, 1665, 585, 1440 Weight: Extraction date: Extracted by: 11/21/24 12:53:07

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA080331POT Instrument Used: DA-LC-003 Analyzed Date: 11/22/24 08:46:27

Analyzed Date : 11/22/24 08:46:27

Dilution : 400

Dilution: 400
Reagent: 111324.R49; 071624.04; 111324.R47
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/23/24



Kaycha Labs

Good News Pride Cartridge 500mg

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41120009-012 Harvest/Lot ID: 6381493715225280

Sampled: 11/20/24 Ordered: 11/20/24

Batch#: 6381493715225280 Sample Size Received: 31 units Total Amount: 997 units $\textbf{Completed:}\ 11/23/24\ \textbf{Expires:}\ 11/25/25$

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.71	3.141		OCIMENE		0.007	ND	ND	
VALENCENE	0.007	4.22	0.843		SABINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.11	0.622		SABINENE HYDRATE		0.007	ND	ND	
LIMONENE	0.007	2.04	0.408		ALPHA-CEDRENE		0.005	ND	ND	
ALPHA-HUMULENE	0.007	1.06	0.211	_	ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	0.73	0.146		ALPHA-TERPINENE		0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.65	0.129		CIS-NEROLIDOL		0.003	ND	ND	
LINALOOL	0.007	0.57	0.113		TRANS-NEROLIDOL		0.005	ND	ND	
BETA-PINENE	0.007	0.49	0.097		Analyzed by:	Weight:		Extraction of	late:	Extracted by:
CARYOPHYLLENE OXIDE	0.007	0.40	0.080		3605, 585, 1440	0.2003g		11/21/24 13	3:07:22	3605
FENCHYL ALCOHOL	0.007	0.38	0.076		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	0.34	0.067		Analytical Batch : DA080345TER Instrument Used : DA-GCMS-004				Datab D	Pate: 11/21/24 09:59:41
ALPHA-PINENE	0.007	0.33	0.065		Analyzed Date : 11/22/24 09:33:15				Batch L	Nate: 11/21/24 09:59:41
ALPHA-TERPINEOL	0.007	0.27	0.054		Dilution: 10					
FARNESENE	0.001	0.26	0.052		Reagent: 022224.08					
GAMMA-TERPINENE	0.007	0.20	0.040		Consumables: 947.109; 240321-634 Pipette: DA-065	I-A; 280670723; CE	0123			
PULEGONE	0.007	0.20	0.039				6			
ALPHA-TERPINOLENE	0.007	0.20	0.039		Terpenoid testing is performed utilizing G	as unromatograpny M	ass Spectr	ometry. For all	Flower samp	oles, the Total Terpenes % is dry-weight corrected.
3-CARENE	0.007	0.16	0.031							
CAMPHENE	0.007	0.15	0.029							
BORNEOL	0.013	ND	ND							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
Total (0/)			2 1 / 1							

Total (%) 3.141

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/23/24



Kaycha Labs

Good News Pride Cartridge 500mg

Pride

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41120009-012 Harvest/Lot ID: 6381493715225280

Sampled: 11/20/24 Ordered: 11/20/24

Batch#: 6381493715225280 Sample Size Received: 31 units Total Amount: 997 units

 $\textbf{Completed:}\ 11/23/24\ \textbf{Expires:}\ 11/25/25$ Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	1.1.	0.1	PASS	ND			0.010		0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE				0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010	P. P.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010	1.1.	0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZEN	IF (PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *	ar (i.cian)	0.010		0.13	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *						
PENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1		ND ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	d by:
ETHOATE	0.010		0.1	PASS PASS		3621, 585, 1440	0.2496g	11/21/2	4 14:13:37		3621	
IOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.10	01.FL (Gainesville),	SOP.T.30.10	2.FL (Davie	, SOP.T.40.101	L.FL (Gainesville	:),
DFENPROX	0.010	P. P.	0.1	PASS	ND ND	SOP.T.40.102.FL (Davie)						
XAZOLE	0.010		0.1	PASS	ND ND	Analytical Batch : DA080351P Instrument Used : DA-LCMS-0			Pate	h Date : 11/21/	24 10-12-43	
IHEXAMID	0.010		0.1	PASS	ND ND	Analyzed Date: 11/22/24 11:3			Date	i Date . II/ZI/	24 10.12.43	
IOXYCARB	0.010		0.1	PASS	ND ND	Dilution: 250						
NPYROXIMATE	0.010		0.1	PASS	ND ND	Reagent: 111824.R01; 11202	4.R13; 111924.R0	3; 112024.R3	6; 102124.F	08; 112024.R	11; 081023.01	
RONIL	0.010		0.1	PASS	ND ND	Consumables: 326250IW						
DNICAMID	0.010		0.1	PASS	ND ND	Pipette: DA-093; DA-094; DA-						
JDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER		Liquid Chrom	natography 1	riple-Quadrupo	le Mass Spectror	metry in
XYTHIAZOX AZALIL	0.010	11.11	0.1	PASS	ND	Analyzed by:	20-39. Weiaht:	Euten -41	on date:		Extracted	d laver
AZALIL DACLOPRID	0.010	1.1.	0.1	PASS	ND	Analyzed by: 450, 585, 1440	weight: 0.2496q		on date:		3621	ı by:
DACLOPRID ESOXIM-METHYL	0.010		0.4	PASS	ND	Analysis Method : SOP.T.30.1				e). SOP.T.40 1		
LATHION	0.010		0.1	PASS	ND	Analytical Batch : DA080356V				-,, 5011111011		
TALAXYL	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-0)10		Batch Dat	e:11/21/24 10	:16:50	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date :11/22/24 09:2	28:06					
	0.010		0.1	PASS	ND	Dilution: 250						
THOMYL			0.1	PASS	ND ND	Reagent: 111924.R03; 08102						
VINPHOS	0.010		0.1	PASS	ND ND	Consumables: 326250IW; 240 Pipette: DA-080: DA-146: DA-		1202; 147254	UI			
CLOBUTANIL				PASS				Cac Chrom-	oaranhu T-	ala Ouadeur -!-	Mass Coostrans	steer in
LED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is accordance with F.S. Rule 64ER		y was unromat	ograpny Iri	ne-quaurupole	mass spectrome	arry III

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/23/24



Kaycha Labs

Good News Pride Cartridge 500mg

Pride

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41120009-012 Harvest/Lot ID: 6381493715225280

Sampled: 11/20/24 Ordered: 11/20/24

Batch#: 6381493715225280 Sample Size Received: 31 units Total Amount: 997 units Completed: 11/23/24 Expires: 11/25/25

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0247q	Extraction date: 11/22/24 14:56:21			extracted by:	

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080377SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 11/22/24 17:16:10

Batch Date: 11/21/24 15:10:48

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: 430274; 319008 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/23/24



Kaycha Labs

Good News Pride Cartridge 500mg

Pride

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41120009-012 Harvest/Lot ID: 6381493715225280

Sampled: 11/20/24 Ordered: 11/20/24

Batch#: 6381493715225280 Sample Size Received: 31 units Total Amount: 997 units Completed: 11/23/24 Expires: 11/25/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



xins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS
SALMONELLA SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10.00	CFU/a	Not Present <10	PASS PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.2496a	Extraction date			Extracte 3621
Analyzed by:	Weight:	Extraction		Extracte		Analysis Method : SOP				(Gainesv	

4531, 4520, 585, 1440 1.0033g 11/21/24 10:32:48 4520

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080340MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 11/21/24

Scientific Isotemp Heat Block (55*C) DA-021 Analyzed Date: 11/22/24 11:50:13

Reagent: 092524.15; 092524.20; 102924.R28; 051624.06 Consumables: 7577003047

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4531, 4044, 585, 1440	1.0033a	11/21/24 10:32:48	4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA080341TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 11/21/24 08:31:50

Analyzed Date: 11/23/24 20:45:02

Dilution: 10

Reagent: 092524.15; 092524.20; 110724.R13 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Å.	Mycoto
alvte	

Analyte		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02		
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02		
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02		
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02		
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02		
Analyzed by:					Extracted by:			
3621, 585, 1440	0.2496a	11/21/24 14-1	13.37		3621			

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA080355MYC

Batch Date: 11/21/24 10:16:48 Instrument Used: N/A

Analyzed Date: 11/22/24 11:39:57

Dilution: 250
Reagent: 111824.R01; 112024.R13; 111924.R03; 112024.R36; 102124.R08; 112024.R11;

081023.01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 4056, 585, 1440	Weight: 0.2198g	Extraction date 11/21/24 11:4		Extracted by: 4056,1879		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080322HEA Instrument Used : DA-ICPMS-004

Batch Date: 11/21/24 07:51:47 Analyzed Date: 11/22/24 08:32:31

Dilution: 50

Reagent: 110824.R13; 111824.R38; 111424.R16; 111824.R36; 111824.R37; 061724.01; 111824.R39

Consumables: 179436; 20240202; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/23/24



Kaycha Labs

Good News Pride Cartridge 500mg

Pride

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41120009-012 Harvest/Lot ID: 6381493715225280

Batch#: 6381493715225280 Sample Size Received: 31 units Sampled: 11/20/24 Ordered: 11/20/24

Total Amount: 997 units Completed: 11/23/24 Expires: 11/25/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 11/22/24 19:12:03 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080419FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/22/24 10:20:49 Analyzed Date: 11/22/24 20:10:52

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.538	P/F PASS	Action Level 0.85
Analyzed by: 4512, 585, 1440	Weight: 0.1462g		Extraction date: 11/21/24 16:06:48		Ext 45	tracted by:

Analysis Method: SOP.T.40.019

Analytical Batch: DA080373WAT Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 11/21/24 11:04:27 Analyzed Date: 11/22/24 08:12:55

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/23/24