



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41121012-001



Nov 26, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

19.764%

Total THC/Container : 2766.960 mg



Total CBD

0.041%

Total CBD/Container : 5.740 mg



Total Cannabinoids

23.114%

Total Cannabinoids/Container : 3235.960 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.654	21.791	ND	0.047	ND	0.045	0.246	ND	ND	ND	0.331
mg/unit	91.56	3050.74	ND	6.58	ND	6.30	34.44	ND	ND	ND	46.34
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 1440

Weight:
0.1873g

Extraction date:
11/22/24 12:48:04

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080387POT

Instrument Used : DA-LC-002

Analized Date : 11/25/24 20:55:33

Batch Date : 11/22/24 08:39:11

Dilution : 400

Reagent : 111824.R21; 071624.04; 111824.R22

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41121012-001

Harvest/Lot ID: 2354 5255 7984 3775

Batch# : 2354 5255 7984 3775

Sampled : 11/21/24

Ordered : 11/21/24

Sample Size Received : 5 units

Total Amount : 1066 units

Completed : 11/26/24 Expires: 11/26/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	312.48	2.232		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	101.08	0.722		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	65.52	0.468		ALPHA-CEDRENE	0.005	ND	ND	
LINALOOL	0.007	32.62	0.233		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	30.66	0.219		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	16.80	0.120		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	14.56	0.104		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	11.62	0.083		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	9.94	0.071		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	9.38	0.067		3605, 585, 1440	1.0272g	11/22/24 12:30:19	3605	
FENCHYL ALCOHOL	0.007	9.10	0.065		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-MYRCENE	0.007	7.14	0.051		Analytical Batch : DA080400TER				
TRANS-NEROLIDOL	0.005	4.06	0.029		Instrument Used : DA-GCMS-009				
3-CARENE	0.007	ND	ND		Analyzed Date : 11/25/24 12:01:06				Batch Date : 11/22/24 09:49:05
BORNEOL	0.013	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 022224.08				
CAMPOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.232						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA41121012-001

Harvest/Lot ID: 2354 5255 7984 3775

Batch# : 2354 5255 7984 3775

Sampled : 11/21/24
Ordered : 11/21/24

Sample Size Received : 5 units

Total Amount : 1066 units

Completed : 11/26/24 Expires: 11/26/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.144	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.144	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 1.1209g	Extraction date: 11/22/24 14:43:42	Extracted by: 3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080397PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/22/24 09:45:59	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/25/24 10:09:10					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 112124.R03; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 1440	Weight: 1.1209g	Extraction date: 11/22/24 14:43:42	Extracted by: 3621		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080399VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 11/22/24 09:47:43	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/25/24 10:06:16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 112124.R03; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Smalls 14g - Grntz (I)
Grntz (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com



Sample : DA41121012-001

Harvest/Lot ID: 2354 5255 7984 3775

Batch# : 2354 5255 7984
3775

Sample Size Received : 5 units
Total Amount : 1066 units
Completed : 11/26/24 Expires: 11/26/25
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.00	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.00	ppm	ND	PASS	0.02					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.00	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS																	
TOTAL YEAST AND MOLD						10.00	CFU/g	50	PASS	100000	Analyzed by: 3621, 585, 1440						Weight: 1.1209g	Extraction date: 11/22/24 14:43:42		Extracted by: 3621						
Analyzed by: 4531, 4520, 585, 1440						Weight: 1.005g	Extraction date: 11/22/24 11:29:05		Extracted by: 4520,4044		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											Analytical Batch : DA080398MYC						Batch Date : 11/22/24 09:47:19									
Analytical Batch : DA080380MIC											Instrument Used : N/A															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021						Batch Date : 11/22/24 07:38:49					Analyzed Date : 11/25/24 10:07:33															
Analyzed Date : 11/25/24 09:39:32											Dilution : 250															
Dilution : 10											Reagent : 112124.R03; 081023.01															
Reagent : 111524.63; 111524.65; 102924.R28; 051624.06											Consumables : 240321-634-A; 20240202; 3262501W															
Consumables : 7577003036											Pipette : N/A															
Pipette : N/A											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
											<div><div><div>Hg</div></div></div>						Heavy Metals					PASSED				
Analyzed by: 4531, 1879, 585, 1440						Weight: 1.005g	Extraction date: 11/22/24 11:29:05		Extracted by: 4520,4044		Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											TOTAL CONTAMINANT LOAD METALS						0.08	ppm	ND	PASS	1.1					
Analytical Batch : DA080381TYM											ARSENIC						0.02	ppm	<0.100	PASS	0.2					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 11/22/24 07:48:51					CADMIUM						0.02	ppm	ND	PASS	0.2					
Analyzed Date : 11/25/24 09:41:51											MERCURY						0.02	ppm	ND	PASS	0.2					
Dilution : 10											LEAD						0.02	ppm	ND	PASS	0.5					
Reagent : 111524.63; 111524.65; 110724.R13											Analyzed by: 4056, 585, 1440						Weight: 0.2405g	Extraction date: 11/22/24 10:56:23		Extracted by: 4056,1879						
Consumables : N/A											Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL															
Pipette : N/A											Analytical Batch : DA080393HEA															
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											Instrument Used : DA-ICPMS-004						Batch Date : 11/22/24 09:29:21									
											Analyzed Date : 11/25/24 09:49:40															
											Dilution : 50															
											Reagent : 110824.R13; 111824.R38; 112224.R01; 111824.R36; 111824.R37; 061724.01; 111824.R39															
											Consumables : 179436; 20240202; 210508058															
											Pipette : DA-061; DA-191; DA-216															
											Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
11/26/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: julio.Chavez@crescolabs.com

Sample : DA41121012-001

Harvest/Lot ID: 2354 5255 7984 3775

 Batch# : 2354 5255 7984
 3775

Sampled : 11/21/24

Ordered : 11/21/24

Sample Size Received : 5 units

Total Amount : 1066 units

Completed : 11/26/24 Expires: 11/26/25

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.46	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/22/24 19:12:07	Extracted by: 1879			Analyzed by: 4512, 585, 1440	Weight: 0.504g	Extraction date: 11/22/24 14:39:59	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA080419FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/22/24 20:10:02						Analysis Method : SOP.T.40.021 Analytical Batch : DA080420MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:40:52 Moisture Analyzer Analyzed Date : 11/25/24 09:46:14					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39											


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.489	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.711g	Extraction date: 11/22/24 15:02:54	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA080421WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 11/22/24 10:44:22		
Analyzed Date : 11/25/24 10:17:04					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.