



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41122009-008



Nov 27, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

20.700%

Total THC/Container : 1449.000 mg



Total CBD

0.083%

Total CBD/Container : 5.810 mg



Total Cannabinoids

24.113%

Total Cannabinoids/Container : 1687.910 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.683	22.825	ND	0.095	0.044	0.077	0.336	ND	ND	ND	0.053
mg/unit	47.81	1597.75	ND	6.65	3.08	5.39	23.52	ND	ND	ND	3.71
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2095g

Extraction date:
11/25/24 10:28:15

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080484POT

Instrument Used : DA-LC-001

Analyzed Date : 11/27/24 08:50:15

Batch Date : 11/25/24 07:59:41

Dilution : 400

Reagent : 110424.R04; 073024.51; 110424.R01

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41122009-008
Harvest/Lot ID: 5293319676514719

Batch# : 5293319676514719 Sample Size Received : 7 units
Sampled : 11/22/24 Total Amount : 1700 units
Ordered : 11/22/24 Completed : 11/27/24 Expires: 11/27/25
Sample Method : SOP.T.20.010

Page 2 of 5

</

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41122009-008

Harvest/Lot ID: 5293319676514719

Batch# : 5293319676514719

Sampled : 11/22/24

Ordered : 11/22/24

Sample Size Received : 7 units

Total Amount : 1700 units

Completed : 11/27/24 Expires: 11/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.130	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.130	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	1.0048g	11/24/24 13:12:03	4640,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080440PES					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 11/23/24 11:36:13	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/26/24 10:36:33					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 112124.R03; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	1.0048g	11/24/24 13:12:03	4640,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080441VOL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011				Batch Date : 11/23/24 11:40:31	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/26/24 09:47:57					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 112124.R03; 081023.01; 111824.R23; 111824.R24					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED



Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41122009-008
Harvest/Lot ID: 5293319676514719

Batch# : 5293319676514719 Sample Size Received : 7 units
Sampled : 11/22/24 Total Amount : 1700 units
Ordered : 11/22/24 Completed : 11/27/24 Expires: 11/27/25
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED					
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN B2						0.00	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER								Not Present	PASS		AFLATOXIN B1						0.00	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS								Not Present	PASS		OCHRATOXIN A						0.00	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS								Not Present	PASS		AFLATOXIN G1						0.00	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN G2						0.00	ppm	ND	PASS	0.02	
ECOLI SHIGELLA								Not Present	PASS													
TOTAL YEAST AND MOLD						10.00	CFU/g	1250	PASS	100000	Analyzed by: 4351, 4520, 585, 1440		Weight: 0.839g	Extraction date: 11/23/24 10:16:10		Extracted by: 4520,4044		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL												Analytical Batch : DA080443MYC						Batch Date : 11/23/24 11:42:26				
Analytical Batch : DA080424MIC												Instrument Used : N/A										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)						Batch Date : 11/23/24 08:14:00						Analyzed Date : 11/26/24 10:33:04										
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367												Dilution : 250										
Analysis Date : 11/26/24 11:41:53												Reagent : 112124.R03; 081023.01										
												Consumables : 240321-634-A; 20240202; 326250IW										
Dilution : 10												Pipette : N/A										
Reagent : 111524.63; 111524.72; 102924.R28; 051624.06												Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										
Consumables : 7577003044												<div><div><div>Hg</div></div></div>						PASSED				
Pipette : N/A																						
Analyzed by: 4351, 3390, 585, 1440						Weight: 0.839g	Extraction date: 11/23/24 10:16:10		Extracted by: 4520,4044		Metal						LOD	Units	Result	Pass / Fail	Action Level	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL												TOTAL CONTAMINANT LOAD METALS						0.08	ppm	ND	PASS	1.1
Analytical Batch : DA080425TYM												ARSENIC						0.02	ppm	<0.100	PASS	0.2
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]						Batch Date : 11/23/24 08:15:53						CADMIUM						0.02	ppm	ND	PASS	0.2
Analysis Date : 11/26/24 09:24:19												MERCURY						0.02	ppm	ND	PASS	0.2
												LEAD						0.02	ppm	ND	PASS	0.5
Dilution : 10												Analyzed by: 4056, 585, 1440		Weight: 0.2036g	Extraction date: 11/23/24 13:39:31		Extracted by: 4571,4056		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Reagent : 111524.63; 111524.72; 110724.R13												Analytical Batch : DA080457HEA						Batch Date : 11/23/24 12:21:19				
Consumables : N/A												Instrument Used : DA-ICPMS-004										
Pipette : N/A												Analysis Date : 11/26/24 09:48:48										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.												Dilution : 50						Reagent : 110824.R13; 111824.R38; 112224.R01; 111824.R36; 111824.R37; 061724.01; 111824.R39				
												Consumables : 179436; 20240202; 210508058										
												Pipette : DA-061; DA-191; DA-216										
												Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Flo x Zkittles (S)
Flo x Zkittles (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41122009-008
Harvest/Lot ID: 5293319676514719

Batch# : 5293319676514719 Sample Size Received : 7 units
Sampled : 11/22/24 Total Amount : 1700 units
Ordered : 11/22/24 Completed : 11/27/24 Expires: 11/27/25
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.02	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/25/24 03:24:15			Extracted by: 1879	Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 11/24/24 10:24:29			Extracted by: 4512
Analysis Method : SOP.T.40.090 Analytical Batch : DA080482FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/25/24 03:38:01						Analysis Method : SOP.T.40.021 Analytical Batch : DA080436MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 10:29:04 Moisture Analyzer Analyzed Date : 11/26/24 09:35:37					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.469	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.607g	Extraction date: 11/24/24 11:11:36	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA080444WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 11/23/24 11:42:31		
Analyzed Date : 11/26/24 09:42:46					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/27/24