

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**Kaycha Labs** 

Good News Pride Cartridge 1g Pride Matrix: Derivative



Classification: High THC Type: Distillate

Production Method: Other - Not Listed

Harvest/Lot ID: 3586161697764420

**Certificate of Analysis** Batch#: 3586161697764420 Cultivation Facility: FL - Indiantown (4430) **COMPLIANCE FOR RETAIL** Processing Facility : FL - Indiantown (4430) Laboratory Sample ID: DA41126003-005 Source Facility: FL - Indiantown (4430) Seed to Sale#: 9732481826010505 1 Harvest Date: 11/20/24 100 Sample Size Received: 16 units Total Amount: 1180 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 11/25/24 Sampled: 11/26/24 Completed: 11/29/24 Sampling Method: SOP.T.20.010 Nov 29, 2024 | Sunnyside PASSED Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US Pages 1 of 6 SAFETY RESULTS MISC. R€ Ο Hg 0 Heavy Metals Water Activity Moisture Microbials **Mycotoxins** Filth Pesticides Residuals Terpenes PASSED PASSED PASSED PASSED Solvents PASSED PASSED **NOT TESTED** PASSED PASSED PASSED Cannabinoid Total THC **Total CBD Total Cannabinoids** 84.535% 0.724% 89.323% Total THC/Container : 845.350 mg Total CBD/Container : 7.240 mg Total Cannabinoids/Container : 893.230 mg THCA тнсу CBC D9-THC CBD D8-THC CBG CRGA CBN CBDV 84.497 0.044 0.724 ND ND 2.711 ND 0.620 0.393 ND 0.334 844.97 0.44 7.24 ND ND 27.11 ND 6.20 3.93 ND 3.34 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 4351, 1665, 585, 1440 Weight: Extraction date: Extracted by: 0 1172a 11/26/24 13.10.44 3335 4351 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA080511POT Instrument Used : DA-LC-003 Analyzed Date : 11/27/24 13:57:46 Batch Date : 11/26/24 08:51:48 Dilution: 400 Reagent : 111324.R48; 073024.51; 111324.R46 Consumables : 947.109; 20240202; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

ma/unit

LOD

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/29/24



Good News Pride Cartridge 1g Pride



Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126003-005 Harvest/Lot ID: 3586161697764420

Sampled : 11/26/24 Ordered : 11/26/24

Batch#: 3586161697764420 Sample Size Received: 16 units Total Amount : 1180 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 2 of 6

### **Terpenes**

Terpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	44.31	4.431			SABINENE HYDRATE	0.007	ND	ND	
ALENCENE	0.007	14.18	1.418			ALPHA-CEDRENE	0.005	ND	ND	
ETA-CARYOPHYLLENE	0.007	10.46	1.046			ALPHA-PHELLANDRENE	0.007	ND	ND	
IMONENE	0.007	6.81	0.681			ALPHA-TERPINENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	3.38	0.338			ALPHA-TERPINOLENE	0.007	ND	ND	
ETA-MYRCENE	0.007	2.31	0.231			CIS-NEROLIDOL	0.003	ND	ND	
LPHA-BISABOLOL	0.007	1.74	0.174			GAMMA-TERPINENE	0.007	ND	ND	
INALOOL	0.007	1.29	0.129			TRANS-NEROLIDOL	0.005	ND	ND	
ETA-PINENE	0.007	1.24	0.124			Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
ENCHYL ALCOHOL	0.007	0.77	0.077		Ï	4451, 3605, 585, 1440	0.2402g		24 12:58:58	4451
LPHA-PINENE	0.007	0.72	0.072			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.0	61A.FL			
ARYOPHYLLENE OXIDE	0.007	0.61	0.061			Analytical Batch : DA080520TER				11/02/04 11:00:00
ERANYL ACETATE	0.007	0.50	0.050			Instrument Used : DA-GCMS-008 Analyzed Date : 11/27/24 13:57:47			Batch Dat	e:11/26/24 11:00:03
LPHA-TERPINEOL	0.007	0.30	0.030		i i	Dilution : 10				
CARENE	0.007	ND	ND			Reagent : 081924.04				
ORNEOL	0.013	ND	ND			Consumables : 947.109; 240321-634-A; 2806707	23; CE0123			
AMPHENE	0.007	ND	ND			Pipette : DA-065				
AMPHOR	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chromatog	raphy Mass Spectro	ometry. For all	Flower sample	s, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
ARNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
	0.007	ND	ND							
PULEGONE	0.007									
	0.007	ND	ND							

Total (%)

4.431

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24



4131 SW 47th AVENUE SUITE 1408

**Kaycha Labs** 

Good News Pride Cartridge 1g Pride



Matrix : Derivative Type: Distillate

### PASSED

PASSED

**DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

#### Sample : DA41126003-005 Harvest/Lot ID: 3586161697764420

Sampled : 11/26/24 Ordered : 11/26/24

Batch#: 3586161697764420 Sample Size Received: 16 units Total Amount : 1180 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 3 of 6



## **Pesticides**

LOD	Units	Action Level	Pass/Fail	Result	Pesticide
	1.1	5	PASS	ND	OXAMYL
		÷.=			PACLOBUTRAZOL
	T P	÷·=			PHOSMET
					PIPERONYL BUTOXIDE
	T P	÷.=			PRALLETHRIN
					PROPICONAZOLE
					PROPOXUR
					PYRIDABEN
	1.1				SPIROMESIFEN
					SPIROTETRAMAT
					SPIROXAMINE
					TEBUCONAZOLE
					THIACLOPRID
					THIAMETHOXAM
	1.1				TRIFLOXYSTROBIN
					PENTACHLORONITROBI
	T P	-			PARATHION-METHYL *
	1.1	-			
	T P	÷·=			CAPTAN *
	1.1				CHLORDANE *
		÷·=			CHLORFENAPYR *
	T P				CYFLUTHRIN *
		÷·=			CYPERMETHRIN *
	1.1				Analyzed by:
					3379, 585, 1440
	T P				Analysis Method : SOP.T
					SOP.T.40.102.FL (Davie)
					Analytical Batch : DA08
	T P				Instrument Used : DA-LO Analyzed Date : 11/27/2
					Dilution : 250
					Reagent : 112524.R01; (
					Consumables : 240321-
					Pipette : N/A
					Testing for agricultural ag
		÷·=			accordance with F.S. Rule
	1.1				Analyzed by:
		÷			450, 585, 1440
	T P				Analysis Method : SOP.1 Analytical Batch : DA08
					Instrument Used : DA-G
	T P				Analyzed Date :11/27/2
					Dilution : 250
					Reagent : 112524.R01;
	1.1				Consumables : 240321-
	1.1				Pipette : DA-080; DA-14
0.010	ppm	0.25	PASS	ND	Testing for agricultural age accordance with F.S. Rule
	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.	0.010         ppm           0.010 </td <td>Level           0.010 ppm         5           0.010 ppm         0.2           0.010 ppm         0.2           0.010 ppm         0.1           0.010 ppm         0.2           0.010 ppm         0.1           0.010 ppm         0.1</td> <td>Level         PASS           0.010 ppm         5         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         1         PASS           0.010 ppm         0.1         PASS           0.010</td> <td>Level           0.010 ppm         5         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm</td>	Level           0.010 ppm         5           0.010 ppm         0.2           0.010 ppm         0.2           0.010 ppm         0.1           0.010 ppm         0.2           0.010 ppm         0.1           0.010 ppm         0.1	Level         PASS           0.010 ppm         5         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         1         PASS           0.010 ppm         0.1         PASS           0.010	Level           0.010 ppm         5         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.010	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.010		0.1	PASS	ND
PHOSMET		0.010		0.1	PASS	ND
PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
PRALLETHRIN		0.010	ppm	0.1	PASS	ND
PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
PROPOXUR		0.010	ppm	0.1	PASS	ND
PYRIDABEN		0.010	ppm	0.2	PASS	ND
SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
SPIROXAMINE		0.010	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
THIACLOPRID		0.010	ppm	0.1	PASS	ND
THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
PENTACHLORONITROBEN	ZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CAPTAN *		0.070	PPM	0.7	PASS	ND
CHLORDANE *		0.010	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
Analyzed by: 3379, 585, 1440	Weight: 0.2249g	Extracti 11/26/24	on date: 15:01:46		Extracted I 3379,3621	by:
Analysis Method :SOP.T.3 SOP.T.40.102.FL (Davie) Analytical Batch :DA0805 Instrument Used :DA-LCM Analyzed Date :11/27/24	17PES S-003 (PES)	≥), SOP.T.30.10		e), SOP.T.40.10		2),
Dilution: 250 Reagent: 112524.R01; 08 Consumables: 240321-63 Pipette: N/A	4-A; 20240202; 326					
Testing for agricultural agen accordance with F.S. Rule 64	ER20-39.			Triple-Quadrupo		· ·
Analyzed by: 450, 585, 1440	Weight: 0.2249g	Extractio 11/26/24	15:01:46		Extracted b 3379,3621	y:
Analysis Method :SOP.T.3 Analytical Batch :DA0805 Instrument Used :DA-GCM Analyzed Date :11/27/24	19VOL IS-011	e), SOP.T.30.15		ie), SOP.T.40.1 te :11/26/24 10		
Dilution : 250 Reagent : 112524.R01; 08	1023.01; 111824.R2	3; 111824.R24				

; U81023.01; 111824.R23; 111824.R24 L-634-A; 20240202; 326250IW; 14725401 46; DA-218

gents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in e 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24



Type: Distillate

Page 4 of 6

Good News Pride Cartridge 1g Pride Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126003-005 Harvest/Lot ID: 3586161697764420 Sampled : 11/26/24 Ordered : 11/26/24

Batch#: 3586161697764420 Sample Size Received: 16 units Total Amount : 1180 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
CETONITRILE	6.000	ppm	60	PASS	ND		
ENZENE	0.100	ppm	1	PASS	ND		
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
HLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
THYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
EPTANE	500.000	ppm	5000	PASS	ND		
IETHANOL	25.000	ppm	250	PASS	ND		
HEXANE	25.000	ppm	250	PASS	ND		
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
ROPANE	500.000	ppm	5000	PASS	ND		
OLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.0205g	Extraction date: 11/27/24 15:10:05		<b>E</b> x 85	tracted by: 0		
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA080543SOL nstrument Used : DA-GCMS-003 nalyzed Date : 11/27/24 16:08:56	Batch Date : 11/26/24 14:00:24						

Reagent : N/A Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/29/24

PASSED



Good News Pride Cartridge 1g Pride



Matrix : Derivative Type: Distillate

## PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126003-005 Harvest/Lot ID: 3586161697764420

Sampled : 11/26/24 Ordered : 11/26/24

Batch#: 3586161697764420 Sample Size Received: 16 units Total Amount : 1180 units Completed : 11/29/24 Expires: 11/29/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç,	Microk	oial			PAS	SED	స్థోం	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Fail	Action Level
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.00	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE		10.00	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	10	Weight: 0.2249g	Extraction dat 11/26/24 15:0			xtracted b 379,3621	y:
Analyzed by:         Weight:         Extraction date:         Extracted by:           3390, 4520, 585, 1440         0.841g         11/26/24 11:38:41         4044           Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL         Analytical Batch : DA080515MIC         Figure 1000000000000000000000000000000000000					d by:		FL (Davie) ch : DA080 ed : N/A	, SOP.T.40.102. 518MYC			. (Gainesv : 11/26/24		7	
Scientific Isote Analyzed Date Dilution : 10	Scientific Isotemp mp Heat Block (55 : 11/27/24 11:46:2 524.14; 111524.64 7577003002	5*C) DA-021 29					Pipette : N/A	ting utilizing	34-A; 2024020 Liquid Chromato	2; 326250IW graphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 4520, 4351, 58	5, 1440	Weight: 0.841g	Extraction d 11/26/24 11		Extracte 4044	d by:	Hg	Неа	avy Mo	etals			PAS	SED
Analytical Batc	d : SOP.T.40.208 h : DA080516TYM ed : Incubator (25*				11/26/2	4 09:44:1	Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-3821	a : Incubator (25"	·C) DA- 526 [C	.diibrateu wit	Batch Date	e:11/20/2	4 09:44:1	TOTAL CONT		LOAD METAI	LS 0.08	ppm	ND	PASS	1.1
	: 11/29/24 16:07:5	50					ARSENIC			0.02	ppm	ND	PASS	0.2
Dilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	524.14; 111524.64	l; 110724.R13	3				MERCURY			0.02	ppm	ND	PASS	0.2
Consumables :							LEAD			0.02	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.				s in	Analyzed by: 4056, 585, 144	10	Weight: 0.2416g	Extraction dat 11/26/24 13:2			xtracted b 056,4571	y:		
				Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA080 ed : DA-ICF	PMS-004		h Date : 1	.1/26/24 0	9:34:24				

Dilution : 50 Reagent : 112524.R05; 112524.R08; 112224.R01; 112524.R06; 112524.R07; 061724.01; 112624.R33 Consumables : 179436: 20240202: 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/29/24



Type: Distillate

Good News Pride Cartridge 1g Pride Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41126003-005 Harvest/Lot ID: 3586161697764420 Batch# : 3586161697764420 Sample Size Received : 16 units

Sampled : 11/26/24 Ordered : 11/26/24

764420
Sample Size Received : 16 units
Total Amount : 1180 units
Completed : 11/29/24 Expires: 11/29/25
Sample Method : SOP.T.20.010

	Filth/For Materia	-	PASSED					
Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level		
Analyzed by: 1879, 585, 1440	Weight: 1g		raction da 28/24 11:			Extracted by: 1879		
	I : Filth/Foreign Mater 11/28/24 11:20:42	riai Micro	oscope	Batch D	Date: 11/28	8/24 11:01:20		
	naterial inspection is pe cordance with F.S. Rule			spection utilizi	ng naked ey	ve and microscope		
( )	Water A	ctiv	ity		ΡΑ	SSED		
Analyte Water Activity		LOD	Units	Result	P/F	Action Level		

Water Activity	0	.010 aw	0.392	PASS	0.85			
Analyzed by: 4512, 585, 1440	Weight: 0.1702g	Extraction 0 11/26/24 16		Extracted by: 4 4512				
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 11/27	80536WAT 257 Rotronic Hygr	roPalm	Batch Dat	:e:11/26/2	24 11:49:19			
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A								
Water Activity is perform	ad using a Datrania	Livera Dales LID 2	2 AM/ in accord	anco with F	C Dula 64ED20.20			

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/29/24

## PASSED

Page 6 of 6