

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Sunnyside Chews 100mg 10pk Guava Guava Matrix: Edible



Classification: High THC Type: Soft Chew

Production Method: Other - Not Listed

Harvest/Lot ID: 0079 2768 1976 9528 Batch#: 0079 2768 1976 9528

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1155955399713665

Retail Product Size: 40.3981 gram

Retail Serving Size: 40.3981 gram

Sampling Method: SOP.T.20.010

Pages 1 of 5

Harvest Date: 11/15/24 Sample Size Received: 13 units Total Amount: 2949 units

Servings: 0.002439

Ordered: 11/26/24 Sampled: 11/26/24 Completed: 11/30/24

PASSED

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41126016-001



Nov 30, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY R	ESULTS										MISC.	
R 0		Hg	Ċ,	ç	ş	Ä			\mathbf{S}		Ô	
Pestici PASS		vy Metals ASSED	Microbials PASSED	Mycoto PASS	ED	Residuals Solvents PASSED	Filth PASSED		Activity SED	Moisture NOT TESTED	Terpenes NOT TESTED	
Ä	Cannab	oinoid								I	PASSED	
Total THC 0.251% Total THC/Container : 101.399 mg Total CBD/ Total Cannabinoids												
%	D9-ТНС 0.251	THCA ND	CBD 0.005	CBDA ND	D8-ТНС ND	св д 0.010	CBGA ND	сви 0.002	тнсv ND	CBDV ND	свс ND	
‰ mg/unit	101.40	ND	2.02	ND	ND	4.04	ND	0.81	ND	ND	ND	
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
	%	%	%	%	%	%	%	%	%	%	%	
Analyzed by: 3335, 1665, 585	, 1440			Weight: 2.9841g		Extraction date: 11/27/24 16:34:1	2			Extracted by: 3335		
Society 1005, 505, 1440 2.9641g 11/2//24 16:34:12 3335 Analysis Method: SOP.T.40.031, SOP.T.30.031 Analyzical Batch: DA080566P0T Instrument Used: DA-LC-007 Batch Date: 11/27/24 13:37:03 Analyzed Date: 11/22/24 20:07:15 Batch Date: 11/27/24 13:37:03 Batch Date: 11/27/24 13:37:03												
Consumables : 9	24.11; 020124.02; 1 947.109; 20240202; 9; DA-108; DA-078											
Full Spectrum car	nabinoid analysis utili	zing High Performance	Liquid Chromatography	with UV detection in a	accordance with F.S.	Rule 64ER20-39.						

Sunnyside^{*}

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24



Sunnyside Chews 100mg 10pk Guava Guava Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-001 Harvest/Lot ID: 0079 2768 1976 9528

Batch#:0079 2768 1976 9528 Sampled:11/26/24 Ordered:11/26/24 Sample Size Received : 13 units Total Amount : 2949 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	T. F.	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	maa	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		maa	3	PASS	ND
TOTAL SPINETORAM	0.010		3	PASS	ND			ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN				PASS	
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		ppm	1		ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	T. F.	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIAMETHOXAM		ppm	1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND			ppm	3	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.2	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight	- Evi	raction date:		Extracted	bu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3621, 3379, 585, 1440 0.90690		27/24 17:05:5	0	4640.3621	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analytical Batch : DA080591PES					
FENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used : DA-LCMS-005 (PES)		Batch I	Date:11/27/2	24 14:29:52	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :11/30/24 14:16:01					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Dilution : 250 Reagent : 112524.R02; 112624.R01; 112524.R02	1·11252/ DO	3. 102124 POS	2. 112624 PO	3. 081023 01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	1, 112524.00	5, 102124.1100), 112024.NO.	5,001025.01	
FLONICAMID	0.010	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		3	PASS	ND	Testing for agricultural agents is performed utilizing	J Liquid Chron	natography Trip	le-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	r:
IMIDACLOPRID	0.010	ppm	1	PASS	ND	450, 585, 1440 0.9069g	11/27/24			4640,3621	
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville),	SOP.T.30.15	1A.FL (Davie),	SOP.T.40.15	1.FL	
MALATHION	0.010		2	PASS	ND	Analytical Batch :DA080593VOL Instrument Used :DA-GCMS-001		Batch Date :	11/27/24 14-	35.52	
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed Date :11/30/24 14:09:31		battin bale :	14.	55.52	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010		0.1	PASS	ND	Reagent : 112524.R01; 081023.01; 111824.R23;	111824.R24				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 240321-634-A; 20240					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing accordance with F.S. Rule 64ER20-39.	g Gas Chroma	tography Triple	-Quadrupole N	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24

PASSED

PASSED



..... Sunnyside Chews 100mg 10pk Guava Guava Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-001 Harvest/Lot ID: 0079 2768 1976 9528 Batch#:0079 2768 1976 9528 Sampled : 11/26/24

Ordered : 11/26/24

Sample Size Received : 13 units Total Amount : 2949 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm		TESTED	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
THYL ETHER	50.000	ppm	500	PASS	ND		
THYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
I-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
FOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
analyzed by: 350, 585, 1440	Weight: 0.0218g	Extraction date: 11/29/24 15:51:59		E x 85	tracted by:		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080597SOL nstrument Used : DA-GCMS-002 Analyzed Date : 11/29/24 19:46:50	Batch Date : 11/27/24 16:34:39						

Reagent : N/A Consumables : 430274; 319008 Pipette : DA-308 10uL Syringe 35032

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24

PASSED

PASSED



..... Sunnyside Chews 100mg 10pk Guava Guava Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-001 Harvest/Lot ID: 0079 2768 1976 9528 Batch#:0079 2768 1976

9528 Sampled : 11/26/24 Ordered : 11/26/24

Sample Size Received : 13 units Total Amount : 2949 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ5	Microb	ial			PAS	SED	လို့	My	cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	maa	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
SALMONELLA	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction	a data.		Extracted	l bu
TOTAL YEAS	FAND MOLD	10.00	CFU/g	<10	PASS	100000	3621, 3379, 58	5, 1440	0.9069g	11/27/24			4640,362	
Analyzed by: 4044, 3390, 58		Veight: L.043g	Extraction 0 11/27/24 12		Extracte 4520	d by:	SOP.T.30.102.	FL (Davie), S	0.101.FL (Gaine SOP.T.40.102.FI		40.101.FL	. (Gainesv	ille),	
Analytical Batc	d : SOP.T.40.056C, h : DA080546MIC : d : PathogenDx Sca				tch Date :	11/27/24	Analytical Bate Instrument Us Analyzed Date	ed:N/A		В	atch Date	:11/27/2	4 14:35:5	0
Dilution : 10	: 11/29/24 16:36:43 24.62; 111524.73; 7577003049		; 051624.06	5			Consumables : Pipette : DA-0 Mycotoxins tesi accordance wit	93; DA-094; ting utilizing L	.iquid Chromatogr	raphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 3390, 3702, 58	5,1440 1	Veight: 1.043g	Extraction 0	1:51:40	Extracte 4520	d by:	Hg	Неа	vy Me	tals			PAS	SED
Analytical Batc	d : SOP.T.40.208 (G h : DA080547TYM ed : Incubator (25*C				e:11/27/2	4 09:23:59	Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 11/29/24 19:21:01	L					TOTAL CONT	AMINANT	LOAD METALS	0.08	ppm	ND	PASS	5
Dilution : 10							ARSENIC			0.02	ppm	ND	PASS	1.5
	24.62; 111524.73;	110724.R13					CADMIUM			0.02	ppm	ND	PASS	0.5
consumables :							MERCURY			0.02	ppm	ND	PASS	3
Pipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	nold testing is perform F.S. Rule 64ER20-39.	ned utilizing M	IPN and tradit	ional culture based	techniques	; in	Analyzed by: 4056, 585, 144	0	Weight: 0.2177g	Extraction da 11/27/24 19:			Extracted 4056	by:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	:h:DA0805 ed:DA-ICPN	1S-004		:h Date : 1	1/27/24 1	.4:13:53	
							Dilution : 50 Reagent : 112 112624.R33	524.R05; 11	2524.R08; 1122	224.R01; 1125	24.R06; 1	.12524.R0	07; 06172	4.01;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Consumables : 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24



..... Sunnyside Chews 100mg 10pk Guava Guava Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-001 Harvest/Lot ID: 0079 2768 1976 9528 Batch#:0079 2768 1976 9528

Sampled : 11/26/24 Ordered : 11/26/24

Sample Size Received : 13 units Total Amount : 2949 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Filth/Foreign
Material



Homogeneity

Amount of tests conducted : 24

PASSED

PASSED

Page 5 of 5

Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte	LOD	Units	Pass/Fail	Result	Action Level
Analyzed by: 1879, 585, 1440	Weight: 1g		raction dat 28/24 11:0			tracted by: 79	TOTAL THC - HOMOGENEITY	0.001	%	PASS	1.004	
Analytical Batch Instrument Used	I: SOP.T.40.090 : DA080633FIL I: Filth/Foreign Mater 11/28/24 11:16:25	ial Micro	oscope	Batch D)ate : 11/2	8/24 11:01:20	(RSD) Analyzed by	Average Weight		action date :		Extracted By
Dilution : N/A							4621, 3702, 585, 1440	3.954g	11/2	7/24 15:06:13	; 	4621
Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope						le and microscope	Analysis Method : SOP.T.30.111. Analytical Batch : DA080558HOM Instrument Used : DA-LC-004 Analyzed Date : 11/29/24 19:51:5	1		ch Date : 11/27/	24 13:12:	42
	cordance with F.S. Rule			pection utilizi	ng nakeu ej	ye and microscope	Dilution : 40					
\bigcirc	Water A	ctiv	,i+.,		ΡΑ	SSED	Reagent : 112724.R05; 100424.0 Consumables : 947.109; 2024020 Pipette : DA-108; DA-078			056395; CE123	; R1KB142	270
N.S.	water A	ΑCTIVITY					Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.					

Analyte Water Activity		DD Units .010 aw	Result 0.649	P/F PASS	Action Level 0.85				
Analyzed by: 4571, 585, 1440		Extracted by: 4571							
Analysis Method : SOP.T.40.019 Analytical Batch : DA080581WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 11/27/24 14:13:21 Analyzed Date : 11/29/24 19:53:53									
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24