

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41126016-004

Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple

Matrix: Derivative Classification: High THC

Type: Vape

Production Method: Other - Not Listed Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924 6025

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 0537382740386608

Harvest Date: 11/22/24

Sample Size Received: 16 units Total Amount: 1570 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 11/26/24 Sampled: 11/26/24 Completed: 11/30/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 11/27/24 13:27:23



Water Activity **PASSED**



Moisture



MISC.

Terpenes **PASSED**

PASSED



Cannabinoid

Nov 30, 2024 | Sunnyside

Total THC 87.455%

Total THC/Container: 874.550 mg




Total CBD 0.733%

Total CBD/Container: 7.330 mg



Total Cannabinoids

Total Cannabinoids/Container: 923.250



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA080564POT

Instrument Used : DA-LC-003 Analyzed Date : 11/29/24 19:57:11

Dilution: 400

Dilution: 400
Reagent: 111324.R49; 092724.11; 111324.R47
Consumables: 947.109; 20240202; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 11/30/24



Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-004 Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924

Sampled: 11/26/24 Ordered: 11/26/24

Sample Size Received: 16 units Total Amount: 1570 units

Completed: 11/30/24 Expires: 11/30/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| erpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/uni | t % | Result (%) |
|----------------------------|------------|---------|-------|------------|---|------------------------|-------------------|---------------|---|
| OTAL TERPENES | 0.007 | 38.77 | 3.877 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 13.20 | 1.320 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 8.28 | 0.828 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| LPHA-PINENE | 0.007 | 7.84 | 0.784 | | ALPHA-TERPINEOL | 0.007 | ND | ND | |
| ETA-PINENE | 0.007 | 3.19 | 0.319 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| IMONENE | 0.007 | 2.53 | 0.253 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| LPHA-BISABOLOL | 0.007 | 0.87 | 0.087 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| LPHA-HUMULENE | 0.007 | 0.85 | 0.085 | | TRANS-NEROLIDOL | 0.005 | ND | ND | |
| ARNESENE | 0.007 | 0.82 | 0.082 | | Analyzed by: | Weight: | Extraction | date: | Extracted by: |
| INALOOL | 0.007 | 0.70 | 0.070 | | 4451, 585, 1440 | 0.2303g | 11/27/24 1 | | 4451 |
| ALENCENE | 0.007 | 0.29 | 0.029 | | Analysis Method : SOP.T.30.061A.FL, SOP | .T.40.061A.FL | | | |
| ENCHYL ALCOHOL | 0.007 | 0.20 | 0.020 | | Analytical Batch : DA080575TER Instrument Used : DA-GCMS-009 | | | Datab D | Pate: 11/27/24 14:09:07 |
| -CARENE | 0.007 | ND | ND | | Analyzed Date: 11/29/24 19:57:13 | | | Batch L | ate: 11/2//24 14:09:07 |
| ORNEOL | 0.013 | ND | ND | | Dilution: 10 | | | | |
| AMPHENE | 0.007 | ND | ND | | Reagent: 081924.04 | | | | |
| AMPHOR | 0.007 | ND | ND | | Consumables: 947.109; 240321-634-A; 2 | 80670723; CE0123 | | | |
| ARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Pipette : DA-065 | | | | |
| EDROL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Ch | iromatograpny Mass Spe | ctrometry. For al | i Flower samp | oles, the Total Terpenes % is dry-weight corrected. |
| UCALYPTOL | 0.007 | ND | ND | | | | | | |
| ENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| SOBORNEOL | 0.007 | ND | ND | | | | | | |
| SOPULEGOL | 0.007 | ND | ND | | | | | | |
| IEROL | 0.007 | ND | ND | | | | | | |
| CIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| | 0.007 | ND | ND | | | | | | |
| ABINENE | 0.007 | 140 | | | | | | | |
| ABINENE ABINENE HYDRATE | 0.007 | ND | ND | | | | | | |

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple Matrix: Derivative



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41126016-004 Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924

Sampled: 11/26/24 Ordered: 11/26/24

Sample Size Received: 16 units Total Amount: 1570 units

Completed: 11/30/24 Expires: 11/30/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

| PA | S | S | E | D |
|----|---|---|---|---|
|----|---|---|---|---|

| esticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Resu |
|------------------------------------|-------|-------|-----------------|--------------|----------|---|-------------------------|------------------|---------------|-----------------|-------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | P. P. | 5 | PASS | ND | OXAMYL | | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | 1.1. | 0.1 | PASS | ND | PHOSMET | | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | P. P. | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.010 | ppm | 3 | PASS | ND |
| TAL SPINETORAM | 0.010 | | 0.2 | PASS | ND | PRALLETHRIN | | 0.010 | ppm | 0.1 | PASS | ND |
| TAL SPINOSAD | 0.010 | | 0.1 | PASS | ND | PROPICONAZOLE | | 0.010 | | 0.1 | PASS | ND |
| AMECTIN B1A | 0.010 | | 0.1 | PASS | ND | | | | 1.1 | 0.1 | PASS | ND |
| EPHATE | 0.010 | | 0.1 | PASS | ND | PROPOXUR | | 0.010 | | 0.1 | PASS | |
| EQUINOCYL | 0.010 | | 0.1 | PASS | ND | PYRIDABEN | | 0.010 | | | | ND |
| ETAMIPRID | 0.010 | | 0.1 | PASS | ND | SPIROMESIFEN | | 0.010 | | 0.1 | PASS | ND |
| DICARB | 0.010 | | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.010 | ppm | 0.1 | PASS | ND |
| DXYSTROBIN | 0.010 | | 0.1 | PASS | ND | SPIROXAMINE | | 0.010 | ppm | 0.1 | PASS | ND |
| ENAZATE | 0.010 | | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND |
| ENTHRIN | 0.010 | | 0.1 | PASS | ND | THIACLOPRID | | 0.010 | ppm | 0.1 | PASS | ND |
| SCALID | 0.010 | | 0.1 | PASS | ND | THIAMETHOXAM | | 0.010 | ppm | 0.5 | PASS | ND |
| RBARYL | 0.010 | | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.010 | mag | 0.1 | PASS | ND |
| RBOFURAN | 0.010 | | 0.1 | PASS | ND | PENTACHLORONITROBENZ | TENE (DCNR) * | 0.010 | | 0.15 | PASS | ND |
| LORANTRANILIPROLE | 0.010 | 1.1. | 1 | PASS | ND | PARATHION-METHYL * | TEIAE (LCIAD) | 0.010 | | 0.13 | PASS | ND |
| LORMEQUAT CHLORIDE | 0.010 | | 1 | PASS | ND | | | 0.010 | | 0.7 | PASS | ND |
| LORPYRIFOS | 0.010 | | 0.1 | PASS PASS | ND ND | CAPTAN * | | | | 0.7 | PASS | |
| PENTEZINE | 0.010 | | | PASS | | CHLORDANE * | | 0.010 | | | | ND |
| UMAPHOS | 0.010 | | 0.1 | | ND | CHLORFENAPYR * | | 0.010 | | 0.1 | PASS | ND |
| MINOZIDE | 0.010 | | 0.1 | PASS PASS | ND | CYFLUTHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| ZINON | 0.010 | | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.050 | PPM | 0.5 | PASS | ND |
| HLORVOS | 0.010 | P. P. | 0.1 | PASS | ND ND | Analyzed by: | Weight: | Extraction | ı date: | | Extracted by: | |
| ETHOATE | | | 0.1 | PASS | ND | 3621, 585, 1440 | 0.241g | 11/27/24 1 | | | 450,4640,3621 | |
| HOPROPHOS | 0.010 | | 0.1 | PASS | ND | Analysis Method : SOP.T.30 |).101.FL (Gainesvill | e), SOP.T.30.10 | 2.FL (Davie) | , SOP.T.40.10 | 1.FL (Gainesville |), |
| DFENPROX | 0.010 | | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | 12050 | | | | | |
| DXAZOLE | 0.010 | | | PASS | ND | Analytical Batch : DA08057 Instrument Used : DA-LCMS | | | Pate | h Date : 11/27 | /24 14:06:45 | |
| HEXAMID | 0.010 | | 0.1 | PASS | ND ND | Analyzed Date:11/30/24 1 | | | Date | - Date : 11/2/ | 27 14.00.43 | |
| IOXYCARB | 0.010 | 1.1. | 0.1 | PASS | ND ND | Dilution: 250 | | | | | | |
| NPYROXIMATE | 0.010 | | 0.1 | PASS | ND | Reagent: 112224.R02; 112 | 2624.R01; 112524.I | R01; 112224.R0 | 3; 102124.F | 08; 112624.R | 03; 081023.01 | |
| RONIL | 0.010 | | 0.1 | PASS | ND ND | Consumables: 326250IW | | | | | | |
| DNICAMID | 0.010 | | 0.1 | PASS | ND ND | Pipette : DA-093; DA-094; [| | | | | | |
| JDIOXONIL XYTHIAZOX | 0.010 | | 0.1 | PASS | ND | Testing for agricultural agent | | ing Liquid Chron | natography 1 | riple-Quadrupo | le Mass Spectror | netry in |
| AZALIL | 0.010 | | 0.1 | PASS | ND | accordance with F.S. Rule 641 Analyzed by: | Weight: | Extraction | data | | Extracted by: | |
| AZALIL DACLOPRID | 0.010 | | 0.1 | PASS | ND ND | Analyzed by: 450, 585, 1440 | Weight: 0.241q | 11/27/24 17 | | | 450.4640.3621 | |
| DACLOPRID ESOXIM-METHYL | 0.010 | | 0.4 | PASS | ND | Analysis Method : SOP.T.30 | | | | e). SOP.T.40 1 | | |
| LATHION | 0.010 | 1.1. | 0.1 | PASS | ND | Analytical Batch : DA08057 | | _,, 50111150115 | | -,, 5011111011 | | |
| TALAXYL | 0.010 | | 0.2 | PASS | ND ND | Instrument Used : DA-GCM | S-001 | | Batch Dat | e:11/27/24 14 | :11:36 | |
| THIOCARB | 0.010 | | 0.1 | PASS | ND | Analyzed Date: 11/30/24 1 | 4:24:27 | | | | | |
| | 0.010 | | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| THOMYL | 0.010 | | 0.1 | PASS | ND | Reagent: 112524.R01; 081 | | | | | | |
| VINPHOS CLOBUTANIL | 0.010 | | 0.1 | PASS | ND ND | Consumables: 326250IW; Pipette: DA-080; DA-146; I | | :40202; 147254 | UI | | | |
| LED | | | 0.1 | PASS | ND | Testing for agricultural agent | | ing Gas Chromat | tography Tri | ala Ouadrupala | Macc Sportrama | try in |
| | 0.010 | ppm | U.Z3 | PASS | ND | resulty for agricultural agent | a ia perioritieu Utiliz | my das cilioffia | tograpity III | ne-Quaurupole | Mass sherrigille | uy III |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-004 Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924

Sampled: 11/26/24 Ordered: 11/26/24

Sample Size Received: 16 units Total Amount: 1570 units

Completed: 11/30/24 Expires: 11/30/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|--------------------|---|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.0281g | Extraction date: 11/29/24 15:51:59 | | | Extracted by: 850 |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080597SOL Instrument Used: DA-GCMS-002

Analyzed Date: 11/29/24 19:46:52

Dilution: 1 $\textbf{Reagent:} \ \, \textbf{N/A}$

Consumables: 430274; 319008 **Pipette :** DA-308 10uL Syringe 35032

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

Batch Date: 11/27/24 16:34:39

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41126016-004 Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924

Sampled: 11/26/24 Ordered: 11/26/24 Sample Size Received: 16 units Total Amount: 1570 units Completed: 11/30/24 Expires: 11/30/25

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | |
|--------------------------|-------|-------|-------------|----------------|-----------------|-----------------|---------|-------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | Analyzed by: | Weight: | Extra |
| TOTAL YEAST AND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 | 3621, 585, 1440 | 0.241g | 11/2 |
| | | | | | | | | |

Analyzed by: 4044, 3390, 585, 1440 Weight: **Extraction date:** Extracted by: 0.854g 11/27/24 14:14:31 4520,4531

 $\begin{array}{l} \textbf{Analysis Method: } SOP.T.40.056C, \ SOP.T.40.058.FL, \ SOP.T.40.209.FL \\ \textbf{Analytical Batch: } DA080548MIC \end{array}$

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 11/27/24

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 11/29/24 19:56:02

Reagent: 111524.62; 111524.73; 102924.R28; 051624.06 Consumables: 7577003049

Pipette: N/A

| Analyzed by: 3390, 4044, 585, 1440 | Weight: 0.854g | Extraction date: 11/27/24 14:14:31 | Extracted by: 4520,4531 |
|---------------------------------------|-------------------|------------------------------------|-------------------------|
| | | | |

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA080549TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 11/27/24 09:26:23

Analyzed Date : 11/29/24 19:56:49

Dilution: 10

Reagent: 111524.62; 111524.73; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| % | Mycotoxins | | | | PA |
|-------------|------------|------|-------|--------|--------------|
| Analyte | | LOD | Units | Result | Pass Fail |
| AFLATOXIN B | 32 | 0.00 | ppm | ND | PASS |
| AFLATOXIN B | 1 | 0.00 | mag | ND | PASS |

| | Analyte | | LOD | | Units | Result | Pass / Fail | Action Level |
|---|---------------------------------|-------------------|----------------|---|-------|--------|----------------------|-----------------|
| | AFLATOXIN B2 | | 0.0 | 0 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN B1 | | 0.0 | 0 | ppm | ND | PASS | 0.02 |
| | OCHRATOXIN A | | 0.0 | 0 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN G1 | | 0.0 | 0 | ppm | ND | PASS | 0.02 |
| | AFLATOXIN G2 | | 0.0 | 0 | ppm | ND | PASS | 0.02 |
|) | Analyzed by: 3621, 585, 1440 | Weight: 0.241a | Extraction dat | | 17 | | cted by: 4640.362 | 1 |

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA080578MYC Instrument Used : N/A

Batch Date: 11/27/24 14:11:07 **Analyzed Date:** 11/29/24 20:13:09

Dilution: 250
Reagent: 112224.R02; 112624.R01; 112524.R01; 112224.R03; 102124.R08; 112624.R03;

081023.01 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

| Metal | | LOD | Units | Result | Pass / Fail | Level | |
|------------------|---------------|----------------|-------|--------|----------------|-------|--|
| TOTAL CONTAMINAN | T LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | |
| ARSENIC | | 0.02 | ppm | ND | PASS | 0.2 | |
| CADMIUM | | 0.02 | ppm | ND | PASS | 0.2 | |
| MERCURY | | 0.02 | ppm | ND | PASS | 0.2 | |
| LEAD | | 0.02 | ppm | ND | PASS | 0.5 | |
| Analyzed by | Walashi E | vtraction date | | Ev | tracted b | | |

4056, 585, 1440 0.2433g 11/27/24 18:38:06 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080572HEA

Instrument Used : DA-ICPMS-004 Batch Date: 11/27/24 14:06:19 Analyzed Date: 11/29/24 20:14:54

Dilution: 50

Reagent: 112524.R05; 112524.R08; 112224.R01; 112524.R06; 112524.R07; 061724.01; 112624.R33

Consumables: 179436; 20240202; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Good News Vape Cartridge 1g Pnppl

Pineapple Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41126016-004 Harvest/Lot ID: 9827 4849 2924 6025

Batch#: 9827 4849 2924

Sampled: 11/26/24 Ordered: 11/26/24 Sample Size Received: 16 units Total Amount: 1570 units Completed: 11/30/24 Expires: 11/30/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 11/28/24 11:06:01 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080633FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 11/28/24 11:01:20

Analyzed Date: 11/28/24 11:16:24

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte | | LOD Units | Result | P/F | Action Level |
|---------------------------------|---------|--------------|--------|-------------|--------------|
| Water Activity | | 0.010 aw | 0.405 | PASS | 0.85 |
| Analyzed by: 4571, 585, 1440 | Weight: | Extraction (| | Ex : | tracted by: |

Analysis Method: SOP.T.40.019

Analytical Batch : DA080581WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date: 11/27/24 14:13:21

Analyzed Date: 11/29/24 19:53:57

Dilution : N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/30/24

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha