

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Good News Vape Cartridge 500mg Pnppl Pineapple Matrix: Derivative Classification: High THC



Pineapple Matrix: Derivative Classification: High THC Type: Vape Production Method: Other - Not Listed

СОМІ	PLIAN		te (R RETA 26016-006		\na	lys	is	Cultivat Processi	Harvest/Lo Bat tion Facilit ing Facility Source Fac	ot ID: 2592 9 cch#: 2592 9 y: FL - India / : FL - India ility: FL - India	cher - Not Listed 2037 2347 9413 2037 2347 9413 2037 2347 9413 2037 2347 9413 2037 2347 9413 2037 2341 2037 2347 2341 2037 2037 2341 2037 2037 2341 2037 2037 2037 2341 2037 2037 2037 2037 2037 2037 2037 2037
	-	CHANNEN							Samp		Date: 11/22/24 eived: 31 units
	11	SUNNYSIDE DA41126016-006									ount: 915 units
	A Distance of the Control of the Con	And a second sec									Size: 0.5 gram Size: 0.5 gram
	3	11							net	an serving	Servings: 1
	NEHS										ered: 11/26/24
	Contra Co										pled: 11/26/24
									Samp		leted: 11/30/24 d: SOP.T.20.010
Nov 30	2024	Sunnysi	de						• R	-	PASSED
22205 Sw M					S	JNN	ysio	de [≁]	Page	es 1 of 6	AJJLD
SAFETY RI	SULTS										MISC.
Б С		Hg	Ċţ,	۲ م	چ م	Ä			5		Ô
Pesticic PASSI		avy Metals ASSED	Microbials PASSED	Mycot PAS		Residuals Solvents PASSED	Filth PASSED		Activity	Moisture	Terpenes PASSED
Ä	Cannab	oinoid									PASSED
		THC 7349 HC/Container :			30	al CBD 727% I CBD/Container	-		<u>)</u> 90	Cannabinoid 5469 nnabinoids/Cor	/
% mg/unit	^{D9-THC} 85.681 428.41	THCA 0.061 0.31	свр 0.727 3.64	CBDA ND ND	D8-THC ND ND	свс 2.728 13.64	cega ND ND	CBN 0.617 3.09	тнсv 0.399 2.00	CBDV ND ND	свс 0.333 1.67
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %
nalyzed by: 335, 1665, 585,				Weight:		Extraction date:				Extracted by:	
nalysis Method nalytical Batch nstrument Used	: SOP.T.40.031, SC DA080564POT			0.1057g		11/27/24 16:37:	Batch Date : 11/27/2	4 13:27:23		3335	
Consumables : 94	4.R49; 092724.11; 17.109; 20240202 ; DA-108; DA-078	111324.R47 ; CE0123; R1KB142	70								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/30/24



..... Good News Vape Cartridge 500mg Pnppl Pineapple Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-006 Harvest/Lot ID: 2592 9037 2347 9413 Batch#: 2592 9037 2347 9413

Sampled : 11/26/24 Ordered : 11/26/24

Sample Size Received : 31 units Total Amount : 915 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	18.20	3.640			ALPHA-CEDRENE		0.005	ND	ND	
ETA-MYRCENE	0.007	6.08	1.215			ALPHA-PHELLANDRENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	4.07	0.814			ALPHA-TERPINENE		0.007	ND	ND	
LPHA-PINENE	0.007	3.70	0.740			ALPHA-TERPINEOL		0.007	ND	ND	
ETA-PINENE	0.007	1.50	0.300			ALPHA-TERPINOLENE		0.007	ND	ND	
IMONENE	0.007	1.18	0.236			CIS-NEROLIDOL		0.003	ND	ND	
LPHA-BISABOLOL	0.007	0.43	0.085		1	GAMMA-TERPINENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.41	0.082			TRANS-NEROLIDOL		0.005	ND	ND	
ARNESENE	0.007	0.38	0.076			Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
INALOOL	0.007	0.33	0.066			4451, 585, 1440	0.2235g		11/27/24 16		4451
ALENCENE	0.007	0.13	0.026			Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL				
-CARENE	0.007	ND	ND			Analytical Batch : DA080575TER					
ORNEOL	0.013	ND	ND			Instrument Used : DA-GCMS-009 Analyzed Date : 11/29/24 19:57:23				Batch D	Date: 11/27/24 14:09:07
AMPHENE	0.007	ND	ND			Pilution : 10					
AMPHOR	0.007	ND	ND			Reagent : 081924.04					
ARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables : 947.109; 240321-634-A;	280670723; CE0	123			
EDROL	0.007	ND	ND			Pipette : DA-065					
UCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Gas C	hromatography Ma	iss Spectro	ometry. For all F	lower samp	ples, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND								
ENCHYL ALCOHOL	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
IEROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
	0.007	ND	ND								
ABINENE	0.007										
ABINENE ABINENE HYDRATE	0.007	ND	ND								

Total (%)

3.640

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24

PASSED

PASSED



Good News Vape Cartridge 500mg Pnppl Pineapple Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-006 Harvest/Lot ID: 2592 9037 2347 9413 Batch# : 2592 9037 2347 Sample

9413 Sampled : 11/26/24 Ordered : 11/26/24 Sample Size Received : 31 units Total Amount : 915 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 3 of 6

षिः
0
0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	1° P	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND					0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010				
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1		ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by:	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3621, 585, 1440	0.2134g	11/27/24			450,4640,3621	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	,	,				,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080573						
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS			Batch I	Date:11/27/2	24 14:06:45	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/30/24 14	:38:02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 112224.R02; 1126	524 DO1- 112524 DC	1.112224 00	3. 102124 PO	8. 112624 PO	3. 081023 01	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	J24.RUI, 112J24.RU	1, 112224.RU	5, 102124.R0	D, 112024.RU.	5, 001025.01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; D	A-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents	is performed utilizin	q Liquid Chron	natography Trij	ole-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64E	R20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted by:	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2134g	11/27/24 1			450,4640,3621	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.		, SOP.T.30.15	1A.FL (Davie),	SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080579 Instrument Used : DA-GCMS			Ratch Data	11/27/24 14:	11.36	
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :11/30/24 14			batch bate :	11/21/24 14.	11.30	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 112524.R01; 0810)23.01; 111824.R23	; 111824.R24				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 2						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; D						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents accordance with F.S. Rule 64E		g Gas Chromai	tography Triple	-Quadrupole N	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Er20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

11/30/24



Good News Vape Cartridge 500mg Pnppl Pineapple Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com
 Sample : DA41126016-006

 Harvest/Lot ID: 2592 9037 2347 9413

 Batch#: 2592 9037 2347
 Sample

 9413
 Total Ar

 Sampled : 11/26/24
 Complex

Ordered : 11/26/24

7 2347 9413 Sample Size Received : 31 units Total Amount : 915 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : 50P.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	ND				
THYL ACETATE	40.000	ppm	400	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
I-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
ROPANE	500.000	ppm	5000	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 1440	Weight: 0.0284g	Extraction date: 11/29/24 15:51:59		E x 85	tracted by: 50				
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA080597SOL nstrument Used : DA-GCMS-002 nalyzed Date : 11/29/24 19:46:54		Batch Date : 11/27/24 16:34:39							

Reagent : N/A

Consumables : 430274; 319008 Pipette : DA-308 10uL Syringe 35032

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24



..... Good News Vape Cartridge 500mg Pnppl Pineapple Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41126016-006 Harvest/Lot ID: 2592 9037 2347 9413 Batch#: 2592 9037 2347

9413 Sampled : 11/26/24 Ordered : 11/26/24

Sample Size Received : 31 units Total Amount : 915 units Completed : 11/30/24 Expires: 11/30/25 Sample Method : SOP.T.20.010

Page 5 of 6

(Cf.	Micro	bial			PAS	SED	٠Ç,	Μ	/coto	xins			PAS	SED
Analyte		LOD	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	maa (ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.00) ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI	N A		0.00) ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00) ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	NE		Not Present	PASS		AFLATOXIN	G2		0.00) ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	P :	Extr	acted by:	
TOTAL YEAS	T AND MOLD	10.0	0 CFU/g	<10	PASS	100000		10	0.2134g	11/27/24 17:0			,4640,362	1
Analytical Batc	5, 1440 d : SOP.T.40.056 h : DA080548MI0 ed : PathogenDx	C		:14:32 .40.209.FL	Extracted 4520,453 atch Date :	1	Analysis Meth SOP.T.30.102. Analytical Bat Instrument Us Analyzed Date	FL (Davie) :h : DA080 ed : N/A), SOP.T.40.1)578MYC			L (Gainesv : 11/27/2		7
DA-020,Fisher Scientific Isote Analyzed Date Dilution : 10	ycler DA-010,Fisl Scientific Isotem mp Heat Block (! : 11/29/24 19:56 524.62; 111524.7 7577003049	np Heat Block 55*C) DA-021 5:02	(95*C) DA-04	9,Fisher			081023.01 Consumables Pipette : DA-0	326250IV 93; DA-09	N 4; DA-219 g Liquid Chron	112524.R01; 112				
Analyzed by: 3390, 4044, 58	5, 1440	Weight: 0.991g	Extraction d 11/27/24 14		Extracted 4520,453		Нд	Не	avy N	letals			PAS	SED
	d: SOP.T.40.208 h: DA080549TY		, SOP.T.40.20	9.FL										
nstrument Use	ed : Incubator (25		calibrated wi	th Batch Dat	e:11/27/2	4 09:26:2	Metal			LOD	Units	Result	Pass / Fail	Action Level
A-382]	. 11/20/24 10.56	5.E1					TOTAL CONT		T LOAD ME	TALS 0.08	ppm	ND	PASS	1.1
	: 11/29/24 19:56	0:01					ARSENIC	Arman	I LOAD I'IL	0.02		ND	PASS	0.2
ilution: 10		11072401	2				CADMIUM			0.02		ND	PASS	0.2
consumables :	524.62; 111524.7 Ν/Δ	/3; 110/24.RJ	13				MERCURY			0.02		ND	PASS	0.2
ipette : N/A	14/7						LEAD			0.02		ND	PASS	0.5
	mold testing is per F.S. Rule 64ER20-		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 4056, 585, 144	10	Weight: 0.2801g	Extraction da 11/27/24 18:			xtracted I 056,1879	y:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	:h : DA080 ed : DA-IC)572HEA PMS-004	SOP.T.40.082.FL	tch Date :	11/27/24 1	4:06:19	
							Dilution : 50 Reagent : 112 112624.R33 Consumables			112224.R01; 112	524.R06; :	112524.RC	07; 06172	4.01;

Consumables: 179436; 20240202; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 11/30/24



..... Good News Vape Cartridge 500mg Pnppl Pineapple Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41126016-006 Harvest/Lot ID: 2592 9037 2347 9413 Batch#: 2592 9037 2347 9413 Sampled : 11/26/24

Sample Size Received : 31 units Total Amount : 915 units Completed : 11/30/24 Expires: 11/30/25 Ordered : 11/26/24 Sample Method : SOP.T.20.010

PASSED Filth/Foreign **Material** Analyte LOD Units Result P/F Action Level Filth and Foreign Material 0.100 % ND PASS 1

5				—
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 11/28/24 11:06		Extracted by: 1879
Analysis Method : SOP Analytical Batch : DAO Instrument Used : Filth Analyzed Date : 11/28,	80633FIL n/Foreign Materia	al Microscope	Batch Dat	e : 11/28/24 11:01:20
Dilution : N/A Reagent : N/A				

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	_	DD .010	Units aw	R	esult 0.583	P/F PASS	Action Level 0.85
Analyzed by: 4571, 585, 1440	Weight: 0.0917g		traction 0				tracted by: 571
Analysis Method : SOP Analytical Batch : DA08 Instrument Used : DA2 Analyzed Date : 11/29/	30581WAT 57 Rotronic Hygr	oPaln	n	B	Batch Dat	æ:11/27/2	24 14:13:21
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 11/30/24

PASSED

Page 6 of 6