



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41127017-004



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** 9753522460649532  
**Batch#:** 9753522460649532  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 5648313631008541  
**Harvest Date:** 11/21/24  
**Sample Size Received:** 16 units  
**Total Amount:** 1300 units  
**Retail Product Size:** 1 gram  
**Servings:** 1  
**Ordered:** 11/27/24  
**Sampled:** 11/27/24  
**Completed:** 11/30/24  
**Revision Date:** 12/23/24  
**Sampling Method:** SOP.T.20.010

Dec 23, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**83.305%**

Total THC/Container : 833.050 mg



**Total CBD**  
**0.201%**

Total CBD/Container : 2.010 mg



**Total Cannabinoids**  
**87.412%**

Total Cannabinoids/Container : 874.120 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.243	0.071	0.179	0.026	ND	2.511	ND	0.876	0.313	ND	0.193
mg/unit	832.43	0.71	1.79	0.26	ND	25.11	ND	8.76	3.13	ND	1.93
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4621, 1665, 585

Weight:  
0.0977g

Extraction date:  
11/27/24 23:03:28

Extracted by:  
3335,4621

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080608POT

Instrument Used : DA-LC-007

Analyzed Date : 11/30/24 16:15:31

Batch Date : 11/27/24 19:52:08

Dilution : 400  
Reagent : 111324.R48; 092724.11; 111324.R46  
Consumables : 947.109; 20240202; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
11/30/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-004  
Harvest/Lot ID: 9753522460649532

Batch# : 9753522460649532 Sample Size Received : 16 units  
Sampled : 11/27/24 Total Amount : 1300 units  
Ordered : 11/27/24 Completed : 11/30/24 Expires: 12/23/25  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	18.32	1.832	ISOPULEGOL	0.007	ND	ND
LIMONENE	0.007	3.38	0.338	NEROL	0.007	ND	ND
BETA-MYRCENE	0.007	2.32	0.232	OCIMENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.66	0.166	SABINENE HYDRATE	0.007	ND	ND
ALPHA-PINENE	0.007	1.64	0.164	ALPHA-CEDRENE	0.005	ND	ND
LINALOOL	0.007	1.48	0.148	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	1.03	0.103	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-BISABOLOL	0.007	0.77	0.077	TRANS-NEROLIDOL	0.005	ND	ND
GAMMA-TERPINENE	0.007	0.67	0.067	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
ALPHA-HUMULENE	0.007	0.60	0.060	Analytical Batch : DA080620TER			
CARYOPHYLLENE OXIDE	0.007	0.58	0.058	Instrument Used : DA-GCMS-004			
FARNESENE	0.001	0.56	0.056	Analyzed Date : 11/30/24 16:15:33			
ALPHA-TERPINEOL	0.007	0.55	0.055	Dilution : 10			
ALPHA-TERPINOLENE	0.007	0.52	0.052	Reagent : 081924.04			
PULEGONE	0.007	0.47	0.047	Consumables : 947.109; 240321-634-A; 280670723; CE0123			
VALENCENE	0.007	0.44	0.044	Pipette : DA-065			
FENCHYL ALCOHOL	0.007	0.40	0.040	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GUAJOL	0.007	0.40	0.040				
ALPHA-TERPINENE	0.007	0.30	0.030				
CAMPHENE	0.007	0.28	0.028				
SABINENE	0.007	0.27	0.027				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
<b>Total (%)</b>			<b>1.832</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/30/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-004  
Harvest/Lot ID: 9753522460649532

Batch# : 9753522460649532 Sample Size Received : 16 units  
Sampled : 11/27/24 Total Amount : 1300 units  
Ordered : 11/27/24 Completed : 11/30/24 Expires: 12/23/25  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

**Analyzed by:** 3379, 585      **Weight:** 0.2096g      **Extraction date:** 11/27/24 23:55:20      **Extracted by:** 450,3621  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA080604PES      **Instrument Used :** DA-LCMS-003 (PES)      **Batch Date :** 11/27/24 19:48:58  
**Analyzed Date :** 11/30/24 16:22:11  
**Dilution :** 250  
**Reagent :** 112724.R10; 081023.01  
**Consumables :** 240321-634-A; 20240202; 326250W  
**Pipette :** N/A

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 450, 585      **Weight:** 0.2096g      **Extraction date:** 11/27/24 23:55:20      **Extracted by:** 450,3621  
**Analysis Method :** SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL  
**Analytical Batch :** DA080611VOL      **Instrument Used :** DA-GCMS-010      **Batch Date :** 11/27/24 19:53:13  
**Analyzed Date :** 11/30/24 16:21:11  
**Dilution :** 250  
**Reagent :** 112724.R10; 081023.01; 111824.R23; 111824.R24  
**Consumables :** 240321-634-A; 20240202; 326250W; 14725401  
**Pipette :** DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
11/30/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Pssn Frt  
 Pasion Fruit  
 Matrix : Derivative  
 Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-004  
 Harvest/Lot ID: 9753522460649532  
 Batch# : 9753522460649532 Sample Size Received : 16 units  
 Sampled : 11/27/24 Total Amount : 1300 units  
 Ordered : 11/27/24 Completed : 11/30/24 Expires: 12/23/25  
 Sample Method : SOP.T.20.010

Page 4 of 6

## Residual Solvents **PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585      Weight: 0.0262g      Extraction date: 11/29/24 17:50:37      Extracted by: 850

Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA08060050L  
 Instrument Used : DA-GCMS-002      Batch Date : 11/27/24 19:23:31  
 Analyzed Date : 11/30/24 16:06:16

Dilution : 1  
 Reagent : N/A  
 Consumables : 430274; 319008  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/30/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-004  
Harvest/Lot ID: 9753522460649532  
Batch# : 9753522460649532 Sample Size Received : 16 units  
Sampled : 11/27/24 Total Amount : 1300 units  
Ordered : 11/27/24 Completed : 11/30/24 Expires: 12/23/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000

Analyzed by: 3621, 4520, 585 Weight: 0.811g Extraction date: 11/27/24 22:37:07 Extracted by: 3390,3621  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA080606MIC  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367  
 Analyzed Date : 11/30/24 16:27:09  
 Dilution : 10  
 Reagent : 111524.68; 111524.71; 111524.76; 102924.R28; 051624.06  
 Consumables : 7577003005  
 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3621, 4520, 585 Weight: 0.811g Extraction date: 11/27/24 22:37:07 Extracted by: 3390,3621  
 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA080627TYM  
 Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]  
 Analyzed Date : 11/30/24 16:19:36  
 Dilution : 10  
 Reagent : 111524.68; 111524.71; 111524.76; 110724.R13  
 Consumables : N/A  
 Pipette : N/A  
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 585 Weight: 0.2096g Extraction date: 11/27/24 23:55:20 Extracted by: 450,3621  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA080609MYC  
 Instrument Used : N/A  
 Analyzed Date : 11/30/24 16:23:44  
 Dilution : 250  
 Reagent : 112724.R10; 081023.01  
 Consumables : 240321-634-A; 20240202; 3262501W  
 Pipette : N/A  
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 4056, 585 Weight: 0.27g Extraction date: 11/27/24 23:26:30 Extracted by: 4056  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA080630HEA  
 Instrument Used : DA-ICPMS-005  
 Analyzed Date : 11/30/24 16:26:02  
 Dilution : 50  
 Reagent : 112524.R05; 112524.R08; 112224.R01; 112524.R06; 112524.R07; 061724.01; 112624.R33  
 Consumables : 179436; 20240202; 210508058  
 Pipette : DA-061; DA-191; DA-216  
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
11/30/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g - Pssn Frt  
 Pasion Fruit  
 Matrix : Derivative  
 Type: Extract for Inhalation



# Certificate of Analysis

**PASSED**

Page 6 of 6

**Sunnyside**

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-004  
 Harvest/Lot ID: 9753522460649532  
 Batch# : 9753522460649532 Sample Size Received : 16 units  
 Sampled : 11/27/24 Total Amount : 1300 units  
 Ordered : 11/27/24 Completed : 11/30/24 Expires: 12/23/25  
 Sample Method : SOP.T.20.010

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: 1g	Extraction date: 11/28/24 11:06:04	Extracted by: 1879
---------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA080633FIL  
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 11/28/24 11:01:20  
 Analyzed Date : 11/28/24 11:15:51

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.470	PASS	0.85

Analyzed by: 1879, 4571, 585	Weight: 0.1018g	Extraction date: 11/29/24 11:42:46	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA080581WAT  
 Instrument Used : DA257 Rotronic HygroPalm Batch Date : 11/27/24 14:13:21  
 Analyzed Date : 11/29/24 19:53:26

Dilution : N/A  
 Reagent : 051624.02  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/30/24