



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41127017-006



Nov 30, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

84.119%

Total THC/Container : 420.595 mg



Total CBD

0.727%

Total CBD/Container : 3.635 mg



Total Cannabinoids

88.863%

Total Cannabinoids/Container : 444.315 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.086	0.038	0.727	ND	ND	2.648	ND	0.610	0.397	ND	0.357
mg/unit	420.43	0.19	3.64	ND	ND	13.24	ND	3.05	1.99	ND	1.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
4621, 1665, 585

Weight:
0.0968g

Extraction date:
11/27/24 23:03:28

Extracted by:
3335,4621

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080608POT

Instrument Used : DA-LC-007

Analyzed Date : 11/30/24 16:15:41

Batch Date : 11/27/24 19:52:08

Dilution : 400

Reagent : 111324.R48; 092724.11; 111324.R46

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg

Vegas

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41127017-006

Harvest/Lot ID: 3521922130809936

Batch# : 3521922130809936

Sampled : 11/27/24

Ordered : 11/27/24

Sample Size Received : 31 units

Total Amount : 605 units

Completed : 11/30/24 Expires: 11/30/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.07	2.413		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.00	0.599		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	1.94	0.387		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	0.96	0.192		ALPHA-TERPINENE	0.007	ND	ND	
VALENCENE	0.007	0.88	0.176		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.83	0.166		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-HUMULENE	0.007	0.68	0.136		GAMMA-TERPINENE	0.007	ND	ND	
HEXAHYDROTHYMOL	0.007	0.44	0.088		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-PINENE	0.007	0.44	0.087		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-BISABOLOL	0.007	0.42	0.084		4451, 585	0.2121g	11/27/24 22:52:41	4451	
FENCHYL ALCOHOL	0.007	0.35	0.069		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINEOL	0.007	0.32	0.063		Analytical Batch : DA080620TER				
ALPHA-PINENE	0.007	0.28	0.055		Instrument Used : DA-GCMS-004				
CARYOPHYLLENE OXIDE	0.007	0.27	0.053		Analyzed Date : 11/30/24 16:15:43				Batch Date : 11/27/24 20:00:52
GERANIOL	0.007	0.27	0.053		Dilution : 10				
OCIMENE	0.007	0.21	0.042		Reagent : 081924.04				
GUAIOL	0.007	0.19	0.037		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
PULEGONE	0.007	0.19	0.037		Pipette : DA-065				
3-CARENE	0.007	0.18	0.035		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHENE	0.007	0.16	0.032						
SABINENE	0.007	0.11	0.022						
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			2.413						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg

Vegas

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-006

Harvest/Lot ID: 3521922130809936

Batch# : 3521922130809936

Sampled : 11/27/24

Ordered : 11/27/24

Sample Size Received : 31 units

Total Amount : 605 units

Completed : 11/30/24 Expires: 11/30/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585	Weight: 0.273g	Extraction date: 11/27/24 23:55:20	Extracted by: 450,3621		
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080604PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					Batch Date : 11/27/24 19:48:58
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/30/24 16:22:17					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 112724.R10; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585	Weight: 0.273g	Extraction date: 11/27/24 23:55:20	Extracted by: 450,3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080611VOL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					Batch Date : 11/27/24 19:53:13
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/30/24 16:21:12					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 112724.R10; 081023.01; 111824.R23; 111824.R24					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 240321-634-A; 20240202; 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg

Vegas

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41127017-006

Harvest/Lot ID: 3521922130809936

Batch# : 3521922130809936

Sampled : 11/27/24

Ordered : 11/27/24

Sample Size Received : 31 units

Total Amount : 605 units

Completed : 11/30/24 Expires: 11/30/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585

Weight:
0.0299g

Extraction date:
11/29/24 17:50:37

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA080600SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 11/30/24 16:06:20

Batch Date : 11/27/24 19:23:31

Dilution : 1
Reagent : N/A
Consumables : 430274; 319008
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg

Vegas

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41127017-006

Harvest/Lot ID: 3521922130809936

Batch# : 3521922130809936

Sampled : 11/27/24

Ordered : 11/27/24

Sample Size Received : 31 units


Total Amount : 605 units

Completed : 11/30/24 Expires: 11/30/25


Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
ASPERGILLUS TERREUS			Not Present	PASS						
ASPERGILLUS NIGER			Not Present	PASS						
ASPERGILLUS FUMIGATUS			Not Present	PASS						
ASPERGILLUS FLAVUS			Not Present	PASS						
SALMONELLA SPECIFIC GENE			Not Present	PASS						
ECOLI SHIGELLA			Not Present	PASS						
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000					
Analyzed by: 3621, 4520, 585	Weight: 0.845g	Extraction date: 11/27/24 22:37:07	Extracted by: 3390,3621							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL										
Analytical Batch : DA080606MIC										
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021,Fisher Scientific Isotemp Heat Block (55°C) DA-366,Fisher Scientific Isotemp Heat Block (95°C) DA-367				Batch Date : 11/27/24 19:51:34						
Analyzed Date : 11/30/24 16:27:10										
Dilution : 10										
Reagent : 111524.68; 111524.71; 111524.76; 102924.R28; 051624.06										
Consumables : 7577003005										
Pipette : N/A										
Analyzed by: 3621, 4520, 585										
Weight: 0.845g										
Extraction date: 11/27/24 22:37:07										
Extracted by: 3390,3621										
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL										
Analytical Batch : DA080627TYM										
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]				Batch Date : 11/27/24 20:10:19						
Analyzed Date : 11/30/24 16:19:37										
Dilution : 10										
Reagent : 111524.68; 111524.71; 111524.76; 110724.R13										
Consumables : N/A										
Pipette : N/A										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

	Mycotoxins					PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level					
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02					
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02					
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02					
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02					
Analyzed by: 3379, 585	Weight: 0.273g	Extraction date: 11/27/24 23:55:20	Extracted by: 450,3621							
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)										
Analytical Batch : DA080609MYC										
Instrument Used : N/A						Batch Date : 11/27/24 19:52:17				
Analyzed Date : 11/30/24 16:23:46										
Dilution : 250										
Reagent : 112724.R10; 081023.01										
Consumables : 240321-634-A; 20240202; 326250IWI										
Pipette : N/A										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

	Heavy Metals					PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level					
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1					
ARSENIC	0.02	ppm	ND	PASS	0.2					
CADMIUM	0.02	ppm	ND	PASS	0.2					
MERCURY	0.02	ppm	ND	PASS	0.2					
LEAD	0.02	ppm	ND	PASS	0.5					
Analyzed by: 4056, 585	Weight: 0.2414g	Extraction date: 11/27/24 23:29:53	Extracted by: 4056							
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										

	Heavy Metals					PASSED
	Metal	LOD	Units	Result	Pass / Fail	Action Level
	TOTAL CONTAMINANT LOAD METALS					
	ARSENIC	0.02	ppm	ND	PASS	1.1
	CADMIUM	0.02	ppm	ND	PASS	0.2
	MERCURY	0.02	ppm	ND	PASS	0.2
	LEAD	0.02	ppm	ND	PASS	0.5
	Analyzed by: Weight: Extraction date:					
	4056, 585 0.2414g 11/27/24 23:29:53					
	Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA080630HEA						
Instrument Used : DA-ICPMS-005					Batch Date : 11/27/24 20:24:07	
Analyzed Date : 11/30/24 16:26:06						
Dilution : 50						
Reagent : 112524.R05; 112524.R08; 112224.R01; 112524.R06; 112524.R07; 061724.01; 112624.R33						
Consumables : 179436; 20240202; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vegas Cartridge 500mg

Vegas

Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41127017-006

Harvest/Lot ID: 3521922130809936

Batch# : 3521922130809936

Sampled : 11/27/24

Ordered : 11/27/24

Sample Size Received : 31 units

Total Amount : 605 units

Completed : 11/30/24 Expires: 11/30/25

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: 1g	Extraction date: 11/28/24 11:06:04	Extracted by: 1879
---------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080633FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/28/24 11:15:50

Batch Date : 11/28/24 11:01:20

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.481	PASS	0.85

Analyzed by: 1879, 4571, 585	Weight: 0.0463g	Extraction date: 11/29/24 11:43:12	Extracted by: 4571
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080581WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 11/29/24 19:53:28

Batch Date : 11/27/24 14:13:21

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/30/24