

DAVIE, FL, 33314, US

(954) 368-7664

Kaycha Labs

Production Method: Other - Not Listed

Source Facility: FL - Indiantown (4430) Seed to Sale#: 3696218700095636

> Harvest Date: 12/02/24 Sample Size Received: 16 units Total Amount: 680 units Retail Product Size: 1 gram

> > Servings: 1 Ordered: 12/04/24

Sampled: 12/04/24 Completed: 12/08/24

PASSED

Sampling Method: SOP.T.20.010

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Pages 1 of 6

Harvest/Lot ID: 4618692541237444 Batch#: 4618692541237444

Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I) Matrix: Derivative Classification: High THC Type: Live Resin

Certificate of Analysis


COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41204008-004



Dec 08, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/08/24



Type: Live Resin

..... Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

PASSED

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41204008-004 Harvest/Lot ID: 4618692541237444 Batch#: 4618692541237444 Sample Size Received: 16 units Sampled : 12/04/24 Ordered : 12/04/24

Total Amount : 680 units Completed : 12/08/24 Expires: 12/08/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|------------|---------|-------|------------|---|---------------------------------|------------------|---------------|---|
| TOTAL TERPENES | 0.007 | 51.72 | 5.172 | | SABINENE | 0.007 | ND | ND | |
| ETA-CARYOPHYLLENE | 0.007 | 11.12 | 1.112 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| IMONENE | 0.007 | 10.82 | 1.082 | | VALENCENE | 0.007 | ND | ND | |
| INALOOL | 0.007 | 9.21 | 0.921 | | ALPHA-CEDRENE | 0.005 | ND | ND | |
| ETA-MYRCENE | 0.007 | 5.51 | 0.551 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| LPHA-HUMULENE | 0.007 | 3.58 | 0.358 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| ARNESENE | 0.007 | 3.32 | 0.332 | | CIS-NEROLIDOL | 0.003 | ND | ND | |
| ENCHYL ALCOHOL | 0.007 | 1.93 | 0.193 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| LPHA-TERPINEOL | 0.007 | 1.91 | 0.191 | | Analyzed by: | Weight: | | tion date: | Extracted by: |
| LPHA-BISABOLOL | 0.007 | 1.54 | 0.154 | | 4451, 3605, 585, 1440 | 0.2036g | 12/05/ | 24 13:02:46 | 4451 |
| LPHA-PINENE | 0.007 | 0.90 | 0.090 | | Analysis Method : SOP.T.30.061A.FL, Analytical Batch : DA080830TER | SOP.T.40.061A.FL | | | |
| RANS-NEROLIDOL | 0.005 | 0.65 | 0.065 | | Analytical Batch : DA0808301ER Instrument Used : DA-GCMS-009 | | | Batch Dat | e: 12/05/24 10:51:43 |
| ORNEOL | 0.013 | 0.60 | 0.060 | | Analyzed Date : 12/06/24 11:54:33 | | | baten bai | |
| ETA-PINENE | 0.007 | 0.42 | 0.042 | | Dilution : 10 | | | | |
| LPHA-TERPINOLENE | 0.007 | 0.21 | 0.021 | | Reagent : 081924.04 | | | | |
| CARENE | 0.007 | ND | ND | | Consumables : 947.109; 240321-634 Pipette : DA-065 | -A; 280670723; CE0123 | | | |
| AMPHENE | 0.007 | ND | ND | | | an Channahannaha Masa Canaba | mahay Fas all I | | s, the Total Terpenes % is dry-weight corrected. |
| AMPHOR | 0.007 | ND | ND | | Terpenoid testing is performed utilizing G | as chronialography Mass Spectro | inerry. For an i | riower sample | s, the rotal respenses % is dry-weight corrected. |
| ARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | |
| DROL | 0.007 | ND | ND | | | | | | |
| JCALYPTOL | 0.007 | ND | ND | | | | | | |
| ENCHONE | 0.007 | ND | ND | | | | | | |
| ERANIOL | 0.007 | ND | ND | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| UAIOL | 0.007 | ND | ND | | | | | | |
| EXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| OBORNEOL | 0.007 | ND | ND | | | | | | |
| OPULEGOL | 0.007 | ND | ND | | | | | | |
| EROL | 0.007 | ND | ND | | | | | | |
| | 0.007 | ND | ND | | | | | | |
| DCIMENE | | | | | | | | | |
| ULEGONE | 0.007 | ND | ND | | | | | | |

Total (%)

5.172

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/08/24



Matrix : Derivative Type: Live Resin

. Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA41204008-004 Harvest/Lot ID: 4618692541237444

Sampled : 12/04/24 Ordered : 12/04/24

Batch#: 4618692541237444 Sample Size Received: 16 units Total Amount : 680 units Completed : 12/08/24 Expires: 12/08/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|------------------------------------|-------|-------|-----------------|-----------|--------|--|-------------------------|-------------------------|-----------------|-------------------------|----------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | | ppm | 0.1 | PASS | ND |
| OTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | | | ppm | 0.1 | PASS | ND |
| OTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PRALLETHRIN | | | | | |
| BAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | ppm | 0.1 | PASS | ND |
| CEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| CETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| LDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| FENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | | ppm | 0.1 | PASS | ND |
| DSCALID | 0.010 | ppm | 0.1 | PASS | ND | | | ppm | 0.5 | PASS | ND |
| ARBARYL | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | | | | PASS | |
| ARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | | ppm | 0.1 | | ND |
| HLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PCNB | , | ppm | 0.15 | PASS | ND |
| HLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | PARATHION-METHYL * | 0.010 | ppm | 0.1 | PASS | ND |
| HLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.070 | ppm | 0.7 | PASS | ND |
| OFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CHLORDANE * | 0.010 | ppm | 0.1 | PASS | ND |
| DUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | ppm | 0.1 | PASS | ND |
| AMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.050 | ppm | 0.5 | PASS | ND |
| AZINON | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | ppm | 0.5 | PASS | ND |
| CHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | | | | 0.5 | | |
| METHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weig 3621, 585, 1440 0.263 | | ion date: 4 13:55:22 | | Extracted b 3379.450 | by: |
| HOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gai | | | SOP T 40 101 | |) |
| FOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | 110341107, 30111.3011 | 52.1 E (Duvic), | 501.11.40.101 | ITE (Guinesvine) | // |
| TOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA080839PES | | | | | |
| INHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch | Date : 12/05/ | 24 12:05:43 | |
| NOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date :12/06/24 15:36:18 | | | | | |
| ENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| PRONIL | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 120424.R40; 081023.01 Consumables : 240321-634-A; 0407240 | H01.326250IW | | | | |
| ONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Pipette : N/A | .001, 320230100 | | | | |
| UDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performe | d utilizing Liquid Chro | matography Tri | iple-Quadrupo | e Mass Spectron | netry in |
| EXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | her derereber | | |
| IAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: Weigh | t: Extracti | on date: | | Extracted b | y: |
| IIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | 450, 585, 1440 0.2637 | g 12/05/24 | 13:55:22 | | 3379,450 | |
| RESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gai | nesville), SOP.T.30.1 | 51A.FL (Davie) | , SOP.T.40.15 | 1.FL | |
| ALATHION | 0.010 | ppm | 0.2 | PASS | ND | Analytical Batch : DA080841VOL | | | | | |
| ETALAXYL | 0.010 | | 0.1 | PASS | ND | Instrument Used :DA-GCMS-011 Analyzed Date :12/06/24 11:20:18 | | Batch Date | :12/05/24 12 | .08:34 | |
| ETHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Reagent: 120424.R40: 081023.01: 111 | 874 R23: 111824 R2 | 1 | | | |
| EVINPHOS | 0.010 | | 0.1 | PASS | ND | Consumables : 240321-634-A; 0407240 | | | 1 | | |
| YCLOBUTANIL | 0.010 | | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| ALED | 0.010 | | 0.25 | PASS | ND | Testing for agricultural agents is performe | d utilizing Gas Chroma | tography Tripl | e-Quadrupole | Mass Spectrome | try in |
| | | 1.000 | | | | accordance with F.S. Rule 64ER20-39. | J | 9 (F 2 (F)) | | | - |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/08/24

PASSED

PASSED



Type: Live Resin

Page 4 of 6

..... Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41204008-004 Harvest/Lot ID: 4618692541237444 Batch#: 4618692541237444 Sample Size Received: 16 units Sampled : 12/04/24 Ordered : 12/04/24

Total Amount : 680 units Completed : 12/08/24 Expires: 12/08/25 Sample Method : SOP.T.20.010



Residual Solvents

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|---|--------------------|---------------------------------------|-------------------------|------------------|-------------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| L,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CETONE | 75.000 | ppm | 750 | PASS | ND |
| CETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| THYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| THYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.0232g | Extraction date: 12/06/24 12:38:03 | | E x 85 | tracted by: |
| Analysis Method: SOP.T.40.041.FL Analytical Batch: DA08085650L Instrument Used: DA-GCMS-002 Analyzed Date: 12/06/24 13:04:46 | | | Batch Date : 12/05/24 1 | 4:24:43 | |

Reagent : N/A

Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/08/24

PASSED

PASSED



Type: Live Resin

Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41204008-004 Harvest/Lot ID: 4618692541237444 Batch#: 4618692541237444 Sample Size Received : 16 units Sampled: 12/04/24 Total Amount : 680 units

Sampled : 12/04/24 Total Al Ordered : 12/04/24 Comple Sample

Sample Size Received : 16 units Total Amount : 680 units Completed : 12/08/24 Expires: 12/08/25 Sample Method : SOP.T.20.010 Page 5 of 6

| Ę | Microk | pial | | | PAS | SED | လို့ | Ν | lycotox | ins | | | PAS | SED |
|--------------------------------|---|-------------------|----------------------------|-----------------------|-------------------------------|-----------------|--|-------------------------------|---|-------------------------------|------------|------------------------|------------------------|----------------------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLU | S TERREUS | | | Not Present | PASS | Level | AFLATOXIN | B2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLU | 5 NIGER | | | Not Present | PASS | | AFLATOXIN | B1 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLU | 5 FUMIGATUS | | | Not Present | PASS | | OCHRATOXII | A | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLU | 5 FLAVUS | | | Not Present | PASS | | AFLATOXIN | G1 | | 0.00 | ppm | ND | PASS | 0.02 |
| SALMONELL | A SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN | G2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGE | LLA | | | Not Present | PASS | | Analyzed by: | | Weight: | Extraction dat | e: | F | xtracted I | ov: |
| TOTAL YEAS | FAND MOLD | 10.00 | CFU/g | <10 | PASS | 100000 | 3621, 585, 144 | 0 | 0.2637g | 12/05/24 13:5 | | | 379,450 | <i>, , , , , , , , , ,</i> |
| Analytical Batc | 5, 1440 d : SOP.T.40.056C h : DA080799MIC : d : PathogenDx S | | | 9:24:03 .40.209.FL | Extracte 4520 Batch Dat | - | | FL (Da :h : DA ed : N/. | Д | FL (Davie) | | (Gainesv : 12/05/24 | | 0 |
| Analyzed Date Dilution : 10 | A-366,Fisher Scier : 12/06/24 10:22:(:24.55; 101724.42 7577003001 | 03 | | | | | Pipette : N/A Mycotoxins test accordance with | h F.S. R | izing Liquid Chromato ule 64ER20-39. | | -Quadrupo | | | ⁱⁿ SED |
| Analyzed by: 4520, 4044, 58 | 5, 1440 | Weight: 0.827g | Extraction (12/05/24 0 | | Extracte 4520 | d by: | ч <u> </u> р | | - | | | | | |
| Analytical Batc | d : SOP.T.40.208 h : DA080800TYM | | | | | | Metal | | ANT LOAD METAI | LOD LS 0.08 | Units | Result | Pass / Fail PASS | Action Level |
| nstrument Use DA-3821 | d : Incubator (25* | °C) DA- 328 [c | alibrated wi | th Batch Dat | e:12/05/2 | 4 07:58:45 | ARSENIC | AMIN | ANT LOAD META | 0.02 | ppm ppm | ND | PASS | 0.2 |
| | : 12/08/24 10:31:2 | 26 | | | | | | | | 0.02 | ppm | ND | PASS | 0.2 |
| Dilution : 10 | | | | | | | MERCURY | | | 0.02 | ppm | ND | PASS | 0.2 |
| Reagent : 1115 | 24.55; 101724.42 | 2; 110724.R13 | 3 | | | | LEAD | | | 0.02 | ppm | ND | PASS | 0.5 |
| Consumables : Pipette : N/A | N/A | | | | | | Analyzed by: 1022, 585, 144 | 0 | Weight: 0.2067g | Extraction da 12/05/24 10: | | | Extracted 4056 | by: |
| | nold testing is perfo F.S. Rule 64ER20-39 | | 1PN and tradit | ional culture base | d techniques | in | Analysis Metho Analytical Bato Instrument Uso Analyzed Date | :h:DA ed:DA | -ICPMS-004 | | h Date :] | 2/05/24 0 | 9:42:19 | |
| | | | | | | | 061724.01; 11 | 2624. 17943 | 86; 210508058 | 0224.R10; 1204 | 24.R01; 1 | .20224.R0 | 8; 120224 | 4.R09; |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/08/24



Type: Live Resin

..... Cresco Liquid Live Resin Cartridge 1g - Kush Mnts (I) Kush Mnts (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41204008-004 Harvest/Lot ID: 4618692541237444 Batch#: 4618692541237444 Sample Size Received: 16 units Sampled : 12/04/24 Ordered : 12/04/24

Total Amount : 680 units Completed : 12/08/24 Expires: 12/08/25 Sample Method : SOP.T.20.010



Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



| Analyte Water Activity | _ | OD .010 | Units aw | Resul 0.4 | - | P/F PASS | Action Level 0.85 | | |
|--|------------------------------|-------------------|--------------------|--------------|------|-------------|-----------------------|--|--|
| Analyzed by: 4512, 585, 1440 | | | | | | | Extracted by: 4512 | | |
| Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA2 Analyzed Date : 12/06/ | 80834WAT 57 Rotronic Hygr | •oPalr | n | Batch | Date | e:12/05/2 | 24 11:39:41 | | |
| Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A | | | | | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/08/24

PASSED

Page 6 of 6