



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41204008-006



Dec 08, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**85.639%**

Total THC/Container : 428.195 mg



Total CBD

**0.141%**

Total CBD/Container : 0.705 mg



Total Cannabinoids

**89.006%**

Total Cannabinoids/Container : 445.030 mg

%	mg/unit	LOD	%	%	%	%	%	%	%	%	%
D9-THC	85.467	427.34	0.001	THCA	0.197	0.99	0.001	CBD	0.114	0.57	0.001
CBDA	0.031	0.16	0.001	D8-THC	ND	ND	0.001	CBG	2.149	10.75	0.001
CBGA	0.072	0.36	0.001	CBN	0.070	0.35	0.001	THCV	0.250	1.25	0.001
CBDV	ND	ND	0.001	CBC	0.656	3.28	0.001				

Analyzed by:  
4351, 1665, 585, 1440

Weight:  
0.1104g

Extraction date:  
12/05/24 14:33:18

Extracted by:  
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080825POT

Instrument Used : DA-LC-003

Analyzed Date : 12/06/24 10:11:22

Batch Date : 12/05/24 10:36:00

Dilution : 400

Reagent : 092724.13; 111324.R49; 111324.R47

Consumables : 947.109; 20240202; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Kush Mnts (I)  
Kush Mnts (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41204008-006

Harvest/Lot ID: 0359344939711930

Batch# : 0359344939711930

Sampled : 12/04/24

Ordered : 12/04/24

Sample Size Received : 31 units

Total Amount : 680 units

Completed : 12/08/24 Expires: 12/08/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.02	5.203		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.69	1.137		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	5.34	1.068		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	4.62	0.923		ALPHA-CEDRENE	0.005	ND	ND	
BETA-MYRCENE	0.007	2.69	0.537		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	1.83	0.366		ALPHA-TERPINENE	0.007	ND	ND	
FARNESENE	0.007	1.65	0.330		CIS-NEROLIDOL	0.003	ND	ND	
ALPHA-TERPINEOL	0.007	0.98	0.196		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.97	0.194						
ALPHA-BISABOLOL	0.007	0.79	0.157		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.45	0.089		4451, 3605, 585, 1440	0.2225g	12/05/24 13:02:46	4451	
TRANS-NEROLIDOL	0.005	0.33	0.065		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.30	0.059		Analytical Batch : DA000830TER				
BETA-PINENE	0.007	0.21	0.041		Instrument Used : DA-GCMS-009				
ALPHA-TERPINOLENE	0.007	0.11	0.021		Analyzed Date : 12/06/24 11:54:37				Batch Date : 12/05/24 10:51:43
CAMPHENE	0.007	0.10	0.020		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 081924.04				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-065				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			5.203						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Kush Mnts (I)  
Kush Mnts (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41204008-006

Harvest/Lot ID: 0359344939711930

Batch# : 0359344939711930

Sampled : 12/04/24

Ordered : 12/04/24

Sample Size Received : 31 units

Total Amount : 680 units

Completed : 12/08/24 Expires: 12/08/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 585, 1440					
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Weight:</b> 0.2461g					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Extraction date:</b> 12/05/24 13:55:22					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Extracted by:</b> 3379,450					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA080839PES					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 12/06/24 15:36:19					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 120424.R40; 081023.01					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Weight:</b> 0.2461g					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Extraction date:</b> 12/05/24 13:55:22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Extracted by:</b> 3379,450					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA080841VOL					
METHIOCARB	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-011					
METHOMYL	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 12/06/24 11:20:19					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 120424.R40; 081023.01; 111824.R23; 111824.R24					
NALED	0.010	ppm	0.25	PASS	ND	<b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW; 55447-U.15143701					
						<b>Pipette :</b> DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in  
accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Kush Mnts (I)  
Kush Mnts (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41204008-006

Harvest/Lot ID: 0359344939711930

Batch# : 0359344939711930

Sampled : 12/04/24

Ordered : 12/04/24

Sample Size Received : 31 units

Total Amount : 680 units

Completed : 12/08/24 Expires: 12/08/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0232g

Extraction date:  
12/06/24 12:38:03

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA080856SOL  
Instrument Used : DA-GCMS-002  
Analyzed Date : 12/06/24 13:04:48

Batch Date : 12/05/24 14:24:43

Dilution : 1  
Reagent : N/A  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41204008-006

Harvest/Lot ID: 0359344939711930

Batch# : 0359344939711930

Sampled : 12/04/24

Ordered : 12/04/24




Sample Size Received : 31 units

Total Amount : 680 units

Completed : 12/08/24 Expires: 12/08/25

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000						
Analyzed by: 4520, 4531, 585, 1440 Weight: 0.965g Extraction date: 12/05/24 09:24:03 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080799MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021, Fisher Scientific Isotemp Heat Block (55°C) DA-366, Fisher Scientific Isotemp Heat Block (95°C) DA-367 Analyzed Date : 12/06/24 10:22:03 Dilution : 10 Reagent : 111524.55; 101724.42; 102924.R28; 051624.03 Consumables : 7577003001 Pipette : N/A						Analyzed by: 3621, 585, 1440 Weight: 0.2461g Extraction date: 12/05/24 13:55:22 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080840MYC Instrument Used : N/A Analyzed Date : 12/06/24 15:37:16 Batch Date : 12/05/24 12:08:10 Dilution : 250 Reagent : 120424.R40; 081023.01 Consumables : 240321-634-A; 040724CH01; 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2748g Extraction date: 12/05/24 11:02:57 Extracted by: 4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA080810HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 12/06/24 10:49:06 Batch Date : 12/05/24 09:42:19 Dilution : 50 Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 061724.01; 112624.R33 Consumables : 179436; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Kush Mnts (I)  
Kush Mnts (I)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41204008-006

Harvest/Lot ID: 0359344939711930

Batch# : 0359344939711930

Sampled : 12/04/24

Ordered : 12/04/24

Sample Size Received : 31 units

Total Amount : 680 units

Completed : 12/08/24 Expires: 12/08/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/05/24 12:37:00	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080845FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 12/05/24 12:46:44

Batch Date : 12/05/24 12:27:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.564	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2286g	Extraction date: 12/05/24 17:03:56	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080834WAT

Instrument Used : DA257 Rotronic HygroPalm

Analyzed Date : 12/06/24 10:10:18

Batch Date : 12/05/24 11:39:41

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/08/24