

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41205013-012

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S) GDB (S)

Matrix: Derivative Classification: High THC Type: Live Resin

Production Method: Other - Not Listed Harvest/Lot ID: 5480 9629 4304 6527

Batch#: 5480 9629 4304 6527

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 7775444030498565

Harvest Date: 12/03/24

Sample Size Received: 31 units Total Amount: 1210 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 12/05/24 Sampled: 12/05/24 **Completed: 12/10/24**

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 12/06/24 09:47:39



Water Activity **PASSED**



Moisture



MISC.

Terpenes **PASSED**

PASSED



Cannabinoid

Dec 10, 2024 | Sunnyside

Total THC 85.012%

Total THC/Container: 425.060 mg



Total CBD 0.117%

Total CBD/Container: 0.585 mg



Total Cannabinoids 87.057%

3335 4351

Total Cannabinoids/Container: 435.285

THCA THCV CBD CBDA D8-THC CBG CBGA CRN CBDV CBC 84.843 0.193 0.117 ND ND 0.776 ND ND 0.279 ND 0.849 424.22 0.97 0.59 ND ND 3.88 ND ND 1.40 ND 4.25 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % Analyzed by: 4351, 1665, 585, 1440 Weight: Extraction date: Extracted by:

12/06/24 13:56:56

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA080868POT

Instrument Used : DA-LC-003 Analyzed Date : 12/09/24 09:11:11

Dilution: 400

Reagent: 120624.R01; 092724.11; 111324.R47

Consumables: 947.109; 040724CH01; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S)

GDB (S)

Matrix : Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41205013-012 Harvest/Lot ID: 5480 9629 4304 6527

Batch#: 5480 9629 4304

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units Total Amount: 1210 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

| Terpenes | LOD (%) | mg/unit | : % | Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) |
|---------------------|------------|---------|-------|------------|--|--------------------------|-------------|--------------------|------------|---|
| TOTAL TERPENES | 0.007 | 29.45 | 5.890 | | SABINENE HYDRATE | | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 6.56 | 1.311 | | VALENCENE | | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 6.36 | 1.271 | | ALPHA-CEDRENE | | 0.005 | ND | ND | |
| BETA-MYRCENE | 0.007 | 5.08 | 1.016 | | ALPHA-PHELLANDRENE | | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 3.98 | 0.796 | | ALPHA-TERPINENE | | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 2.10 | 0.420 | | ALPHA-TERPINOLENE | | 0.007 | ND | ND | |
| FARNESENE | 0.001 | 1.17 | 0.234 | | CIS-NEROLIDOL | | 0.003 | ND | ND | |
| ALPHA-BISABOLOL | 0.007 | 0.99 | 0.198 | | GAMMA-TERPINENE | | 0.007 | ND | ND | |
| ALPHA-TERPINEOL | 0.007 | 0.80 | 0.160 | | Analyzed by: | Weight: | | Extraction d | ato. | Extracted by: |
| FENCHYL ALCOHOL | 0.007 | 0.75 | 0.150 | | 3605, 585, 1440 | 0.2155g | | 12/06/24 12 | | 3605 |
| TRANS-NEROLIDOL | 0.005 | 0.70 | 0.139 | | Analysis Method : SOP.T.30.063 | | | | | |
| BETA-PINENE | 0.007 | 0.36 | 0.072 | | Analytical Batch : DA080892TE | | | | | |
| ALPHA-PINENE | 0.007 | 0.34 | 0.068 | | Instrument Used: DA-GCMS-00 Analyzed Date: 12/10/24 11:05 | | | | Batch D | Date: 12/06/24 10:36:18 |
| BORNEOL | 0.013 | 0.28 | 0.055 | | Dilution: 10 | J.J.L | | | | |
| 3-CARENE | 0.007 | ND | ND | | Reagent: 081924.04 | | | | | |
| CAMPHENE | 0.007 | ND | ND | | Consumables: 947.109; 24032 | 1-634-A; 280670723; C | E0123 | | | |
| CAMPHOR | 0.007 | ND | ND | | Pipette : DA-065 | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | Terpenoid testing is performed utili | izing Gas Chromatography | Mass Specti | rometry. For all I | lower samp | oles, the Total Terpenes % is dry-weight corrected. |
| CEDROL | 0.007 | ND | ND | | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | | |
| GUAIOL | 0.007 | ND | ND | | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | | |
| Total (%) | | | 5.890 | | | | | | | |

Total (%)

5.890

DQ) rtical Sta

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino

Lab Director

1/2

Signature 12/10/24



Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S)

GDB (S)

Matrix : Derivative Type: Live Resin



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41205013-012 Harvest/Lot ID: 5480 9629 4304 6527

Pass/Fail Result

Batch#: 5480 9629 4304

6527 Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units
Total Amount: 1210 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD Units | Action Level | Pass/Fail | Result | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-----------|-----------------|-----------|--------|---|---------------------------|------------|----------------------|-----------------------|------------------|----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 ppm | 5 | PASS | ND | OXAMYL | | 0.010 | nnm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.010 | | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 ppm | 0.1 | PASS | ND | | | 0.010 | | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 ppm | 0.5 | PASS | ND | PHOSMET | | | | | | |
| TOTAL SPINETORAM | 0.010 ppm | 0.2 | PASS | ND | PIPERONYL BUTOXIDE | | 0.010 | | 3 | PASS | ND |
| TOTAL SPINOSAD | 0.010 ppm | 0.1 | PASS | ND | PRALLETHRIN | | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 ppm | 0.1 | PASS | ND | PROPICONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 ppm | 0.1 | PASS | ND | PROPOXUR | | 0.010 | ppm | 0.1 | PASS | ND |
| ACEQUINOCYL | 0.010 ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.010 | ppm | 0.2 | PASS | ND |
| ACETAMIPRID | 0.010 ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.010 | nnm | 0.1 | PASS | ND |
| ALDICARB | 0.010 ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.010 | | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.010 | | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 ppm | 0.1 | PASS | ND | | | 0.010 | | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | | | | | |
| BOSCALID | 0.010 ppm | 0.1 | PASS | ND | THIACLOPRID | | 0.010 | | 0.1 | PASS | ND |
| CARBARYL | 0.010 ppm | 0.5 | PASS | ND | THIAMETHOXAM | | 0.010 | | 0.5 | PASS | ND |
| CARBOFURAN | 0.010 ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 ppm | 1 | PASS | ND | PENTACHLORONITROBENZENE (PO | CNB) * | 0.010 | ppm | 0.15 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 ppm | 1 | PASS | ND | PARATHION-METHYL * | | 0.010 | ppm | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 ppm | 0.1 | PASS | ND | CAPTAN * | | 0.070 | ppm | 0.7 | PASS | ND |
| CLOFENTEZINE | 0.010 ppm | 0.2 | PASS | ND | CHLORDANE * | | 0.010 | ppm | 0.1 | PASS | ND |
| COUMAPHOS | 0.010 ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.010 | nnm | 0.1 | PASS | ND |
| DAMINOZIDE | 0.010 ppm | 0.1 | PASS | ND | CYFLUTHRIN * | | 0.050 | | 0.5 | PASS | ND |
| DIAZINON | 0.010 ppm | 0.1 | PASS | ND | CYPERMETHRIN * | | 0.050 | | 0.5 | PASS | ND |
| DICHLORVOS | 0.010 ppm | 0.1 | PASS | ND | | | | | 0.5 | | |
| DIMETHOATE | 0.010 ppm | 0.1 | PASS | ND | | Weight: 0.2319q | Extraction | on date: 12:38:13 | | 450,3621 | by: |
| ETHOPROPHOS | 0.010 ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL | | | | SOP T 40 101 | | .) |
| ETOFENPROX | 0.010 ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | (Guillesville), 501 | 1.1.50.10 | z.i E (Duvic) | , 301.11.40.103 | L (Guillesville | -// |
| ETOXAZOLE | 0.010 ppm | 0.1 | PASS | ND | Analytical Batch : DA080871PES | | | | | | |
| FENHEXAMID | 0.010 ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-004 (PI | | | Batcl | h Date: 12/06/ | 24 09:52:24 | |
| FENOXYCARB | 0.010 ppm | 0.1 | PASS | ND | Analyzed Date: 12/09/24 09:17:18 | | | | | | |
| FENPYROXIMATE | 0.010 ppm | 0.1 | PASS | ND | Dilution: 250 | 4 120524 020 12 | 00F24 B1 | 0 100104 5 | 00 120424 84 | 2 00102201 | |
| FIPRONIL | 0.010 ppm | 0.1 | PASS | ND | Reagent: 120224.R04; 120424.R04 Consumables: 326250IW | 4; 120524.R28; 12 | 20524.R1 | U; 102124.F | (08; 120424.RC | 13; 081023.01 | |
| FLONICAMID | 0.010 ppm | 0.1 | PASS | ND | Pipette : DA-093: DA-094: DA-219 | | | | | | |
| FLUDIOXONIL | 0.010 ppm | 0.1 | PASS | ND | Testing for agricultural agents is perfo | ormed utilizina Lia | uid Chrom | atography T | riple-Ouadrupo | le Mass Spectroi | metry in |
| HEXYTHIAZOX | 0.010 ppm | 0.1 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | | | | , |
| IMAZALIL | 0.010 ppm | 0.1 | PASS | ND | | | Extractio | | | Extracted b | y: |
| IMIDACLOPRID | 0.010 ppm | 0.4 | PASS | ND | , | | 12/06/24 | | | 450,3621 | |
| KRESOXIM-METHYL | 0.010 ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL | (Gainesville), SOI | P.T.30.15 | 1A.FL (Davi | e), SOP.T.40.15 | 51.FL | |
| MALATHION | 0.010 ppm | 0.2 | PASS | ND | Analytical Batch : DA080873VOL Instrument Used : DA-GCMS-001 | | | Batch Date | e:12/06/24 09 | .E4.40 | |
| METALAXYL | 0.010 ppm | 0.1 | PASS | ND | Analyzed Date :12/09/24 09:16:30 | | | Daten Date | 6. 12/00/24 09 | .54.40 | |
| METHIOCARB | 0.010 ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | | |
| METHOMYL | 0.010 ppm | 0.1 | PASS | ND | Reagent: 120524.R28; 081023.01; | 111824.R23: 111 | 1824.R24 | | | | |
| MEVINPHOS | 0.010 ppm | 0.1 | PASS | ND | Consumables : 326250IW; 240321- | | | 5401 | | | |
| MYCLOBUTANIL | 0.010 ppm | 0.1 | PASS | ND | Pipette: DA-080; DA-146; DA-218 | | | | | | |
| NALED | 0.010 ppm | 0.25 | PASS | ND | Testing for agricultural agents is perfo | | s Chromat | ography Trip | ole-Quadrupole | Mass Spectrome | etry in |
| | | | | | accordance with F.S. Rule 64ER20-39. | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S)

GDB (S)

Matrix : Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41205013-012 Harvest/Lot ID: 5480 9629 4304 6527

Batch#: 5480 9629 4304 6527

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received : 31 units Total Amount : 1210 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010 Page 4 of 6



Residual Solvents

| л | | _ | п |
|---|---|----|---|
| н | Э | Е. | ш |
| - | _ | _ | _ |

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|--------------------|------------------------------------|--------------|-----------------|-----------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.0281g | Extraction date: 12/09/24 11:14:55 | | Extr 850 | acted by: |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080908SOL Instrument Used : DA-GCMS-002 Analyzed Date : 12/09/24 12:08:57

Dilution: 1 Reagent: N/A

Consumables : 430274; 319008 **Pipette :** DA-309 25 uL Syringe 35028

Batch Date: 12/06/24 13:30:49

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino

Lab Director

1/2

Signature 12/10/24



Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S)

GDB (S)

Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41205013-012 Harvest/Lot ID: 5480 9629 4304 6527

Batch#: 5480 9629 4304

Sampled: 12/05/24 Ordered: 12/05/24

Sample Size Received: 31 units Total Amount: 1210 units Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|---------|------------|-------------|----------------|-----------------|-----------------------|-----------------|---------------------|-----------|------------|----------------|-----------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | | 0.00 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | | 0.00 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENI | | | Not Present | PASS | | AFLATOXIN G2 | | 0.00 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | Analyzed by: | Weight: | Extraction dat | e: | E | xtracted | bv: |
| TOTAL YEAST AND MOLD | 10.00 | 0 CFU/g | <10 | PASS | 100000 | 3621, 585, 1440 | 0.2319g | 12/06/24 12:3 | 8:13 | | 50,3621 | |
| Analyzed by: | Weight: | Extraction | date: | Extracte | ed by: | Analysis Method : SOP | T.30.101.FL (Ga | ainesville), SOP.T. | 40.101.FI | _ (Gainesv | ille). | |

Analyzed by: Weight: **Extraction date:** Extracted by: 4571, 4520, 585, 1440 12/06/24 11:04:20 1.103g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080860MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C)
Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat
Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Analyzed Date: 12/09/24 09:06:36

Dilution: 10

Reagent: 111524.59; 101724.42; 102924.R28; 051624.03

Consumables: 7578001086

Pipette: N/A

| Batch Dat | te: |
|-----------|----------|
| 12/06/24 | 08:24:12 |

Extracted by:

Dilution: 250
Reagent: 120224.R04; 120424.R04; 120524.R28; 120524.R10; 102124.R08; 120424.R03;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Analytical Batch : DA080872MYC

Analyzed Date: 12/09/24 09:18:15

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4571, 585, 1440 Weight: 1.103g Extraction date

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch: DA080862TYM

Instrument Used : Incubator (25*C) DA- 328 [calibrated with Batch Date: 12/06/24 08:27:40

Analyzed Date: 12/09/24 09:07:24 Dilution: 10

Reagent: 111524.59; 101724.42; 110724.R13 Consumables: N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

12/06/24 11:04:20



Heavy Metals

Posult Pass / Astion

Batch Date: 12/06/24 09:54:46

Batch Date: 12/06/24 09:51:48

| Metai | | LOD | Units | Kesuit | Pass / Fail | Level | |
|---------------------------------|------------------------|--------------------------------|-------|------------|----------------|-------|--|
| TOTAL CONTAMINAN | IT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | |
| ARSENIC | | 0.02 | ppm | ND | PASS | 0.2 | |
| CADMIUM | | 0.02 | ppm | ND | PASS | 0.2 | |
| MERCURY | | 0.02 | ppm | ND | PASS | 0.2 | |
| LEAD | | 0.02 | ppm | ND | PASS | 0.5 | |
| Analyzed by: 1022, 585, 1440 | Weight: 0.2735g | Extraction date 12/06/24 11:42 | | E > | y: | | |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080870HEA Instrument Used : DA-ICPMS-004

Analyzed Date: 12/09/24 09:48:41

Dilution: 50 Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - GDB (S)

GDB (S)

Matrix: Derivative Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41205013-012 Harvest/Lot ID: 5480 9629 4304 6527

Batch#: 5480 9629 4304

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units Total Amount: 1210 units Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/06/24 14:11:43 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080911FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/06/24 14:01:37 Analyzed Date: 12/07/24 19:36:24

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

| Analyte Water Activity | | LOD 0.010 | Units aw | Result 0.457 | P/F PASS | Action Level 0.85 |
|---------------------------------|--------------------|------------------|--------------------|-----------------|-------------|----------------------|
| Analyzed by: 4512, 585, 1440 | Weight: 0.1777g | | traction 6 | | | tracted by: |

Analysis Method: SOP.T.40.019

Analytical Batch: DA080895WAT

Instrument Used : DA257 Rotronic HygroPalm Batch Date: 12/06/24 10:47:26 Analyzed Date: 12/09/24 09:09:16

Dilution: N/A **Reagent**: 051624.02

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24