

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41205013-014

### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix: Derivative

Type: Distillate



Production Method: Other - Not Listed Harvest/Lot ID: 9073 7264 7510 1109

Batch#: 9073 7264 7510 1109

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 4520851216809863

**Harvest Date: 12/03/24** 

Sample Size Received: 31 units

Total Amount: 475 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 12/05/24 Sampled: 12/05/24

Completed: 12/10/24 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Dec 10, 2024 | Sunnyside



22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

Pesticides **PASSED** 



**Heavy Metals PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Sunnyside

Residuals Solvents **PASSED** 



Filth **PASSED** 



Water Activity **PASSED** 



Moisture



MISC.

Terpenes **PASSED** 

**PASSED** 



#### Cannabinoid

**Total THC** 88.300%

Total THC/Container: 441.500 mg



**Total CBD** 0.303%



**Total Cannabinoids** 

Total Cannabinoids/Container: 460.755

THCA THCV CBC CBD CRDA D8-THC CBG CRGA CBN CBDV 88,236 0.074 0.303 ND ND 2.204 ND 0.655 0.374 ND 0.305 441.18 0.37 1.52 ND ND 11.02 ND 3.28 1.87 ND 1.53 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 Analyzed by: 4351, 1665, 585, 3335, 1440 **Extraction date** Extracted by:

12/06/24 13:55:33

Ratch Date: 12/06/24 09:48:42

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA080869POT

Instrument Used : DA-LC-007 Analyzed Date : 12/10/24 08:31:28

Dilution: 400

ma/unit

LOD

Reagent: 120624.R02; 092724.11; 111324.R46 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/10/24



#### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix : Derivative

Type: Distillate



PASSED

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41205013-014 Harvest/Lot ID: 9073 7264 7510 1109

Batch#: 9073 7264 7510

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units Total Amount: 475 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 2 of 6



## **Terpenes**

**PASSED** 

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	27.95	5.590		SABINENE		0.007	ND	ND	
BETA-MYRCENE	0.007	8.67	1.734		SABINENE HYDRATE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	3.86	0.772		VALENCENE		0.007	ND	ND	
OCIMENE	0.007	3.55	0.710		ALPHA-CEDRENE		0.005	ND	ND	
LIMONENE	0.007	3.23	0.645		ALPHA-PHELLANDRENE		0.007	ND	ND	
ALPHA-PINENE	0.007	1.96	0.392		ALPHA-TERPINENE		0.007	ND	ND	
BETA-PINENE	0.007	1.44	0.288		CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-BISABOLOL	0.007	1.34	0.267		GAMMA-TERPINENE		0.007	ND	ND	
LINALOOL	0.007	1.25	0.250		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ALPHA-TERPINEOL	0.007	0.56	0.111		3605, 585, 1440	0.226g		12/06/24 12		3605
FENCHYL ALCOHOL	0.007	0.54	0.107		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
CARYOPHYLLENE OXIDE	0.007	0.29	0.057		Analytical Batch : DA080892TER					
3-CARENE	0.007	0.24	0.048		Instrument Used: DA-GCMS-004 Analyzed Date: 12/10/24 08:32:10				Batch	Date: 12/06/24 10:36:18
CAMPHENE	0.007	0.21	0.041		Dilution : 10					
ALPHA-TERPINOLENE	0.007	0.21	0.041		Reagent: 081924.04					
TRANS-NEROLIDOL	0.005	0.20	0.039		Consumables: 947.109; 240321-634	1-A; 280670723; CE	0123			
NEROL	0.007	0.17	0.033		Pipette : DA-065					
ALPHA-HUMULENE	0.007	0.16	0.032		Terpenoid testing is performed utilizing G	ias Chromatography N	lass Specti	rometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
GUAIOL	0.007	0.12	0.023							
BORNEOL	0.013	ND	ND							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FARNESENE	0.001	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
Total (%)			5.590							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



#### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix : Derivative

Type: Distillate



## **Certificate of Analysis**

LOD Units

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chayez@crescolabs.com Sample : DA41205013-014 Harvest/Lot ID: 9073 7264 7510 1109

Pass/Fail Result

Batch#: 9073 7264 7510

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units
Total Amount: 475 units
Completed: 12/10/24 Expires: 12/10/25
Sample Method: SOP.T.20.010

Pesticide

Page 3 of 6

Action

LOD Units



### **Pesticides**

PA	45	S	E	D
----	----	---	---	---

Pass/Fail Result

		Level						Level		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL	0.010	) ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	) ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND	PHOSMET	0.010	) ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	) ppm	3	PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PRALLETHRIN		) ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND			) ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE					
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		) ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		) ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	) ppm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	) ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND	SPIROXAMINE	0.010	) ppm	0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	) ppm	0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	THIACLOPRID	0.010	mag C	0.1	PASS	ND
BOSCALID	0.010 ppm	0.1	PASS	ND	THIAMETHOXAM		) ppm	0.5	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		) ppm	0.1	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND			) ppm	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.13	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		) ppm			
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		) ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *	0.010	) ppm	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	) ppm	0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	) ppm	0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	) ppm	0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted	hv:
DIMETHOATE	0.010 ppm	0.1	PASS	ND	<b>3621, 585, 1440</b> 0.243q		4 12:38:14		450,3621	٠,٠
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines	ville), SOP.T.30.1	02.FL (Davie)	, SOP.T.40.101	.FL (Gainesville	.),
ETOFENPROX	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA080871PES			12/06/	24.00.52.24	
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES) Analyzed Date :12/09/24 09:17:21		Batci	h Date: 12/06/	24 09:52:24	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Reagent: 120224.R04: 120424.R04: 12052	4.R28: 120524.R	10: 102124.F	08: 120424.R0	3: 081023.01	
FIPRONIL	0.010 ppm	0.1	PASS	ND	Consumables : 326250IW		,	,	-,	
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	ilizing Liquid Chro	matography T	riple-Quadrupo	e Mass Spectro	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010 ppm	0.1	PASS	ND	Analyzed by: Weight: 450, 585, 1440 0.243a	Extraction	on date: 12:38:14		450,3621	y:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	450, 585, 1440 0.243g Analysis Method : SOP.T.30.151.FL (Gaines			a) CODT 40 15		
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA080873VOL	ville), 5UP.1.3U.1	DIA'LE (D9A)	e), SUP.1.4U.15	I.FL	
MALATHION	0.010 ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date	e:12/06/24 09	54:48	
METALAXYL	0.010 ppm	0.1	PASS	ND	Analyzed Date: 12/09/24 09:16:31					
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 120524.R28; 081023.01; 111824					
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables: 326250IW; 240321-634-A;	)40724CH01; 147	25401			
MYCLOBUTANIL	0.010 ppm 0.010 ppm	0.1 0.25	PASS PASS	ND ND	Pipette: DA-080; DA-146; DA-218 Testing for agricultural agents is performed u					
NALED										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2

Signature 12/10/24



#### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41205013-014 Harvest/Lot ID: 9073 7264 7510 1109

Batch#: 9073 7264 7510

Sampled: 12/05/24 Ordered: 12/05/24

Sample Size Received: 31 units Total Amount: 475 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0298g	Extraction date: 12/09/24 11:14:56		<b>Ext</b> i 850	acted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080908SOL Instrument Used: DA-GCMS-002

**Analyzed Date:** 12/09/24 12:08:59

Dilution: 1  $\textbf{Reagent:} \ \, \textbf{N/A}$ 

Consumables: 430274; 319008 **Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/06/24 13:30:49

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

**Vivian Celestino** Lab Director

> Signature 12/10/24

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



#### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix: Derivative

Type: Distillate



## **Certificate of Analysis**

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41205013-014 Harvest/Lot ID: 9073 7264 7510 1109

Batch#: 9073 7264 7510

Sampled: 12/05/24 Ordered: 12/05/24

Sample Size Received: 31 units Total Amount: 475 units

Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**

## **PASSED**

12/06/24 08:24:12



## **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: Wei	iaht:	Extraction date	9;	Ex	ctracted l	ov:
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	. , ,	43g	12/06/24 12:38			50,3621	
				_								

Analyzed by: 4571, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.881g 12/06/24 11:04:58

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080860MIC

Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Batch Date: Thermocycler DA-10, Fisher Scientific Isotemp Heat Block (55\*C)
DA-020, Fisher Scientific Isotemp Heat Block (95\*C) DA-049, Fisher
Scientific Isotemp Heat Block (55\*C) DA-021, Fisher Scientific Isotemp Heat Block (55\*C) DA-366, Fisher Scientific Isotemp Heat Block (95\*C) DA-367

Analyzed Date: 12/09/24 09:06:37

Dilution: 10

Reagent: 111524.59; 101724.42; 102924.R28; 051624.03

Consumables: 7578001086

Pipette: N/A

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA080872MYC

Instrument Used: N/A

**Analyzed Date:** 12/09/24 09:18:16

Dilution: 250
Reagent: 120224.R04; 120424.R04; 120524.R28; 120524.R10; 102124.R08; 120424.R03; 081023.01

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Metal

## **Heavy Metals**

## **PASSED**

Action

Pass /

Result

Batch Date: 12/06/24 09:54:46

Analyzed by: 4571, 585, 1440	<b>Weight:</b> 0.881g	Extraction date: 12/06/24 11:04:58	Extracted by: 4571
Analysis Method: SOF Analytical Batch: DAO Instrument Used: Incu DA-382] Analyzed Date: 12/09	080862TYM ubator (25*C) DA-	sville), SOP.T.40.209.FL - 328 [calibrated with	<b>Batch Date</b> : 12/06/24 08:27:40
Dilution: 10 Reagent: 111524.59; Consumables: N/A	101724.42; 1107	724.R13	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in

Fail Level TOTAL CONTAMINANT LOAD METALS PASS 1.1 ppm ARSENIC 0.02 ND PASS 0.2 ppm PASS CADMIUM 0.02 0.2 ND ppm PASS MERCURY 0.02 0.2 ND mag PASS LEAD 0.02 ND 0.5 ppm

LOD

Units

Analyzed by: Weight: Extraction date: Extracted by: 1022, 585, 1440 0.2384g 12/06/24 11:50:12 1022,4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080870HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 12/09/24 09:48:44

Batch Date: 12/06/24 09:51:48

Dilution: 50

Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/10/24



#### **Kaycha Labs**

Bloom Classic Disposable Vape 500mg - Forbidden Frt (I)

Forbidden Frt (I) Matrix: Derivative Type: Distillate



## Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41205013-014 Harvest/Lot ID: 9073 7264 7510 1109

Batch#: 9073 7264 7510

Sampled: 12/05/24 Ordered: 12/05/24 Sample Size Received: 31 units Total Amount: 475 units Completed: 12/10/24 Expires: 12/10/25 Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/06/24 14:11:43 1879

Analysis Method: SOP.T.40.090 Analytical Batch : DA080911FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/06/24 14:01:37 Analyzed Date: 12/07/24 19:36:23

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



## **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.378	PASS	0.85
Analyzed by:	Weight	Ev	traction	date:	Ev	tracted by:

4512, 585, 1440 12/06/24 15:35:07

Analysis Method: SOP.T.40.019 Analytical Batch: DA080895WAT

Instrument Used : DA257 Rotronic HygroPalm Batch Date: 12/06/24 10:47:26 Analyzed Date: 12/09/24 09:09:17

Dilution: N/A **Reagent**: 051624.02

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24