

**DAVIE, FL, 33314, US** 

(954) 368-7664

Kaycha Labs

Cultivation Facility: FL - Indiantown (4430)

Processing Facility : FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5263367654997818

Sampling Method: SOP.T.20.010

Pages 1 of 6

Harvest Date: 12/03/24 Sample Size Received: 16 units Total Amount: 574 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

> Servings: 1 Ordered: 12/05/24 Sampled: 12/05/24 Completed: 12/10/24

> > PASSED

MICC

Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix: Derivative Classification: High THC



Forbidden Frt (I) Matrix: Derivative Matrix: Derivative Classification: High THC Type: Distillate Production Method: Other - Not Listed Harvest/Lot ID: 1750 7551 8724 1735 Batch#: 1750 7551 8724 1735

# **Certificate of Analysis**

### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41205013-015



Dec 10, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

#### SAFETY RESULTS

SAFETY R	ESULTS										MISC.
R Ø	[	Нд Оз		ູ່	<u>ک</u> و	Ä		(	$\bigcirc$		Ô
Pesticio PASS		vy Metals <b>ASSED</b>	Microbials PASSED	Mycot PAS		Residuals Solvents <b>PASSED</b>	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes PASSED
Ä	Cannab	inoid								l	PASSED
		THC .755 HC/Container			30	al CBD 309% I CBD/Container			394	l Cannabinoids	)
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
%	90.688	0.077	0.309	ND	ND	2.267	ND	0.677	0.382	ND	0.314
mg/unit	906.88 0.001	0.77 0.001	3.09	ND	ND	22.67 0.001	ND	6.77	3.82	ND	3.14
LOD	0.001 %	%	0.001 %	<b>0.001</b> %	0.001 %	0.001 %	<b>0.001</b> %	0.001 %	0.001 %	0.001 %	0.001 %
alyzed by: 51, 1665, 585		70	70	<b>Weight</b> 0.0894		Extraction dat 12/06/24 13:5	e:	70	70	Extracted by: 3335,4351	70
nalytical Batch strument Used	: SOP.T.40.031, SC : DA080869POT : DA-LC-007 12/10/24 08:31:31	DP.T.30.031					Batch Date : 12/06/24	09:48:42			
onsumables : 9	24.R02; 092724.11; 947.109; 040724CH 9; DA-108; DA-078		14270								
ull Spectrum can	nabinoid analysis utiliz	ing High Performance	Liquid Chromatography	with UV detection in	accordance with F.S	6. Rule 64ER20-39.					

Sunnyside\*

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



. . . . . . . . . . . . . . . . . . Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41205013-015 Harvest/Lot ID: 1750 7551 8724 1735 Batch#: 1750 7551 8724 1735

Sampled : 12/05/24 Ordered : 12/05/24

Sample Size Received : 16 units Total Amount : 574 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

### Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
DTAL TERPENES	0.007	52.51	5.251		SABINENE HYDRATE		0.007	ND	ND	
ETA-MYRCENE	0.007	16.13	1.613		VALENCENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	7.53	0.753		ALPHA-CEDRENE		0.005	ND	ND	
CIMENE	0.007	6.64	0.664		ALPHA-PHELLANDRENE		0.007	ND	ND	
MONENE	0.007	6.02	0.602		ALPHA-TERPINENE		0.007	ND	ND	
PHA-PINENE	0.007	3.68	0.368		CIS-NEROLIDOL		0.003	ND	ND	
ETA-PINENE	0.007	2.74	0.274		GAMMA-TERPINENE		0.007	ND	ND	
PHA-BISABOLOL	0.007	2.63	0.263		TRANS-NEROLIDOL		0.005	ND	ND	
NALOOL	0.007	2.39	0.239		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-TERPINEOL	0.007	1.10	0.110		3605, 585, 1440	0.2135g		12/06/24 12:	52:53	3605
ARYOPHYLLENE OXIDE	0.007	0.64	0.064		Analysis Method : SOP.T.30.061					
CARENE	0.007	0.47	0.047		Analytical Batch : DA080892TEF Instrument Used : DA-GCMS-004					ate : 12/06/24 10:36:18
RANIOL	0.007	0.44	0.044		Analyzed Date : 12/10/24 08:32:				Batch L	ate: 12/00/24 10:30:18
MPHENE	0.007	0.41	0.041		Dilution : 10					
PHA-TERPINOLENE	0.007	0.41	0.041		Reagent : 081924.04					
ROL	0.007	0.34	0.034		Consumables : 947.109; 240321	-634-A; 280670723; CI	0123			
PHA-HUMULENE	0.007	0.34	0.034		Pipette : DA-065					
OBORNEOL	0.007	0.32	0.032		Terpenoid testing is performed utiliz	ing Gas Chromatography I	Aass Spect	rometry. For all F	lower sam	oles, the Total Terpenes % is dry-weight corrected
MPHOR	0.007	0.28	0.028							
RNEOL	0.013	ND	ND							
DROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
RNESENE	0.001	ND	ND							
INCHONE	0.007	ND	ND							
NCHYL ALCOHOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
JAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OPULEGOL	0.007	ND	ND							
JLEGONE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Type: Distillate

..... Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41205013-015 Harvest/Lot ID: 1750 7551 8724 1735

Batch#: 1750 7551 8724 1735 Sampled : 12/05/24 Ordered : 12/05/24

Sample Size Received : 16 units Total Amount : 574 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 P

## **Pesticides**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	T. P.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	maa	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND		0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010		0.1	PASS	ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
IFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND		0.010		0.5	PASS	ND
ARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
HLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
LOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
OUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	maa	0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
ICHLORVOS	0.010	ppm	0.1	PASS	ND			ion date:	0.5	Extracted b	
IMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3621, 585, 1440 0.2348g		4 12:38:14		450,3621	y:
THOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville)			OP T 40 101 F		
TOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	, 501.1.50.10	2.1 E (Duvie), e	01.11.40.101.1	E (Guillesville)	,
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080871PES					
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)		Batch I	Date:12/06/2	4 09:52:24	
ENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/09/24 09:17:22					
ENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 120224.R04; 120424.R04; 120524.R2	0. 120524.01	0. 102124 000	. 120424 002	001022.01	
IPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW	6; 120524.RI	.U; 102124.RU	3; 120424.R03	; 081023.01	
LONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-219					
LUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing	a Liquid Chron	natography Tric	le-Ouadrupole	Mass Spectrom	netrv in
IEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	5 1				
MAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	y:
MIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>450, 585, 1440</b> 0.2348g	12/06/24			450,3621	
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville)	, SOP.T.30.15	1A.FL (Davie),	SOP.T.40.151	FL	
IALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA080873VOL Instrument Used : DA-GCMS-001		Batak Bata	12/06/24 09:5	4.40	
IETALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :12/09/24 09:16:32		Datch Date :	12/00/24 09:5	14.40	
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 120524.R28; 081023.01; 111824.R23	: 111824.R24				
			0.1	PASS	ND						
IEVINPHOS	0.010	ppm	0.1	FM33	ND	Consumables : 326250IW; 240321-634-A; 04072	1401101, 1472	19401			
IEVINPHOS IYCLOBUTANIL	0.010 0.010		0.1	PASS	ND	Consumables : 3262501W; 240321-634-A; 0407. Pipette : DA-080; DA-146; DA-218	140101, 1472	19401			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



### PASSED

PASSED



Type: Distillate

Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com 
 Sample : DA41205013-015

 Harvest/Lot ID: 1750 7551 8724 1735

 Batch#: 1750 7551 8724

 1735

 Sampled : 12/05/24

 Compler

 Sampled : 12/05/24

Ordered : 12/05/24

8724 1735 Sample Size Received : 16 units Total Amount : 574 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
ETHANOL	500.000	ppm	5000	PASS	ND				
ETHYL ACETATE	40.000	ppm	400	PASS	ND				
ETHYL ETHER	50.000	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND				
HEPTANE	500.000	ppm	5000	PASS	ND				
METHANOL	25.000	ppm	250	PASS	ND				
N-HEXANE	25.000	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
PROPANE	500.000	ppm	5000	PASS	ND				
TOLUENE	15.000	ppm	150	PASS	ND				
TOTAL XYLENES	15.000	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
Analyzed by: 850, 585, 1440	Weight: 0.0259g	Extraction date: 12/09/24 11:14:56	5	Extracted by: 850					
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA080908SOL Instrument Used : DA-GCMS-002 Analyzed Date : 12/09/24 12:09:00		Batch Date : 12/06/24 13:30:49							
Dilution : 1									

Dilution : 1

Reagent : N/A Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41205013-015 Harvest/Lot ID: 1750 7551 8724 1735 Batch#: 1750 7551 8724 Sample 1735 Total Ar

Sampled : 12/05/24 Ordered : 12/05/24 Sample Size Received :16 units Total Amount : 574 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

🥵 Mie	crobia	I			PAS	SED	သို့	Μ	lycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERRE	lis			Not Present	PASS	Level	AFLATOXIN	<b>B</b> 2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER	03			Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIG	ATUS			Not Present	PASS		OCHRATOXIN			0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVU				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIF				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA	IC OLIVE			Not Present	PASS			02						
TOTAL YEAST AND M	OLD	10.00	CFU/g	<10	PASS	100000	Analyzed by: 3621, 585, 14	40	Weight: 0.2348g	Extraction dat 12/06/24 12:3			xtracted   50,3621	by:
Analyzed by:         Weight:         Extraction date:         Extracted by:           4571, 4520, 585, 1440         0.911g         12/06/24 11:05:06         4571           Analysis Method:         SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL         4571           Analytical Batch :         DA080860MIC         Instrument Used :         PathogenDx Scanner DA-111,Applied Biosystems 2720         Batch Date :						.FL (Dav ch:DA ed:N/A	4	FL (Davie)		(Gainesvi : 12/06/24		6		
DA-020, Fisher Scientific scientific Isotemp Heat 3lock (55*C) DA-366, Fis Analyzed Date: 12/09/2- Dilution: 10 Reagent: 111524.59; 11 consumables: 7578001 Pipette: N/A	Block (55*C) D her Scientific Is 4 09:06:38 01724.42; 1029	A-021,Fi sotemp H	sher Scienti Heat Block (	fic Isotemp Hea 95*C) DA-367	t		081023.01 Consumables Pipette : DA-0	: 32625 93; DA- ting utili	094; DA-219 zing Liquid Chromatog					
Analyzed by: 4571, 585, 1440	Weight: 0.911g		action date: 6/24 11:05:	06	Extracted 4571	l by:	Hg	H	eavy Me	etals			PAS	SED
Analysis Method : SOP.T Analytical Batch : DA080 Instrument Used : Incub	)862TYM				• 12/06/	24 08:27:4	Metal			LOD	Units	Result	Pass / Fail	Action Level
DA-382]		- 320 [CC	andrated wit	Batch Dat	e.12/00/2	24 00.27.4	TOTAL CON	TAMIN/	ANT LOAD METAL	<b>.s</b> 0.08	ppm	ND	PASS	1.1
nalyzed Date : 12/09/2	4 09:07:26						ARSENIC			0.02	ppm	ND	PASS	0.2
vilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
eagent : 111524.59; 10	01724.42; 1107	724.R13					MERCURY			0.02	ppm	ND	PASS	0.2
onsumables : N/A							LEAD			0.02	ppm	ND	PASS	0.5
Pipette : N/A Fotal yeast and mold testin		tilizing MI	PN and traditi	onal culture base	d technique	s in	Analyzed by: 1022, 585, 14	40	Weight: 0.2736g	Extraction dat 12/06/24 11:5			xtracted k 022,4056	
accordance with F.S. Rule 6	54ER20-39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA	-ICPMS-004		h Date : 1	2/06/24 0	9:51:48	
							120324.07; 1	12624.F :17943	6; 040724CH01; 21		24.R01; 1	20224.R0	8; 12022	4.R09;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Type: Distillate

..... Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41205013-015 Harvest/Lot ID: 1750 7551 8724 1735 Batch#: 1750 7551 8724 1735

Sampled : 12/05/24 Ordered : 12/05/24

Sample Size Received : 16 units Total Amount : 574 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010



Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date 12/06/24 14:11		Extracted by: 1879
Analysis Method : SOP Analytical Batch : DA03 Instrument Used : Filth Analyzed Date : 12/07/	80911FIL /Foreign Materia	I Microscope	Batch D	Date : 12/06/24 14:01:37
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A				
Filth and foreign material technologies in accordan			ection utilizi	ng naked eye and microscope



Analyte Water Activity	_	<b>OD</b> .010	<b>Units</b> aw		Result 0.477	P/F PASS	Action Level 0.85	
Analyzed by: 4512, 585, 1440	Weight: 0.2674g	Extraction date: 12/06/24 15:35:07				Extracted by: 4512		
Analysis Method : SOP.T.40.019 Analytical Batch : DA080895WAT Instrument Used : DA257 Rotronic HygroPalm Analyzed Date : 12/09/24 09:09:17 Batch Date : 12/06/24 10:47:26								
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/10/24

### PASSED

Page 6 of 6