



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41206012-002



Dec 10, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

Production Method: Cured
Harvest/Lot ID: 5374 5688 3505 0644
Batch#: 5374 5688 3505 0644
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 0370971097143979
Harvest Date: 12/03/24
Sample Size Received: 5 units
Total Amount: 300 units
Retail Product Size: 7 gram
Servings: 1
Ordered: 12/06/24
Sampled: 12/06/24
Completed: 12/10/24
Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC
22.878%

Total THC/Container : 1601.460 mg



Total CBD
0.065%

Total CBD/Container : 4.550 mg



Total Cannabinoids
26.731%

Total Cannabinoids/Container : 1871.170 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.789	25.188	ND	0.075	0.023	0.061	0.547	ND	ND	ND	0.048
mg/unit	55.23	1763.16	ND	5.25	1.61	4.27	38.29	ND	ND	ND	3.36
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
 3335, 585, 1440

Weight:
 0.2053g

Extraction date:
 12/09/24 11:45:12

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA080977POT
 Instrument Used : DA-LC-002
 Analyzed Date : 12/10/24 10:01:21

Batch Date : 12/09/24 07:51:00

Dilution : 400
 Reagent : 111824.R21; 092724.11; 111824.R22
 Consumables : 947.109; 040724CH01; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 12/10/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Supply Smalls 7g - Secret Stash (I)
 Secret Stash (I)
 Matrix : Flower
 Type: Flower-Cured-Small



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA41206012-002
 Harvest/Lot ID : 5374 5688 3505 0644

Batch# : 5374 5688 3505 0644
 Sample Size Received : 5 units
 Total Amount : 300 units
 Completed : 12/10/24 Expires: 12/10/25
 Ordered : 12/06/24
 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	160.79 2.297		VALENCENE	0.007	ND ND	
BETA-MYRCENE	0.007	35.35 0.505		ALPHA-CEDRENE	0.005	ND ND	
LIMONENE	0.007	34.51 0.493		ALPHA-PHELLANDRENE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	32.83 0.469		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	17.29 0.247		ALPHA-TERPINOLENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	10.92 0.156		CIS-NEROLIDOL	0.003	ND ND	
ALPHA-BISABOLOL	0.007	9.17 0.131		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	6.09 0.087		TRANS-NEROLIDOL	0.005	ND ND	
ALPHA-TERPINEOL	0.007	5.53 0.079					
FENCHYL ALCOHOL	0.007	5.39 0.077		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-PINENE	0.007	3.71 0.053		4451, 3605, 585, 1440	1.052g	12/07/24 15:14:00	4451
3-CARENE	0.007	ND ND		Analysis Batch : DA080941TER			
BORNEOL	0.013	ND ND		Instrument Used : DA-GCMS-004			Batch Date : 12/07/24 12:02:05
CAMPHENE	0.007	ND ND		Analized Date : 12/09/24 12:54:12			
CAMPHOR	0.007	ND ND		Dilution : 10			
CARYOPHYLLENE OXIDE	0.007	ND ND		Reagent : 081924.04			
CEDROL	0.007	ND ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123			
EUCALYPTOL	0.007	ND ND		Pipette : DA-065			
FARNESENE	0.001	ND ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
Total (%)		2.297					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
 12/10/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41206012-002
Harvest/Lot ID: 5374 5688 3505 0644

Batch# : 5374 5688 3505 0644
Sample Size Received : 5 units
Total Amount : 300 units
Completed : 12/10/24 Expires: 12/10/25
Ordered : 12/06/24
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.085	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.085	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.0171g	Extraction date: 12/07/24 15:52:25	Extracted by: 4640,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080928PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					Batch Date : 12/07/24 11:25:43
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/10/24 09:55:11					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 120524.R28; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/10/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41206012-002

Harvest/Lot ID: 5374 5688 3505 0644

Batch# : 5374 5688 3505 0644

Sampled : 12/06/24

Ordered : 12/06/24

Sample Size Received : 5 units

Total Amount : 300 units

Completed : 12/10/24 Expires: 12/10/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	130	PASS	100000
Analyzed by: 4531, 4520, 585, 1440 Weight: 0.964g Extraction date: 12/07/24 10:57:39 Extracted by: 4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080919MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010, Fisher Scientific Isotemp Heat Block (55°C) DA-020, Fisher Scientific Isotemp Heat Block (95°C) DA-049, Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 12/10/24 11:30:02 Dilution : 10 Reagent : 101724.38; 101724.43; 120524.R12; 051624.03 Consumables : 7578001082 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 1.0171g Extraction date: 12/07/24 15:52:25 Extracted by: 4640,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080930MYC Instrument Used : N/A Batch Date : 12/07/24 11:29:28 Analyzed Date : 12/10/24 08:35:58 Dilution : 250 Reagent : 120524.R28; 081023.01 Consumables : 240321-634-A; 040724CH01; 326250IW Pipette : N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL YEAST AND MOLD	10.00	CFU/g	130	PASS	100000
Analyzed by: 4531, 3390, 585, 1440 Weight: 0.964g Extraction date: 12/07/24 10:57:39 Extracted by: 4520 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA080920TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 12/07/24 08:36:23 Analyzed Date : 12/10/24 08:39:18 Dilution : 10 Reagent : 101724.38; 101724.43; 110724.R13 Consumables : N/A Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440	Weight: 0.2427g	Extraction date: 12/07/24 15:29:56	Extracted by: 1879
-------------------------------------	------------------------	---	---------------------------

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA080936HEA
Instrument Used : DA-ICPMS-004 **Batch Date :** 12/07/24 11:37:00
Analyzed Date : 12/10/24 11:08:29

Dilution : 50
Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 120324.07; 112624.R33
Consumables : 179436; 040724CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41206012-002
Harvest/Lot ID: 5374 5688 3505 0644
Batch# : 5374 5688 3505 0644
Sample Size Received : 5 units
Total Amount : 300 units
Completed : 12/10/24 Expires: 12/10/25
Sample Method : SOP.T.20.010
Sampled : 12/06/24
Ordered : 12/06/24

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/07/24 19:44:20	Extracted by: 1879		
Analysis Method : SOP.T.40.090		Instrument Used : Filth/Foreign Material Microscope		Batch Date : 12/07/24 19:38:18	
Analyzed Date : 12/08/24 20:49:10					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.541	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.627g	Extraction date: 12/07/24 16:02:42	Extracted by: 4512		
Analysis Method : SOP.T.40.019		Instrument Used : DA257 Rotronic HygroPalm		Batch Date : 12/07/24 11:39:17	
Analyzed Date : 12/09/24 12:30:27					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.51	PASS	15
Analyzed by: 4512, 585, 1440	Weight: 0.502g	Extraction date: 12/08/24 10:35:55	Extracted by: 4512		
Analysis Method : SOP.T.40.021		Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 11:38:57		Batch Date : 12/07/24	
Moisture Analyzer					
Analyzed Date : 12/09/24 12:27:52					
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

