



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41206012-006



Dec 10, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**90.497%**

Total THC/Container : 452.485 mg



**Total CBD**  
**0.314%**

Total CBD/Container : 1.570 mg



**Total Cannabinoids**  
**94.463%**

Total Cannabinoids/Container : 472.315 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.431	0.076	0.314	ND	ND	2.258	ND	0.683	0.388	ND	0.313
mg/unit	452.16	0.38	1.57	ND	ND	11.29	ND	3.42	1.94	ND	1.57
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.109g

Extraction date:  
12/09/24 11:51:14

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA080971POT

Instrument Used : DA-LC-003

Analyzed Date : 12/10/24 10:01:37

Batch Date : 12/09/24 07:32:05

Dilution : 400

Reagent : 092724.11; 120624.R01; 111324.R47

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Nnpl Exp (H)  
Nnpl Exp (H)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41206012-006

Harvest/Lot ID: 7077360324322294

Batch# : 7077360324322294

Sampled : 12/06/24

Ordered : 12/06/24

Sample Size Received : 31 units

Total Amount : 668 units

Completed : 12/10/24 Expires: 12/10/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.29	2.658		PULEGONE	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	4.33	0.866		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.99	0.397		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	1.33	0.265		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	1.04	0.207		ALPHA-HUMULENE	0.007	ND	ND	
BETA-PINENE	0.007	0.87	0.174		ALPHA-PHELLANDRENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.005	0.68	0.136		CIS-NEROLIDOL	0.003	ND	ND	
OCIMENE	0.007	0.59	0.118		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.50	0.100		Analyzed by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	0.39	0.078		3605, 585, 1440	0.2168g	12/09/24 12:31:04	3605	
ALPHA-TERPINEOL	0.007	0.28	0.056		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LINALOOL	0.007	0.28	0.055		Analytical Batch : DA080942TER				
ALPHA-BISABOLOL	0.007	0.27	0.054		Instrument Used : DA-GCMS-009				
3-CARENE	0.007	0.21	0.042		Analyzed Date : 12/10/24 10:42:33				Batch Date : 12/07/24 12:03:15
FENCHYL ALCOHOL	0.007	0.21	0.042		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.21	0.041		Reagent : 081924.04				
ALPHA-TERPINENE	0.007	0.14	0.027		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
BORNEOL	0.013	ND	ND		Pipette : DA-065				
CAMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			2.658						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Nnpl Exp (H)  
Nnpl Exp (H)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41206012-006

Harvest/Lot ID: 7077360324322294

Batch# : 7077360324322294

Sampled : 12/06/24

Ordered : 12/06/24

Sample Size Received : 31 units

Total Amount : 668 units

Completed : 12/10/24 Expires: 12/10/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.2494g	Extraction date: 12/07/24 15:56:43	Extracted by: 4640,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080931PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 12/07/24 11:30:21	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/10/24 09:44:12					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 120524.R28; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 4640, 450, 585, 1440	Weight: 0.2494g	Extraction date: 12/07/24 15:56:43	Extracted by: 4640,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA080933VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 12/07/24 11:33:11	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 12/10/24 09:42:35					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 120524.R28; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Pnapl Exp (H)  
Pnapl Exp (H)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA41206012-006

Harvest/Lot ID: 7077360324322294

Batch# : 7077360324322294

Sampled : 12/06/24

Ordered : 12/06/24

Sample Size Received : 31 units

Total Amount : 668 units

Completed : 12/10/24 Expires: 12/10/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0218g

Extraction date:  
12/10/24 11:17:29

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA080961SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 12/10/24 12:33:45

Batch Date : 12/07/24 13:54:53

Dilution : 1  
Reagent : 030420.09  
Consumables : 430274; 319008  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Nnapl Exp (H)  
Nnapl Exp (H)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED


Sunnyside


22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com


Sample : DA41206012-006  
Harvest/Lot ID: 7077360324322294

Batch# : 7077360324322294 Sample Size Received : 31 units  
Sampled : 12/06/24 Total Amount : 668 units  
Ordered : 12/06/24 Completed : 12/10/24 Expires: 12/10/25  
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED							
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS								
TOTAL YEAST AND MOLD		10.00	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440		Weight: 0.2494g	Extraction date: 12/07/24 15:56:43		Extracted by: 4640,3379	
Analyzed by: 4531, 4520, 585, 1440		Weight: 0.806g	Extraction date: 12/07/24 10:57:39		Extracted by: 4520		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							Analytical Batch : DA080935MYC						
Analytical Batch : DA080919MIC							Instrument Used : N/A						
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems							Batch Date : 12/07/24 11:34:39						
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							Analyzed Date : 12/10/24 09:45:12						
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher							Dilution : 250						
Scientific Isotemp Heat Block (55°C) DA-021							Reagent : 120524.R28; 081023.01						
Analyzed Date : 12/10/24 11:30:07							Consumables : 240321-634-A; 040724CH01; 326250IW						
Dilution : 10							Pipette : N/A						
Reagent : 101724.38; 101724.43; 120524.R12; 051624.03							Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in						
Consumables : 7578001082							accordance with F.S. Rule 64ER20-39.						
Pipette : N/A													
Analyzed by: 4531, 3390, 585, 1440							Weight: 0.806g						
Extraction date: 12/07/24 10:57:39							Extracted by: 4520						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL													
Analytical Batch : DA080920TYM													
Instrument Used : Incubator (25°C) DA- 328 [calibrated with							Batch Date : 12/07/24 08:36:23						
DA-382]													
Analyzed Date : 12/10/24 08:39:21													
Dilution : 10													
Reagent : 101724.38; 101724.43; 110724.R13													
Consumables : N/A													
Pipette : N/A													
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in													
accordance with F.S. Rule 64ER20-39.													

	Mycotoxins					PASSED							
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02	AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02	AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02							
Analyzed by: 3379, 585, 1440		Weight: 0.2494g	Extraction date: 12/07/24 15:56:43		Extracted by: 4640,3379		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA080935MYC							Instrument Used : N/A						
Analyzed Date : 12/10/24 09:45:12							Batch Date : 12/07/24 11:34:39						
Dilution : 250													
Reagent : 120524.R28; 081023.01													
Consumables : 240321-634-A; 040724CH01; 326250IW													
Pipette : N/A													
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in													
accordance with F.S. Rule 64ER20-39.													

	Heavy Metals					PASSED							
Metal		LOD	Units	Result	Pass / Fail	Action Level	Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1	ARSENIC		0.02	ppm	<0.100	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2	MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	<0.100	PASS	0.5							
Analyzed by: 1022, 585, 1440		Weight: 0.2492g	Extraction date: 12/07/24 15:11:15		Extracted by: 1879		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA080934HEA							Instrument Used : DA-ICPMS-004						
Analyzed Date : 12/10/24 11:11:20							Batch Date : 12/07/24 11:33:18						
Dilution : 50													
Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09;													
120324.07; 112624.R33													
Consumables : 179436; 040724CH01; 210508058													
Pipette : DA-061; DA-191; DA-216													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance													
with F.S. Rule 64ER20-39.													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Pnapl Exp (H)  
Pnapl Exp (H)  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA41206012-006

Harvest/Lot ID: 7077360324322294

Batch# : 7077360324322294

Sampled : 12/06/24

Ordered : 12/06/24

Sample Size Received : 31 units

Total Amount : 668 units

Completed : 12/10/24 Expires: 12/10/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/07/24 19:44:20	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA080964FIL

Instrument Used : Filth/Foreign Material Microscope

Batch Date : 12/07/24 19:38:18

Analyzed Date : 12/08/24 20:49:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.425	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.213g	Extraction date: 12/08/24 11:33:40	Extracted by: 4512
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA080944WAT

Instrument Used : DA257 Rotronic HygroPalm

Batch Date : 12/07/24 12:07:37

Analyzed Date : 12/09/24 12:51:02

Dilution : N/A

Reagent : 051624.02

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/10/24