

Laboratory Sample ID: DA41206012-007

Dec 10, 2024 | Sunnyside

DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

..... Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix: Derivative Classification: High THC

Type: Vape Production Method: Other - Not Listed Harvest/Lot ID: 8954150821259297 Batch#: 8954150821259297 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 2655702384464866 Harvest Date: 12/04/24 Sample Size Received: 16 units Total Amount: 472 units Retail Product Size: 1 gram Servings: 1 Ordered: 12/06/24 Sampled: 12/06/24 Completed: 12/10/24

Pages 1 of 6

Sampling Method: SOP.T.20.010



Sunnyside*

22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY	RESULTS										MISC.
R Ø		Нд	ĊĿ,	ۍ پې		Ä					Ô
Pestic PASS		avy Metals ASSED	Microbials PASSED	Mycotoxir PASSED			Filth PASSED	Water Activity PASSED		Moisture NOT TESTED	Terpenes PASSED
Ä	Cannal	pinoid								F	PASSED
	3 89	I THC 0.046 THC/Container				CBD BO5% BD/Container :			392	Il Cannabinoids 2.954% Cannabinoids/Conta	
%	^{D9-THC} 88.971	тнса 0.086	CBD 0.305		D8-тнс ND	св д 2.228	CBGA	CBN 0.670	тнсv 0.376	CBDV ND	свс 0.318
mg/unit	889.71	0.86	3.05	ND	ND	22.28	ND	6.70	3.76	ND	3.18
LOD	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 58	85, 1440			Weight: 0.1157g		Extraction date: 12/09/24 11:51:14	ļ			Extracted by: 3335	
Analytical Bate	od: SOP.T.40.031, S ch: DA080971POT ed: DA-LC-003 e: 12/10/24 10:01:52					B	atch Date : 12/09/24	07:32:05			
	724.11; 120624.R01 : 947.109; 040724CF	H01; CE0123; R1KB1	14270								

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24

Certificate of Analysis

COMPLIANCE FOR RETAIL



Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41206012-007 Harvest/Lot ID: 8954150821259297 Batch#: 8954150821259297 Sample Size Received: 16 units Sampled : 12/06/24 Ordered : 12/06/24

Total Amount : 472 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

lerpenes .	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	27.44	2.744		PULEGONE		0.007	ND	ND	
LPHA-TERPINOLENE	0.007	8.99	0.899		SABINENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	4.01	0.401		SABINENE HYDRATE		0.007	ND	ND	
ETA-MYRCENE	0.007	2.79	0.279		ALPHA-CEDRENE		0.005	ND	ND	
MONENE	0.007	2.12	0.212		ALPHA-HUMULENE		0.007	ND	ND	
TA-PINENE	0.007	1.84	0.184		ALPHA-PHELLANDRENE		0.007	ND	ND	
RANS-NEROLIDOL	0.005	1.36	0.136		CIS-NEROLIDOL		0.003	ND	ND	
CIMENE	0.007	1.29	0.129		GAMMA-TERPINENE		0.007	ND	ND	
LPHA-PINENE	0.007	1.05	0.105		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
ALENCENE	0.007	0.79	0.079		3605, 585, 1440	0.2055g		12/09/24 12	:31:04	3605
LPHA-TERPINEOL	0.007	0.57	0.057		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL				
INALOOL	0.007	0.56	0.056		Analytical Batch : DA080942TER Instrument Used : DA-GCMS-009				Datab I	Date : 12/07/24 12:03:15
PHA-BISABOLOL	0.007	0.53	0.053		Analyzed Date : 12/10/24 10:42:37				Datch	Jate: 12/07/24 12:03:13
CARENE	0.007	0.44	0.044		Dilution : 10					
ENCHYL ALCOHOL	0.007	0.42	0.042		Reagent : 081924.04					
RYOPHYLLENE OXIDE	0.007	0.40	0.040		Consumables : 947.109; 240321-634-A Pipette : DA-065	; 280670723; CE	0123			
PHA-TERPINENE	0.007	0.28	0.028			<i>.</i>				ples, the Total Terpenes % is dry-weight corrected.
DRNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography M	lass Spectr	ometry. For all I	riower sam	pies, the Total Terpenes % is dry-weight corrected.
AMPHENE	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
DROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ARNESENE	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
SOBORNEOL		ND	ND							
SOPULEGOL	0.007	ND	ND							
	0.007		ND							

Total (%)

2.744

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Type: Vape

......... Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA41206012-007 Harvest/Lot ID: 8954150821259297 Batch#: 8954150821259297

Sampled : 12/06/24 Ordered : 12/06/24

Sample Size Received : 16 units Total Amount : 472 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
FOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND						PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	maa	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		CND) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (P	CNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *						
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
LOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: V	Veight:	Extractio	on date:		Extracted b	ov:
DIMETHOATE	0.010		0.1	PASS	ND		.2617g		15:56:43		4640,3379	.,.
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), SO	OP.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville	:),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080931PES	= 0 \					
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (P	ES)		Batch	Date:12/07/2	24 11:30:21	
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/10/24 09:44:14 Dilution : 250						
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 120524.R28; 081023.01						
IPRONIL	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 040	724CH01: 32625	50IW				
LONICAMID	0.010		0.1	PASS	ND	Pipette : N/A	,					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfo		quid Chron	atography Tri	iple-Quadrupol	e Mass Spectror	metry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39						
MAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		action date:	_	Extracted	
MIDACLOPRID	0.010		0.4	PASS	ND	4640, 450, 585, 1440	0.2617g		7/24 15:56:4		4640,3379	9
RESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL	(Gainesville), S	OP.T.30.15	1A.FL (Davie)	, SOP.T.40.15	1.FL	
ALATHION	0.010		0.2	PASS	ND	Analytical Batch : DA080933VOL Instrument Used : DA-GCMS-010			Batch Date	:12/07/24 11:	33.11	
IETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/10/24 09:42:36			sater pate			
IETHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250						
IETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 120524.R28; 081023.01;	111824.R23; 11	L1824.R24				
IEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040			5401			
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perform accordance with F.S. Rule 64ER20-39		as Chromat	ography Tripl	e-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/10/24



Page 4 of 6

..... Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41206012-007 Harvest/Lot ID: 8954150821259297 Batch#: 8954150821259297 Sample Size Received: 16 units Sampled : 12/06/24 Ordered : 12/06/24

Total Amount : 472 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND			
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND			
2-PROPANOL	50.000	ppm	500	PASS	ND			
ACETONE	75.000	ppm	750	PASS	ND			
ACETONITRILE	6.000	ppm	60	PASS	ND			
ENZENE	0.100	ppm	1	PASS	ND			
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND			
HLOROFORM	0.200	ppm	2	PASS	ND			
DICHLOROMETHANE	12.500	ppm	125	PASS	ND			
THANOL	500.000	ppm	5000	PASS	ND			
THYL ACETATE	40.000	ppm	400	PASS	ND			
THYL ETHER	50.000	ppm	500	PASS	ND			
THYLENE OXIDE	0.500	ppm	5	PASS	ND			
EPTANE	500.000	ppm	5000	PASS	ND			
IETHANOL	25.000	ppm	250	PASS	ND			
-HEXANE	25.000	ppm	250	PASS	ND			
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND			
ROPANE	500.000	ppm	5000	PASS	ND			
OLUENE	15.000	ppm	150	PASS	ND			
OTAL XYLENES	15.000	ppm	150	PASS	ND			
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND			
nalyzed by: 50, 585, 1440	Weight: 0.0218g	Extraction date: 12/10/24 11:17:29		Extracted by: 850				
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA080961SOL nstrument Used : DA-GCMS-003 nalyzed Date : 12/10/24 12:33:46		Batch Date : 12/07/24 13:54:53						

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24

PASSED

PASSED



Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41206012-007 Harvest/Lot ID: 8954150821259297 Batch# : 8954150821259297 Sample Size Received : 16 units Sampled : 12/06/24 Total Amount : 472 units

Sampled : 12/06/24 Total A Ordered : 12/06/24 Comple Sample

Sample Size Received : 16 units Total Amount : 472 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010 Page 5 of 6

Ċ,	Microk	pial			PAS	SED	သို့	Μ	lycotoxi	ns			PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS	TERREUS			Not Present	PASS	Level	AFLATOXIN I	12		0.00	ppm	ND	PASS	0.02	
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02	
ASPERGILLUS				Not Present	PASS		OCHRATOXI			0.00	ppm	ND	PASS	0.02	
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.00	ppm	ND	PASS	0.02	
SALMONELLA	SPECIFIC GENE	E		Not Present	PASS		AFLATOXIN	52		0.00	ppm	ND	PASS	0.02	
ECOLI SHIGEL TOTAL YEAST		10.00) CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2617g	Extraction dat 12/07/24 15:5	e:		xtracted k 640.3379	y:	
analyzed by: 531, 4520, 585		Weight: 0.852g	Extraction 0		Extracte 4520		Analysis Metho	d:SOF	P.T.30.101.FL (Gain ie), SOP.T.40.102.F	esville), SOP.T.					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA080919MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C) 08:35:53 DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Scientific Isotemp Heat Block (55*C) DA-021 Analyzed Date : 12/10/24 11:30:07 Dilution : 10								Dilution : 250 Reagent : 120524.R28; 081023.01 Consumables : 240321-634-A; 040724CH01; 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in							
Consumables : 7 Pipette : N/A Analyzed by: 1531, 3390, 585		Weight: 0.852g	Extraction of 12/07/24 12	late:	Extracte 4520	d by:	accordance with		eavy Me	etals			PAS	SED	
Analytical Batch	d:SOP.T.40.208 h:DA080920TYM	ĺ					Metal			LOD	Units	Result	Pass / Fail	Action Level	
nstrument Use	d : Incubator (25*	^k C) DA- 328 [calibrated wi	th Batch Date	e:12/07/2	4 08:36:23	TOTAL CONT		NT LOAD METAL	s 0.08	ppm	ND	PASS	1.1	
	12/10/24 08:39:3	25					ARSENIC			0.02	ppm	ND	PASS	0.2	
ilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2	
	24.38; 101724.43	3: 110724.R1	3				MERCURY			0.02	ppm	ND	PASS	0.2	
onsumables : I		-,	-				LEAD			0.02	ppm	ND	PASS	0.5	
vipette : N/A	nold testing is perfo	rmed utilizing	MPN and tradit	ional culture based	d techniques	in						Extracted	xtracted by: 879		
accordance with I	F.S. Rule 64ER20-39	9.					Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA0 ed:DA-	P.T.30.082.FL, SOP. 080934HEA 01CPMS-004	T.40.082.FL		2/07/24 1			
							Dilution : 50	24 005	5· 112624 B32· 120	1224 010- 1204	24 001.1	20224 00	0. 12022	1 000	

Reagent: 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 120324.07; 112624.R33 Consumables: 179436; 040724CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



....... Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com Sample : DA41206012-007 Harvest/Lot ID: 8954150821259297 Batch#: 8954150821259297 Sample Size Received: 16 units Sampled : 12/06/24 Ordered : 12/06/24

Total Amount : 472 units Completed : 12/10/24 Expires: 12/10/25 Sample Method : SOP.T.20.010



Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity	LO 0.0	D Units	Result 0.478	P/F PASS	Action Level 0.85				
Analyzed by: 4512, 585, 1440	Weight: 0.3882g	Extraction 12/08/24 1		Extracted by: 0 4512					
Analysis Method : SOP.T.40.019 Analytical Batch : DA080944WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 12/07/24 12:07:37 Analyzed Date : 12/09/24 12:51:02 Batch Date : 12/07/24 12:07:37									
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24

PASSED

Page 6 of 6