

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41206012-008

Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S)

Matrix: Derivative Classification: High THC

Type: Vape



Batch#: 9162433924587019

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 3884115850227799

> > **Harvest Date: 12/04/24**

Sample Size Received: 31 units

Total Amount: 688 units Retail Product Size: 0.5 gram

Servings: 1

Ordered: 12/06/24 Sampled: 12/06/24

Completed: 12/10/24 Revision Date: 12/12/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals PASSED



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 12/09/24 07:32:05



Water Activity **PASSED**



Moisture



Terpenes **PASSED**

PASSED



Cannabinoid

Dec 12, 2024 | Sunnyside

Total THC 88.567%

Total THC/Container: 442.835 mg



Weight

Total CBD 0.290%



Total Cannabinoids

Extracted by:

Total Cannabinoids/Container: 462.255

THCA THCV CBC CBD CRDA D8-THC CBG CRGA CBN CBDV 88,277 0.331 0.290 ND ND 2.179 ND 0.675 0.367 ND 0.332 441.39 1.66 1.45 ND ND 10.90 ND 3.38 1.84 ND 1.66 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 %

Extraction date:

12/09/24 11:51:15

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA080971POT

Instrument Used : DA-LC-003 Analyzed Date : 12/12/24 10:43:47

Dilution: 400

Analyzed by: 3335, 1665, 585, 1440

mg/unit

LOD

Reagent: 092724.11; 120624.R01; 111324.R47 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/10/24



Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S) Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41206012-008 Harvest/Lot ID: 9162433924587019

Sampled: 12/06/24 **Ordered:** 12/06/24

Batch#: 9162433924587019 Sample Size Received: 31 units Total Amount : 688 units

Completed : 12/10/24 **Expires:** 12/12/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.01	3.002		ISOBORNEOL		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	6.29	1.258		ISOPULEGOL		0.007	ND	ND	
BETA-MYRCENE	0.007	1.67	0.333		NEROL		0.007	ND	ND	
OCIMENE	0.007	1.07	0.214		PULEGONE		0.007	ND	ND	
LIMONENE	0.007	0.89	0.177		SABINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.81	0.161		SABINENE HYDRATE		0.007	ND	ND	
BETA-PINENE	0.007	0.54	0.108		ALPHA-CEDRENE		0.005	ND	ND	
ALPHA-HUMULENE	0.007	0.35	0.070		CIS-NEROLIDOL		0.003	ND	ND	
ALPHA-PINENE	0.007	0.35	0.070		Analyzed by:	Weight:		Extraction of	late:	Extracted by:
ALPHA-PHELLANDRENE	0.007	0.32	0.063		3605, 585, 1440	0.2061g		12/09/24 12	2:32:59	3605
ALPHA-BISABOLOL	0.007	0.29	0.058		Analysis Method : SOP.T.30.061A					
LINALOOL	0.007	0.28	0.056		Analytical Batch : DA080943TER Instrument Used : DA-GCMS-004				Datab D	ate: 12/07/24 12:04:44
3-CARENE	0.007	0.27	0.053		Analyzed Date: 12/10/24 11:16:				Daten D	dte: 12/07/24 12.04.44
CARYOPHYLLENE OXIDE	0.007	0.26	0.051		Dilution: 10					
TRANS-NEROLIDOL	0.005	0.25	0.050		Reagent: 081924.04					
ALPHA-TERPINENE	0.007	0.24	0.047		Consumables: 947.109; 240321- Pipette: DA-065	-634-A; 280670723; CE	0123			
VALENCENE	0.007	0.22	0.043			an Can Channahananaha	taan Caasta	annaha . Fan all	Fla	les, the Total Terpenes % is dry-weight corrected.
FENCHYL ALCOHOL	0.007	0.19	0.038		rerpendia testing is performed utilizi	ng das chromatography r	iass specifi	onietry, ror an	riower samp	ies, the rotal respenses % is dry-weight corrected.
HEXAHYDROTHYMOL	0.007	0.19	0.037							
GAMMA-TERPINENE	0.007	0.16	0.032							
ALPHA-TERPINEOL	0.007	0.16	0.031							
CAMPHOR	0.007	0.14	0.027							
EUCALYPTOL	0.007	0.13	0.025							
BORNEOL	0.013	ND	ND							
CAMPHENE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
FARNESENE	0.001	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
Total (9/)			2 002							

Total (%) 3.002

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S) Matrix: Derivative

Type: Vape



Certificate of Analysis

LOD Units

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41206012-008 Harvest/Lot ID: 9162433924587019

Pass/Fail Result

Sampled: 12/06/24 Ordered: 12/06/24

Batch#: 9162433924587019 Sample Size Received: 31 units Total Amount : 688 units

Sample Method: SOP.T.20.010

Completed : 12/10/24 **Expires:** 12/12/25

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010 ppm	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010 ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010 ppm	0.1	PASS	ND					0.1		
TOTAL PYRETHRINS	0.010 ppm	0.5	PASS	ND	PHOSMET		0.010			PASS	ND
TOTAL SPINETORAM	0.010 ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010 ppm	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010 ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010 ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010 ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010 ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	nnm	0.1	PASS	ND
ALDICARB	0.010 ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010 ppm	0.1	PASS	ND			0.010		0.1	PASS	ND
BIFENAZATE	0.010 ppm	0.1	PASS	ND	SPIROXAMINE				0.1	PASS	ND
BIFENTHRIN	0.010 ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010				
BOSCALID	0.010 ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010 ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBOFURAN	0.010 ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010 ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 ppm	1	PASS	ND	PARATHION-METHYL *		0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010 ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010 ppm	0.2	PASS	ND	CHLORDANE *		0.010	mag	0.1	PASS	ND
COUMAPHOS	0.010 ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
DAMINOZIDE	0.010 ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010 ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010 ppm	0.1	PASS	ND				• • • • • • • • • • • • • • • • • • • •	0.5		
DIMETHOATE	0.010 ppm	0.1	PASS	ND		Weight: 0.2576g	Extraction 12/07/24			Extracted k 4640,3379	y:
ETHOPROPHOS	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL				SORT 40 101		.)
ETOFENPROX	0.010 ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	L (Gairlesville), 3	01.1.30.102	L.I L (Davie)	, 301.1.40.101	L (Gairlesville	1,
ETOXAZOLE	0.010 ppm	0.1	PASS	ND	Analytical Batch : DA080951PES						
FENHEXAMID	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (P			Batch	n Date: 12/07/	24 13:40:46	
FENOXYCARB	0.010 ppm	0.1	PASS	ND	Analyzed Date: 12/10/24 15:53:12	2					
FENPYROXIMATE	0.010 ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.010 ppm	0.1	PASS	ND	Reagent: 120224.R04; 120424.R04 Consumables: 326250IW)4; 120524.R28;	120524.R10	J; 102124.R	08; 120424.RU	13; 081023.01	
FLONICAMID	0.010 ppm	0.1	PASS	ND	Pipette: DA-093: DA-094: DA-219						
FLUDIOXONIL	0.010 ppm	0.1	PASS	ND	Testing for agricultural agents is perf	formed utilizina L	iguid Chroma	atography T	riple-Quadrupo	le Mass Spectro	metry in
HEXYTHIAZOX	0.010 ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39			5 7			,
IMAZALIL	0.010 ppm	0.1	PASS	ND		leight:	Extraction	date:		Extracted b	y:
IMIDACLOPRID	0.010 ppm	0.4	PASS	ND	450, 585, 1440 0.3	.2576g	12/07/24 1	.5:58:51		4640,3379	
KRESOXIM-METHYL	0.010 ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL	L (Gainesville), S	OP.T.30.151	LA.FL (Davie	e), SOP.T.40.15	51.FL	
MALATHION	0.010 ppm	0.2	PASS	ND	Analytical Batch : DA080953VOL			D-4-b D-4	:12/07/24 13	.42.26	
METALAXYL	0.010 ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 12/10/24 10:03:43	2		Daten Date	s:12/U//24 13	.42.30	
METHIOCARB	0.010 ppm	0.1	PASS	ND	Dilution: 250	,					
METHOMYL	0.010 ppm	0.1	PASS	ND	Reagent: 120524.R28; 081023.01;	: 111824.R23: 1	11824.R24				
MEVINPHOS	0.010 ppm	0.1	PASS	ND	Consumables : 326250IW; 240321			5401			
MYCLOBUTANIL	0.010 ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
NALED	0.010 ppm	0.25	PASS	ND	Testing for agricultural agents is perf		as Chromato	ography Trip	ole-Quadrupole	Mass Spectrome	etry in
					accordance with F.S. Rule 64ER20-39	d.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24



Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S) Matrix : Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA41206012-008 Harvest/Lot ID: 9162433924587019

Batch#:9162433924587019 Sample Size Received:31 units

Sampled: 12/06/24 Ordered: 12/06/24 Total Amount: 688 units
Completed: 12/10/24 Expires: 12/12/25
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0204g	Extraction date: 12/10/24 11:18:14		Ext : 850	racted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA080961SOL

Instrument Used: DA-GCMS-003 Analyzed Date: 12/10/24 12:33:47

Dilution: 1 Reagent: 030420.09

Consumables : 430274; 319008 Pipette : DA-309 25 uL Syringe 35028 Batch Date: 12/07/24 13:54:53

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Signature

Signature 12/10/24



Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S) Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41206012-008 Harvest/Lot ID: 9162433924587019

Sampled: 12/06/24 Ordered: 12/06/24

Batch#: 9162433924587019 Sample Size Received: 31 units Total Amount: 688 units Completed: 12/10/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction date	e:	Е	xtracted by
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	3379, 585, 1440	0.2576g	12/07/24 15:58	3:51	4	640,3379

Analyzed by: 4531, 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.807g 12/07/24 10:57:40

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080919MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 12/07/24

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 12/10/24 11:30:08

Reagent: 101724.38; 101724.43; 120524.R12; 051624.03 Consumables: 7578001082

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4531, 3390, 585, 1440	0.807g	12/07/24 10:57:40	4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA080920TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 12/07/24 08:36:23

Analyzed Date : 12/10/24 08:39:26

Dilution: 10

Reagent: 101724.38; 101724.43; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

280	Trycocoxiiio					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN E	32	0.00	ppm	ND	PASS	0.02
AFLATOXIN E	31	0.00	ppm	ND	PASS	0.02
OCHRATOXIN	I A	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440	Weight: 0.2576g	Extraction date: 12/07/24 15:58:51		xtracted 640,3379	
AFLATOXIN G2		0.00 ppm	ND	PASS	0.02
AFLATOXIN G1		0.00 ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA080952MYC

Instrument Used : N/A Batch Date: 12/07/24 13:42:34

Analyzed Date: 12/10/24 15:55:09

Dilution: 250
Reagent: 120224.R04; 120424.R04; 120524.R28; 120524.R10; 102124.R08; 120424.R03;

081023.01 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

1879

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINA	NT LOAD METALS	0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	e:		Extracted	l hv:	

1022, 585, 1440 0.2703g 12/08/24 09:45:34 Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA080938HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/07/24 11:39:03 Analyzed Date: 12/10/24 11:15:52

Dilution: 50

Reagent : 112524.R05; 112624.R32; 120224.R10; 120424.R01; 120224.R08; 120224.R09; 120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/10/24



Kaycha Labs

Bloom Classic Disposable Vape 500mg - Maui W (S)

Maui W (S) Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41206012-008 Harvest/Lot ID: 9162433924587019

Batch#: 9162433924587019 Sample Size Received: 31 units Sampled: 12/06/24

Total Amount: 688 units Ordered: 12/06/24

Completed: 12/10/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/07/24 19:44:21 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA080964FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/07/24 19:38:18 Analyzed Date: 12/08/24 20:49:07

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.400	PASS	0.85
Analyzed by: 4512, 585, 1440	Weight: 0.3443q		traction o /08/24 13		Ex t	tracted by: 12

Analysis Method: SOP.T.40.019

Analytical Batch: DA080944WAT Instrument Used : DA257 Rotronic HygroPalm

Batch Date: 12/07/24 12:07:37 Analyzed Date: 12/09/24 12:51:03

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/10/24