

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210005-010

Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative Classification: High THC



Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 5061756398329981

Batch#: 5061756398329981

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 5551104157487678

Harvest Date: 12/04/24

Sample Size Received: 16 units Total Amount: 1485 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 12/09/24 Sampled: 12/10/24 Completed: 12/12/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Certificate of Analysis

indiantown, FL, 34956, US



22205 Sw Martin Hwy



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 12/10/24 10:08:59



Water Activity **PASSED**



Moisture



MISC.

Terpenes **PASSED**

PASSED



Cannabinoid

Dec 12, 2024 | Sunnyside

Total THC 89,235%

Total THC/Container: 892.350 mg



Total CBD 0.229%

Total CBD/Container: 2.290 mg



Total Cannabinoids

Total Cannabinoids/Container: 937.660



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081010POT

Instrument Used : DA-LC-007 Analyzed Date : 12/11/24 11:22:53

Dilution: 400

Reagent: 120624.R02; 092724.11; 111324.R46 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210005-010 Harvest/Lot ID: 5061756398329981

Batch#: 5061756398329981 Sample Size Received: 16 units

Sampled: 12/10/24 **Ordered:** 12/10/24

Total Amount: 1485 units **Completed :** 12/12/24 **Expires:** 12/12/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/unit	t %	Result (%)
TOTAL TERPENES	0.007	38.38	3.838		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	12.29	1.229		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	5.83	0.583		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.30	0.430		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	2.90	0.290		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	2.74	0.274		ALPHA-TERPINOLENE	0.007	ND	ND	
VALENCENE	0.007	2.05	0.205		CIS-NEROLIDOL	0.003	ND	ND	
LINALOOL	0.007	1.94	0.194		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.18	0.118		Analyzed by:	Weight:	Extra	ction date:	Extracted by:
OCIMENE	0.007	1.04	0.104		4451, 3605, 585, 1440	0.2288g)/24 12:15:4	
ALPHA-HUMULENE	0.007	1.00	0.100		Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL			
FARNESENE	0.007	0.87	0.087		Analytical Batch : DA081020TER				
TRANS-NEROLIDOL	0.005	0.59	0.059		Instrument Used : DA-GCMS-008 Analyzed Date : 12/11/24 11:22:54			Batch D	ate: 12/10/24 11:04:26
CARYOPHYLLENE OXIDE	0.007	0.38	0.038		Dilution: 10				
FENCHYL ALCOHOL	0.007	0.34	0.034		Reagent: 022224.12				
ALPHA-TERPINEOL	0.007	0.29	0.029		Consumables: 947.109; 240321-634-A;	280670723; CE0123			
GERANIOL	0.007	0.26	0.026		Pipette : DA-065				
GUAIOL	0.007	0.20	0.020		Terpenoid testing is performed utilizing Gas C	thromatography Mass Spectro	metry. For all	Flower samp	les, the Total Terpenes % is dry-weight corrected.
ALPHA-CEDRENE	0.005	0.18	0.018						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			3.838						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I) Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210005-010 Harvest/Lot ID: 5061756398329981

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 5061756398329981 Sample Size Received: 16 units Total Amount: 1485 units **Completed :** 12/12/24 **Expires:** 12/12/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

sticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPOSUR	0.010		0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND				0.1	PASS	ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		ppm	0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PARATHION-METHYL *		ppm	0.1	PASS	ND
ORMEQUAT CHLORIDE	0.010		1	PASS	ND				0.7	PASS	ND
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		ppm			
PENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
JMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
ZINON	0.010	1.1.	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight	E	xtraction da	ate:	Extract	ed by:
ETHOATE	0.010		0.1	PASS	ND	3379, 3621, 585, 1440 0.2404c	1	2/10/24 15:2	24:47	3379	
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesville),	SOP.T.30.10	2.FL (Davie)), SOP.T.40.101	L.FL (Gainesville),
FENPROX	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
XAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080997PES				24.00.46.22	
IHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 12/11/24 10:45:51		Batci	h Date: 12/10/	24 09:46:23	
OXYCARB	0.010		0.1	PASS	ND	Dilution: 250					
IPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 120824.R02: 081023.01					
RONIL	0.010		0.1	PASS	ND	Consumables: 240321-634-A; 040724CH01; 3262	250IW				
DNICAMID	0.010		0.1	PASS	ND	Pipette: N/A					
JDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	matography T	Triple-Quadrupo	le Mass Spectror	netry in
XYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted 3379	l by:
DACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.2404g		4 15:24:47	a) CODT 40 15		
SOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), S Analytical Batch: DA081001VOL	507.1.30.15	TA'LL (D9AII	e), 50P.1.40.15	DI.FL	
ATHION	0.010	1.1.	0.2	PASS	ND	Instrument Used : DA-GCMS-011		Batch Date	e:12/10/24 09	:50:23	
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 12/11/24 10:44:37					
THIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 120824.R02; 081023.01; 111824.R23; 1					
VINPHOS	0.010		0.1	PASS	ND	Consumables: 240321-634-A; 040724CH01; 3262	250IW; 1472	25401			
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
LED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizing					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I) Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210005-010 Harvest/Lot ID: 5061756398329981

Batch#: 5061756398329981 Sample Size Received: 16 units

Sampled: 12/10/24 Ordered: 12/10/24

Total Amount: 1485 units Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0227g	Extraction date: 12/11/24 11:22:01			Extracted by: 850	

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA081028SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** 12/11/24 13:40:59

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/10/24 17:03:24

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210005-010 Harvest/Lot ID: 5061756398329981

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 5061756398329981 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED

12/10/24 09:48:05

Extracted by



Mycotoxins

PASSED

Result Pass /

Batch Date: 12/10/24 09:50:02

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS			Not Present	PASS		AFLATO
ASPERGILLUS NIGER			Not Present	PASS		AFLATO
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRAT
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATO
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATO
ECOLI SHIGELLA			Not Present	PASS		Analyzed b
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	3379, 362

Analyzed by: 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 0.823g 12/10/24 11:50:34 4044,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080998MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date:

Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Weight:

Analyzed Date: 12/11/24 11:13:56

Dilution: 10

Reagent: 101724.39; 111524.99; 120524.R12; 062624.19

Consumables: 7578001091 Pipette: N/A

Analyzed by

				_	
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
				Fail	Level

LOD

alvzed by: Weight: Extraction date: Extracted by: 79, 3621, 585, 1440 0.2404g 12/10/24 15:24:47 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch: DA081000MYC

Instrument Used : N/A

Analyzed Date: 12/11/24 10:46:56

Dilution: 250

Reagent: 120824.R02; 081023.01

Consumables: 240321-634-A; 040724CH01; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

45

Heavy Metals

PASSED

Action

Result Pass /

4520, 3390, 585, 1440	0.823g	12/10/24 11:50:34	4044,4520
Analysis Method: SOP.T.40. Analytical Batch: DA080999 Instrument Used: Incubator DA-382] Analyzed Date: 12/12/24 18	9TYM - (25*C) DA- 328		Batch Date: 12/10/24 09:49:4
Dilution: 10 Reagent: 101724.39; 1115 Consumables: N/A Pipette: N/A	24.99; 110724.	R13	
Total years and mold testing is	porformed utilizin	ng MPN and traditional co	ultura hasad tashniquas in

Extraction date

					Fail	Level	
TOTAL CONTAMINAL	5 0.08	ppm	ND	PASS	1.1		
ARSENIC	0.02	ppm	ND	PASS PASS	0.2		
CADMIUM		0.02	ppm		ND	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	te:	Extracted by:		d by:	
1022, 585, 1440	0.2298g	12/10/24 11:1	L0:48		4056		

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081006HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/10/24 10:03:07 Analyzed Date: 12/11/24 10:39:24

Dilution: 50

Reagent: 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12;

120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Grp Ape (I)

Grp Ape (I) Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210005-010 Harvest/Lot ID: 5061756398329981

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 5061756398329981 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/11/24 10:28:59 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA081064FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/11/24 10:03:29 Analyzed Date: 12/11/24 10:39:59

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	_	.0 D Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.443	PASS	0.85
Analyzed by: 4571, 585, 1440	Weight:	Extraction of		Ex : 45	tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA081024WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/10/24 11:44:12

Analyzed Date: 12/11/24 09:59:57

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Signature Testing 97164 12/12/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors