

Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Matrix: Derivative Classification: High THC



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210005-012



Dec 12, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Grp Ape (I)

Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 4562062298246901

Batch#: 4562062298246901

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1218174882681574

Harvest Date: 12/04/24

Sample Size Received: 31 units

Total Amount: 869 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 12/09/24 Sampled: 12/10/24 **Completed: 12/12/24**

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents **PASSED**



Filth **PASSED**

Ratch Date: 12/10/24 10:08:59



Water Activity **PASSED**



Moisture



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC

Total THC/Container: 445.700 mg

89.140%



Total CBD 0.223%



Total Cannabinoids

Total Cannabinoids/Container: 468.190



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081010POT

Instrument Used : DA-LC-007 Analyzed Date : 12/11/24 11:22:59

Dilution: 400

Reagent: 120624.R02; 092724.11; 111324.R46 Consumables: 947.109; 040724CH01; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 12/12/24



Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I) Matrix : Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA41210005-012 Harvest/Lot ID: 4562062298246901

Batch#:4562062298246901 Sample Size Received:31 units

Sampled: 12/10/24 Ordered: 12/10/24 Sample Size Received : 31 units
Total Amount : 869 units
Completed : 13/13/14 Expires: 13/1

Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	16.08	3.215		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.10	1.020		ALPHA-CEDRENE	0.005	ND	ND	
ALPHA-PINENE	0.007	2.43	0.486		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.98	0.395		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	1.24	0.248		ALPHA-TERPINOLENE	0.007	ND	ND	
LIMONENE	0.007	1.17	0.234		CIS-NEROLIDOL	0.003	ND	ND	
VALENCENE	0.007	0.93	0.186		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.90	0.179		TRANS-NEROLIDOL	0.005	ND	ND	
ALPHA-BISABOLOL	0.007	0.57	0.113		Analyzed by:	Weight:	Extrac	ction date:	Extracted by:
ALPHA-HUMULENE	0.007	0.46	0.091		4451, 3605, 585, 1440	0.2218g		/24 12:15:4	
OCIMENE	0.007	0.41	0.081		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL			
FARNESENE	0.007	0.39	0.078		Analytical Batch : DA081020TER				
FENCHYL ALCOHOL	0.007	0.15	0.029		Instrument Used : DA-GCMS-008 Analyzed Date : 12/11/24 11:23:00			Batch Da	ste: 12/10/24 11:04:26
ALPHA-TERPINEOL	0.007	0.15	0.029		Dilution: 10				
GERANIOL	0.007	0.13	0.026		Reagent: 022224.12				
GUAIOL	0.007	0.10	0.020		Consumables: 947.109; 240321-634-A	i; 280670723; CE0123			
3-CARENE	0.007	ND	ND		Pipette : DA-065				
BORNEOL	0.013	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography Mass Spectr	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			3.215						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/12/24



Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

LOD Unite

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210005-012 Harvest/Lot ID: 4562062298246901

Pacc/Eail Pacult

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 4562062298246901 Sample Size Received: 31 units Total Amount: 869 units

Completed: 12/12/24 **Expires:** 12/12/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Dage/Eail Beauth

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	nnm	5	PASS	ND		0.010		Level 0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	OXAMYL		ppm			
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND						
BIFENAZATE	0.010		0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	P. P.	0.1	PASS	ND	CAPTAN *		ppm	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.2	PASS	ND			mag	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *		111			
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight		traction date		Extracte	ed by:
ETHOPROPHOS	0.010		0.1	PASS	ND	3379, 3621, 585, 1440 0.27g		2/10/24 15:24:		3379	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesville), S SOP.T.40.102.FL (Davie)	OP.1.30.10)2.FL (Davie),	SOP.1.40.101.	FL (Gainesville)	,
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA080997PES					
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 12/10/2	4 09:46:23	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/11/24 10:45:54					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010		0.1	PASS	ND	Reagent: 120824.R02; 081023.01	= 0.111				
FLONICAMID	0.010		0.1	PASS	ND	Consumables: 240321-634-A; 040724CH01; 3262 Pipette: N/A	DUIW				
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing L	iauid Chror	natography Tri	nla-Ouadrunal	a Macc Snortron	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	iquiu Ciil01	nacograpity III	pic Quaurupui	. mass spectron	icu y III
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 0.27g		15:24:48		3379	-
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), S	OP.T.30.15	51A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081001VOL			10/10/04 00	F0 22	
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-011 Analyzed Date : 12/11/24 10:44:38		Batch Date	:12/10/24 09:	50:23	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 120824.R02: 081023.01: 111824.R23: 1	11824 R24	ı			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 240321-634-A; 040724CH01; 3262					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing 0	as Chroma	tography Triple	e-Quadrupole N	lass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/12/24



Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I) Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210005-012 Harvest/Lot ID: 4562062298246901

Batch#: 4562062298246901 Sample Size Received: 31 units

Sampled: 12/10/24 Ordered: 12/10/24

Total Amount: 869 units

Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0211g	Extraction date: 12/11/24 10:24:55			Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA081029SOL

Instrument Used: DA-GCMS-003 **Analyzed Date:** 12/11/24 11:23:26

Dilution: 1 Reagent: 030420.09

Consumables: 430274; 319008 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/10/24 17:11:44

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Vivian Celestino Lab Director

Signature 12/12/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210005-012 Harvest/Lot ID: 4562062298246901

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 4562062298246901 Sample Size Received: 31 units Total Amount: 869 units

Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

12/10/24 09:48:05

Extracted by



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	An
ASPERGILLUS TERREUS			Not Present	PASS		ΑF
ASPERGILLUS NIGER			Not Present	PASS		AF
ASPERGILLUS FUMIGATUS			Not Present	PASS		OC
ASPERGILLUS FLAVUS			Not Present	PASS		ΑF
SALMONELLA SPECIFIC GENE			Not Present	PASS		AF
ECOLI SHIGELLA			Not Present	PASS		Ana
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	337

Analyzed by: 4520, 585, 1440 Weight: **Extraction date:** Extracted by: 1.059g 12/10/24 11:50:34

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA080998MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems 2720 Batch Date: Thermocycler DA-013, Fisher Scientific Isotemp Heat Block (55*C)
DA-020, Fisher Scientific Isotemp Heat Block (95*C) DA-049, Fisher
Scientific Isotemp Heat Block (55*C) DA-021, Fisher Scientific Isotemp Heat Block (55*C) DA-366, Fisher Scientific Isotemp Heat Block (95*C) DA-367

Weight:

Analyzed Date: 12/11/24 11:13:57

Dilution: 10

Reagent: 101724.39; 111524.99; 120524.R12; 062624.19

Consumables: 7578001091

Pipette: N/A Analyzed by

980					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02

Analyzed by: 3379, 3621, 585, 1440	Weight: 0.27g	Extraction 12/10/24			Extracted 3379	d by:
AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
AFLATOXIN B2		0.00	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA081000MYC

Instrument Used : N/A

Batch Date: 12/10/24 09:50:02 **Analyzed Date:** 12/11/24 10:46:57

Dilution: 250

Reagent: 120824.R02; 081023.01

Consumables: 240321-634-A; 040724CH01; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Metal

45

Heavy Metals

PASSED

Action

Result Pass /

4520, 3390, 585, 1440	1.059g	12/10/24 11:50:34	4044,4520
Analysis Method: SOP.T.40. Analytical Batch: DA080999 Instrument Used: Incubator DA-382] Analyzed Date: 12/12/24 18	OTYM (25*C) DA- 328		Batch Date: 12/10/24 09:49:4
Dilution: 10 Reagent: 101724.39; 11152 Consumables: N/A Pipette: N/A	24.99; 110724.	R13	
Total yeast and mold testing is	norformed utilizin	og MPN and traditional cul	ture based techniques in

Extraction date

					Fail	Level	
TOTAL CONTAMINA	NT LOAD METAL	. S 0.08	ppm	ND	PASS	1.1	
ARSENIC CADMIUM MERCURY		0.02	ppm	ND	PASS	0.2	
		0.02	ppm	ND ND	PASS PASS	0.2 0.2	
		0.02	ppm				
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by:	Weight:	Extraction dat	xtraction date: Extr			d by:	
1022, 585, 1440	0.266a	12/10/24 11:1	3:15		4056		

LOD

Units

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081006HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 12/11/24 10:39:27

Batch Date: 12/10/24 10:03:07

Dilution: 50

Reagent: 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/12/24



Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210005-012 Harvest/Lot ID: 4562062298246901

Batch#: 4562062298246901 Sample Size Received: 31 units

Sampled: 12/10/24 Ordered: 12/10/24

Total Amount: 869 units Completed: 12/12/24 Expires: 12/12/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/11/24 10:29:00 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA081064FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/11/24 10:03:29 Analyzed Date: 12/11/24 10:39:58

Dilution: N/A

Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity		LOD 0.010	Units aw	Result 0.422	P/F PASS	Action Level 0.85
Analyzed by: 4571, 585, 1440	Weight: 0.5111g		Extraction date: 12/10/24 16:21:35			tracted by: 71

Analysis Method: SOP.T.40.019

Analytical Batch: DA081024WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 12/10/24 11:44:12

Analyzed Date: 12/11/24 10:00:04

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Signature Testing 97164 12/12/24