



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210014-004



**Production Method:** Cured  
**Harvest/Lot ID:** 8838419238011588  
**Batch#:** 8838419238011588  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 4677928287530311  
**Harvest Date:** 11/27/24  
**Sample Size Received:** 5 units  
**Total Amount:** 824 units  
**Retail Product Size:** 7 gram  
**Servings:** 1  
**Ordered:** 12/10/24  
**Sampled:** 12/10/24  
**Completed:** 12/13/24  
**Sampling Method:** SOP.T.20.010

Dec 13, 2024 | Sunnyside

22205 Sw Martin Hwy  
 indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
 NOT TESTED



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**26.090%**

Total THC/Container : 1826.300 mg



**Total CBD**  
**0.073%**

Total CBD/Container : 5.110 mg



**Total Cannabinoids**  
**30.634%**

Total Cannabinoids/Container : 2144.380 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.579	29.090	ND	0.084	ND	0.086	0.592	ND	ND	ND	0.203
mg/unit	40.53	2036.30	ND	5.88	ND	6.02	41.44	ND	ND	ND	14.21
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 585, 1440

Weight:  
 0.1913g

Extraction date:  
 12/11/24 11:45:12

Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA081058POT  
 Instrument Used : DA-LC-001  
 Analyzed Date : 12/13/24 05:51:17

Batch Date : 12/11/24 09:48:07

Dilution : 400  
 Reagent : 111824.R21; 092724.11; 111824.R22  
 Consumables : 947.109; 040724.CH01; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 12/13/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-004  
Harvest/Lot ID: 8838419238011588

Batch# : 8838419238011588 Sample Size Received : 5 units  
Sampled : 12/10/24 Total Amount : 824 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	110.53 1.579		SABINENE HYDRATE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	24.50 0.350		VALENCENE	0.007	ND ND	
LIMONENE	0.007	24.08 0.344		ALPHA-CEDRENE	0.005	ND ND	
BETA-MYRCENE	0.007	14.77 0.211		ALPHA-PHELLANDRENE	0.007	ND ND	
ALPHA-HUMULENE	0.007	10.29 0.147		ALPHA-TERPINENE	0.007	ND ND	
LINALOOL	0.007	7.42 0.106		ALPHA-TERPINOLENE	0.007	ND ND	
GUAIOL	0.007	6.65 0.095		CIS-NEROLIDOL	0.003	ND ND	
ALPHA-BISABOLOL	0.007	5.32 0.076		GAMMA-TERPINENE	0.007	ND ND	
BETA-PINENE	0.007	4.90 0.070		Analyzed by: 4451, 585, 1440 Weight: 1.0148g Extraction date: 12/11/24 12:35:48 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA081076TER Instrument Used : DA-GCMS-009 Analyzed Date : 12/12/24 09:42:31 Batch Date : 12/11/24 11:15:26 Dilution : 10 Reagent : 022224.12 Consumables : 947.109; 240321-634-A; 280670723; CE0123 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHYL ALCOHOL	0.007	4.13 0.059					
ALPHA-TERPINEOL	0.007	3.85 0.055					
ALPHA-PINENE	0.007	3.01 0.043					
TRANS-NEROLIDOL	0.005	1.61 0.023					
3-CARENE	0.007	ND ND					
BORNEOL	0.013	ND ND					
CAMPHENE	0.007	ND ND					
CAMPHOR	0.007	ND ND					
CARYOPHYLLENE OXIDE	0.007	ND ND					
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FARNESENE	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
NEROL	0.007	ND ND					
OCIMENE	0.007	ND ND					
PULEGONE	0.007	ND ND					
SABINENE	0.007	ND ND					
<b>Total (%)</b>		<b>1.579</b>					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
12/13/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA41210014-004  
Harvest/Lot ID: 8838419238011588

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Batch#: 8838419238011588 Sample Size Received : 5 units  
Sampled : 12/10/24 Total Amount : 824 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 3 of 5



**Pesticides**

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.131	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.131	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.9906g <b>Extraction date:</b> 12/11/24 14:27:37 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA081069PES <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 12/11/24 10:12:06 <b>Analyzed Date :</b> 12/12/24 13:20:28 <b>Dilution :</b> 250 <b>Reagent :</b> 121024.R11; 081023.01 <b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW <b>Pipette :</b> N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.9906g <b>Extraction date:</b> 12/11/24 14:27:37 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL <b>Analytical Batch :</b> DA081072VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 12/11/24 10:16:22 <b>Analyzed Date :</b> 12/12/24 09:41:26 <b>Dilution :</b> 250 <b>Reagent :</b> 121024.R11; 081023.01; 111824.R23; 111824.R24 <b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
12/13/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-004  
Harvest/Lot ID: 8838419238011588  
Batch# : 8838419238011588 Sample Size Received : 5 units  
Sampled : 12/10/24 Total Amount : 824 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	10	PASS	100000
<b>Analyzed by:</b> 4520, 4531, 585, 1440 <b>Weight:</b> 1.091g <b>Extraction date:</b> 12/11/24 10:43:07 <b>Extracted by:</b> 4044,4520 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA081031MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Analyzed Date :</b> 12/12/24 12:37:20 <b>Batch Date :</b> 12/11/24 08:18:06 <b>Dilution :</b> 10 <b>Reagent :</b> 111524.96; 111524.101; 120524.R12; 062624.19 <b>Consumables :</b> 7578001078 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.9906g <b>Extraction date:</b> 12/11/24 14:27:37 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA081071MYC <b>Instrument Used :</b> N/A <b>Batch Date :</b> 12/11/24 10:16:00 <b>Analyzed Date :</b> 12/12/24 13:18:39 <b>Dilution :</b> 250 <b>Reagent :</b> 121024.R11; 081023.01 <b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW <b>Pipette :</b> N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 1022, 4056, 585, 1440 <b>Weight:</b> 0.2107g <b>Extraction date:</b> 12/11/24 09:52:04 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA081046HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 12/11/24 09:22:02 <b>Analyzed Date :</b> 12/12/24 09:13:45 <b>Dilution :</b> 50 <b>Reagent :</b> 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07 <b>Consumables :</b> 179436; 040724CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.02	ppm	<0.100	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 4056, 585, 1440 <b>Weight:</b> 0.2107g <b>Extraction date:</b> 12/11/24 09:52:04 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA081046HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 12/11/24 09:22:02 <b>Analyzed Date :</b> 12/12/24 09:13:45 <b>Dilution :</b> 50 <b>Reagent :</b> 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07 <b>Consumables :</b> 179436; 040724CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-004  
Harvest/Lot ID: 8838419238011588  
Batch#: 8838419238011588 Sample Size Received : 5 units  
Sampled : 12/10/24 Total Amount : 824 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/11/24 10:29:01	Extracted by: 1879		
Analysis Method : SOP.T.40.090		Instrument Used : Filth/Foreign Material Microscope		Batch Date : 12/11/24 10:03:29	
Analyzed Date : 12/11/24 10:39:51					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.498	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.702g	Extraction date: 12/11/24 11:45:29	Extracted by: 4512		
Analysis Method : SOP.T.40.019		Instrument Used : DA257 Rotronic HygroPalm		Batch Date : 12/11/24 09:45:16	
Analyzed Date : 12/12/24 09:14:42					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	13.29	PASS	15
Analyzed by: 4512, 585, 1440	Weight: 0.505g	Extraction date: 12/11/24 12:36:10	Extracted by: 4512		
Analysis Method : SOP.T.40.021		Instrument Used : DA081054MOI		Batch Date : 12/11/24	
Moisture Analyzer, DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser, DA-385 09:45:01					
Moisture Analyzer					
Analyzed Date : 12/12/24 09:12:31					
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

