



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210014-008



**Production Method:** Cured  
**Harvest/Lot ID:** 3472561105275861  
**Batch#:** 3472561105275861  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility:** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 5451764090495183  
**Harvest Date:** 12/04/24  
**Sample Size Received:** 9 units  
**Total Amount:** 1709 units  
**Retail Product Size:** 3.5 gram  
**Servings:** 1  
**Ordered:** 12/10/24  
**Sampled:** 12/10/24  
**Completed:** 12/13/24  
**Sampling Method:** SOP.T.20.010

Dec 13, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**PASSED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**27.584%**

Total THC/Container : 965.440 mg



Total CBD  
**0.037%**

Total CBD/Container : 1.295 mg



Total Cannabinoids  
**32.276%**

Total Cannabinoids/Container : 1129.660 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.455	30.934	ND	0.043	ND	0.072	0.645	ND	ND	0.038	0.089
mg/unit	15.93	1082.69	ND	1.51	ND	2.52	22.58	ND	ND	1.33	3.12
LOD	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.2117g

Extraction date:  
12/11/24 11:46:28

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA081059POT  
Instrument Used : DA-LC-001  
Analyzed Date : 12/12/24 09:16:34

Batch Date : 12/11/24 09:49:57

Dilution : 400  
Reagent : 111824.R21; 092724.11; 111824.R22  
Consumables : 947.109; 040724CH01; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
12/13/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-008  
Harvest/Lot ID : 3472561105275861

Batch# : 3472561105275861 Sample Size Received : 9 units  
Sampled : 12/10/24 Total Amount : 1709 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	80.82	2.309	VALENCENE	0.007	ND	ND
LIMONENE	0.007	32.31	0.923	ALPHA-CEDRENE	0.005	ND	ND
BETA-CARYOPHYLLENE	0.007	14.53	0.415	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	5.88	0.168	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	5.78	0.165	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	4.66	0.133	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-PINENE	0.007	4.55	0.130	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	3.19	0.091	TRANS-NEROLIDOL	0.005	ND	ND
BETA-MYRCENE	0.007	2.87	0.082	Analyzed by: 4451, 585, 1440 Weight: 1.0037g Extraction date: 12/11/24 12:35:48 Extracted by: 4451 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA081076TER Instrument Used : DA-GCMS-009 Analyzed Date : 12/12/24 09:42:38 Batch Date : 12/11/24 11:15:26 Dilution : 10 Reagent : 022224.12 Consumables : 947.109; 240321-634-A; 280670723; CE0123 Pipette : DA-065 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINEOL	0.007	2.63	0.075				
ALPHA-BISABOLOL	0.007	1.93	0.055				
OCIMENE	0.007	1.65	0.047				
CAMPHENE	0.007	0.88	0.025				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.309</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
12/13/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-008

Harvest/Lot ID: 3472561105275861

Batch# : 3472561105275861 Sample Size Received : 9 units  
Sampled : 12/10/24 Total Amount : 1709 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.284	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.284	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3621, 585, 1440	<b>Weight:</b> 0.9968g	<b>Extraction date:</b> 12/11/24 14:27:38	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA081069PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					<b>Batch Date :</b> 12/11/24 10:12:06
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 12/12/24 13:20:41					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 121024.R11; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.9968g	<b>Extraction date:</b> 12/11/24 14:27:38	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA081072VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001					<b>Batch Date :</b> 12/11/24 10:16:22
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 12/12/24 09:41:29					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 121024.R11; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164



Signature  
12/13/24



# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-008

Harvest/Lot ID: 3472561105275861

Batch# : 3472561105275861 Sample Size Received : 9 units  
Sampled : 12/10/24 Total Amount : 1709 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 4520, 4531, 585, 1440 <b>Weight:</b> 0.842g <b>Extraction date:</b> 12/11/24 10:43:07 <b>Extracted by:</b> 4044,4520 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA081031MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 <b>Analyzed Date :</b> 12/12/24 12:37:33 <b>Dilution :</b> 10 <b>Reagent :</b> 111524.96; 111524.101; 120524.R12; 062624.19 <b>Consumables :</b> 7578001078 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.9968g <b>Extraction date:</b> 12/11/24 14:27:38 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA081071MYC <b>Instrument Used :</b> N/A <b>Batch Date :</b> 12/11/24 10:16:00 <b>Analyzed Date :</b> 12/12/24 13:18:49 <b>Dilution :</b> 250 <b>Reagent :</b> 121024.R11; 081023.01 <b>Consumables :</b> 240321-634-A; 040724CH01; 326250IW <b>Pipette :</b> N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	<0.400	PASS	1.1
ARSENIC	0.02	ppm	0.123	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	<0.100	PASS	0.5
<b>Analyzed by:</b> 1022, 4056, 585, 1440 <b>Weight:</b> 0.2095g <b>Extraction date:</b> 12/11/24 09:53:56 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA081046HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 12/11/24 09:22:02 <b>Analyzed Date :</b> 12/12/24 09:13:48 <b>Dilution :</b> 50 <b>Reagent :</b> 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07 <b>Consumables :</b> 179436; 040724CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	<0.400	PASS	1.1
ARSENIC	0.02	ppm	0.123	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	<0.100	PASS	0.5

<b>Analyzed by:</b> 1022, 4056, 585, 1440 <b>Weight:</b> 0.2095g <b>Extraction date:</b> 12/11/24 09:53:56 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA081046HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 12/11/24 09:22:02 <b>Analyzed Date :</b> 12/12/24 09:13:48 <b>Dilution :</b> 50 <b>Reagent :</b> 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07 <b>Consumables :</b> 179436; 040724CH01; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					
--	--	--	--	--	--

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-008  
Harvest/Lot ID: 3472561105275861  
Batch# : 3472561105275861 Sample Size Received : 9 units  
Sampled : 12/10/24 Total Amount : 1709 units  
Ordered : 12/10/24 Completed : 12/13/24 Expires: 12/13/25  
Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	14.06	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/11/24 10:29:01	Extracted by: 1879			Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 12/11/24 12:36:10	Extracted by: 4512		
<b>Analysis Method :</b> SOP.T.40.090 <b>Analytical Batch :</b> DA081064FIL <b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Analyzed Date :</b> 12/11/24 10:39:47 <b>Batch Date :</b> 12/11/24 10:03:29						<b>Analysis Method :</b> SOP.T.40.021 <b>Analytical Batch :</b> DA081054MOI <b>Instrument Used :</b> DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 09:45:01 <b>Analyzed Date :</b> 12/12/24 09:12:34 <b>Batch Date :</b> 12/11/24					
<b>Dilution :</b> N/A <b>Reagent :</b> N/A <b>Consumables :</b> N/A <b>Pipette :</b> N/A						<b>Dilution :</b> N/A <b>Reagent :</b> 092520.50; 020124.02 <b>Consumables :</b> N/A <b>Pipette :</b> DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.527	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.777g	Extraction date: 12/11/24 11:45:29	Extracted by: 4512		
<b>Analysis Method :</b> SOP.T.40.019 <b>Analytical Batch :</b> DA081055WAT <b>Instrument Used :</b> DA257 Rotronic HygroPalm <b>Analyzed Date :</b> 12/12/24 09:14:45 <b>Batch Date :</b> 12/11/24 09:45:16					
<b>Dilution :</b> N/A <b>Reagent :</b> 051624.02 <b>Consumables :</b> PS-14 <b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

