



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210014-011



Production Method: Other - Not Listed
Harvest/Lot ID: 8347 1957 7653 8599
Batch#: 8347 1957 7653 8599
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Source Facility: FL - Indiantown (4430)
Seed to Sale#: 1056338432601791
Harvest Date: 12/03/24
Sample Size Received: 16 units
Total Amount: 818 units
Retail Product Size: 1 gram
Servings: 1
Ordered: 12/10/24
Sampled: 12/10/24
Completed: 12/13/24
Sampling Method: SOP.T.20.010

Dec 13, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC
70.005%

Total THC/Container : 700.050 mg



Total CBD
0.169%

Total CBD/Container : 1.690 mg



Total Cannabinoids
85.950%

Total Cannabinoids/Container : 859.500 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.839	77.727	ND	0.193	0.090	0.280	5.598	ND	ND	ND	0.223
mg/unit	18.39	777.27	ND	1.93	0.90	2.80	55.98	ND	ND	ND	2.23
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analysed by:
1665, 585, 1440

Weight:
0.1019g

Extraction date:
12/11/24 11:51:00

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081050POT

Instrument Used : DA-LC-003

Analysed Date : 12/12/24 09:16:40

Batch Date : 12/11/24 09:40:04

Dilution : 400

Reagent : 120624.R01; 092724.11; 111324.R47

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/13/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-011
Harvest/Lot ID: 8347 1957 7653 8599

Batch# : 8347 1957 7653 8599 Sample Size Received : 16 units
8599 Total Amount : 818 units
Sampled : 12/10/24 Completed : 12/13/24 Expires: 12/13/25
Ordered : 12/10/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				PASSED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	67.25	6.725	NEROL	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	16.97	1.697	PULEGONE	0.007	ND	ND
LIMONENE	0.007	11.05	1.105	SABINENE	0.007	ND	ND
LINALOOL	0.007	8.94	0.894	VALENCENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	5.35	0.535	ALPHA-CEDRENE	0.005	ND	ND
BETA-MYRCENE	0.007	4.51	0.451	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	4.47	0.447	ALPHA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	2.19	0.219	CIS-NEROLIDOL	0.003	ND	ND
TRANS-NEROLIDOL	0.005	2.16	0.216	Analyzed by: 3605, 4451, 585, 1440 Weight: 0.2061g Extraction date: 12/11/24 12:35:30 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA081078TER Instrument Used : DA-GCMS-004 Batch Date : 12/11/24 11:21:44 Analyzed Date : 12/12/24 09:16:42 Dilution : 10 Reagent : 022224.12 Consumables : 947.109; 240321-634-A; 280670723; CE0123 Pipette : DA-065			
ALPHA-PINENE	0.007	2.00	0.200	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
OCIMENE	0.007	1.91	0.191				
ALPHA-TERPINEOL	0.007	1.90	0.190				
FENCHYL ALCOHOL	0.007	1.81	0.181				
BORNEOL	0.013	0.97	0.097				
CARYOPHYLLENE OXIDE	0.007	0.62	0.062				
FENCHONE	0.007	0.50	0.050				
GERANIOL	0.007	0.49	0.049				
CAMPHENE	0.007	0.44	0.044				
ALPHA-TERPINOLENE	0.007	0.38	0.038				
SABINENE HYDRATE	0.007	0.34	0.034				
GAMMA-TERPINENE	0.007	0.25	0.025				
3-CARENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
Total (%)			6.725				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/13/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA41210014-011
Harvest/Lot ID: 8347 1957 7653 8599

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Batch# : 8347 1957 7653 Sample Size Received : 16 units
8599 Total Amount : 818 units
Sampled : 12/10/24 Completed : 12/13/24 Expires: 12/13/25
Ordered : 12/10/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3621, 585, 1440	Weight: 0.2586g	Extraction date: 12/11/24 14:23:16	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081053PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					Batch Date : 12/11/24 09:44:42
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/12/24 12:08:35					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 121024.R11; 081023.01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 4640, 585, 1440	Weight: 0.2586g	Extraction date: 12/11/24 14:23:16	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081063VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					Batch Date : 12/11/24 10:01:14
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 12/12/24 09:18:56					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 121024.R11; 081023.01; 111824.R23; 111824.R24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
12/13/24



Certificate of Analysis

PASSED
Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-011
Harvest/Lot ID: 8347 1957 7653 8599
Batch# : 8347 1957 7653 8599
Sampled : 12/10/24
Ordered : 12/10/24
Sample Size Received : 16 units
Total Amount : 818 units
Completed : 12/13/24 Expires: 12/13/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	2619.705
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.023g	Extraction date: 12/12/24 12:40:16	Extracted by: 850
---------------------------------------	--------------------------	--	-----------------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA081081SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 12/13/24 16:22:13

Batch Date : 12/11/24 14:01:55

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-011

Harvest/Lot ID: 8347 1957 7653 8599

Batch# : 8347 1957 7653 8599

Sampled : 12/10/24
Ordered : 12/10/24

Sample Size Received : 16 units

Total Amount : 818 units

Completed : 12/13/24 Expires: 12/13/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000
Analyzed by: 4520, 4531, 585, 1440 Weight: 1.004g Extraction date: 12/11/24 10:43:08 Extracted by: 4044,4520 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA081031MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C) DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021 Analyzed Date : 12/12/24 12:37:38 Dilution : 10 Reagent : 111524.96; 111524.101; 120524.R12; 062624.19 Consumables : 7578001078 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
OCHRATOXIN A	0.00	ppm	ND	PASS	0.02
AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
Analyzed by: 3621, 585, 1440 Weight: 0.2586g Extraction date: 12/11/24 14:23:16 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA081062MYC Instrument Used : N/A Batch Date : 12/11/24 10:00:43 Analyzed Date : 12/12/24 12:11:46 Dilution : 250 Reagent : 121024.R11; 081023.01 Consumables : 240321-634-A; 040724CH01; 326250IW Pipette : N/A					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Analyzed by: 4520, 3390, 585, 1440 Weight: 1.004g Extraction date: 12/11/24 10:43:08 Extracted by: 4044,4520 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA081032TYM Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382] Batch Date : 12/11/24 08:20:27 Analyzed Date : 12/13/24 16:18:48 Dilution : 10 Reagent : 111524.96; 111524.101; 110724.R13 Consumables : N/A Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2533g	Extraction date: 12/11/24 10:14:57	Extracted by: 4056
---	------------------------	---	---------------------------

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA081047HEA
Instrument Used : DA-ICPMS-004 **Batch Date :** 12/11/24 09:22:29
Analyzed Date : 12/12/24 09:31:11

Dilution : 50
Reagent : 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12; 120324.07; 112624.R33
Consumables : 179436; 040724CH01; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41210014-011

Harvest/Lot ID: 8347 1957 7653 8599
Batch#: 8347 1957 7653 8599
Sample Size Received : 16 units
Total Amount : 818 units
Sampled : 12/10/24
Completed : 12/13/24 Expires: 12/13/25
Ordered : 12/10/24
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/11/24 10:29:01	Extracted by: 1879
---------------------------------	---------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA081064FIL
Instrument Used : Filth/Foreign Material Microscope
Batch Date : 12/11/24 10:03:29
Analyzed Date : 12/11/24 10:39:44

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.503	PASS	0.85

Analyzed by: 4512, 585, 1440	Weight: 0.2558g	Extraction date: 12/11/24 16:05:15	Extracted by: 4512
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA081056WAT
Instrument Used : DA257 Rotronic HygroPalm
Batch Date : 12/11/24 09:45:35
Analyzed Date : 12/12/24 09:09:27

Dilution : N/A
Reagent : 051624.02
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

