

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210014-012

Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H)

Strawnana (H) Matrix: Derivative Classification: High THC

Type: Vape

Production Method: Other - Not Listed Harvest/Lot ID: 5384876562536608

Batch#: 5384876562536608

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 2271361778719833

Harvest Date: 12/05/24

Sample Size Received: 16 units Total Amount: 1485 units Retail Product Size: 1 gram

Servings: 1

Ordered: 12/10/24 Sampled: 12/10/24

Completed: 12/13/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Sunnyside

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



Filth **PASSED**

CRGA

ND

ND

0.001

Batch Date: 12/11/24 09:40:04



Water Activity **PASSED**



TESTED



Ternenes **PASSED**

PASSED



Cannabinoid

Dec 13, 2024 | Sunnyside

Total THC

90.195% Total THC/Container: 901.950 mg

THCA

0.261

0.001

2.61



CRDA

ND

ND

0.001

D8-THC

ND

ND

0.001

Total CBD 0.166%

CBG

2.842

28.42

0.001

Extraction date: 12/11/24 11:51:00

Total CBD/Container: 1.660 mg



Total Cannabinoids

Total Cannabinoids/Container: 948.350

THCV CBC CBN CRDV 0.975 0.322 ND 0.302 9.75 3.22 ND 3.02 0.001 0.001 0.001 0.001

Extracted by: 3335

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA081050POT Instrument Used: DA-LC-003

89,967

899.67

0.001

Analyzed Date: 12/12/24 09:16:45

ma/unit LOD

Analyzed by: 1665, 585, 1440

Reagent: 120624.R01; 092724.11; 111324.R47 Consumables: 947.109; 040724CH01; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.166

1.66

0.001

Weight: 0.1003q

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H)

Strawnana (H) Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-012 Harvest/Lot ID: 5384876562536608

Batch#: 5384876562536608 Sample Size Received: 16 units

Sampled: 12/10/24 **Ordered:** 12/10/24

Total Amount: 1485 units **Completed:** 12/13/24 **Expires:** 12/13/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	* %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.46	4.746		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	23.04	2.304		SABINENE	0.007	ND	ND	
CIMENE	0.007	6.35	0.635		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.39	0.539		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.73	0.373		ALPHA-CEDRENE	0.005	ND	ND	
BETA-PINENE	0.007	1.98	0.198		ALPHA-PHELLANDRENE	0.007	ND	ND	
AMPHENE	0.007	0.87	0.087		CIS-NEROLIDOL	0.003	ND	ND	
LPHA-BISABOLOL	0.007	0.79	0.079		TRANS-NEROLIDOL	0.005	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.65	0.065		Analyzed by:	Weight:	Extrac	tion date:	Extracted by:
LPHA-TERPINOLENE	0.007	0.62	0.062		3605, 4451, 585, 1440	0.2304g		/24 12:35:3	
ORNEOL	0.013	0.51	0.051		Analysis Method : SOP.T.30.061A.FL, SOP.T.4	40.061A.FL			
ENCHYL ALCOHOL	0.007	0.51	0.051		Analytical Batch : DA081078TER Instrument Used : DA-GCMS-004			Batala Da	ate: 12/11/24 11:21:44
ARYOPHYLLENE OXIDE	0.007	0.39	0.039		Analyzed Date : 12/12/24 09:16:47			paten Da	dte: 12/11/24 11.21.44
LPHA-TERPINEOL	0.007	0.35	0.035		Dilution: 10				
LPHA-HUMULENE	0.007	0.34	0.034		Reagent: 022224.12				
ENCHONE	0.007	0.32	0.032		Consumables: 947.109; 240321-634-A; 280	670723; CE0123			
ARNESENE	0.001	0.31	0.031		Pipette : DA-065				
UAIOL	0.007	0.31	0.031		Terpenoid testing is performed utilizing Gas Chron	natograpny Mass Spectro	metry. For all	Flower samp	ies, the Total Terpenes % is dry-weight corrected.
AMMA-TERPINENE	0.007	0.31	0.031						
SOBORNEOL	0.007	0.26	0.026						
LPHA-TERPINENE	0.007	0.22	0.022						
UCALYPTOL	0.007	0.21	0.021						
-CARENE	0.007	ND	ND						
AMPHOR	0.007	ND	ND						
EDROL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
INALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
otal (%)			4.746						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H)

Strawnana (H) Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-012 Harvest/Lot ID: 5384876562536608

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 5384876562536608 Sample Size Received: 16 units Total Amount: 1485 units **Completed:** 12/13/24 **Expires:** 12/13/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide	LOD	Units	Action	Pass/Fail	Result
			Level						Level		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.01	0 ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.01	0 ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	0 ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0 ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND			0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		. 111			
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0 ppm	0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.01	0 ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	0 ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.01	0 ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.01	0 ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND				0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0 ppm			
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0 ppm	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0 ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07	0 ppm	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 ppm	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	0 ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	0 ppm	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	0 ppm	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:	0.5	Extracted	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3621, 585, 1440 0.2253g		24 14:23:16		450.585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville)			SOP T 40 101)
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	, 501.1.50	LOZ.I L (DUVIC),	301.11.40.101	i L (Guillesville	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA081053PES					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch	Date: 12/11/2	24 09:44:42	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/12/24 12:08:37					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 121024.R11; 081023.01 Consumables: 240321-634-A; 040724CH01; 32	CZENIM				
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette: N/A	.0230100				
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizin	a Liquid Chn	matography Tri	inle-Ouadrunol	e Mass Snectror	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	g Liquid Cili	and cography in	pic quadrapoi	e mass spectror	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight	: E:	ctraction date:		Extracted	d by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 4640, 585, 1440 0.2253g	1	2/11/24 14:23:1	.6	450,585	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville)	, SOP.T.30.	L51A.FL (Davie)	, SOP.T.40.15	1.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA081063VOL					
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date	:12/11/24 10:	U1:14	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : 12/12/24 09:18:57 Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 121024.R11; 081023.01; 111824.R23	· 111824 P	24			
MEVINPHOS	0.010		0.1	PASS	ND	Consumables: 240321-634-A; 040724CH01; 32					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed utilizin accordance with F.S. Rule 64ER20-39.	g Gas Chron	natography Tripl	e-Quadrupole	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H) Strawnana (H)

Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-012 Harvest/Lot ID: 5384876562536608

Batch#: 5384876562536608 Sample Size Received: 16 units Sampled: 12/10/24

Total Amount: 1485 units Ordered: 12/10/24 **Completed:** 12/13/24 **Expires:** 12/13/25

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

Э Л			
- 14		3	ы
-	_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0217g	Extraction date: 12/12/24 12:40:16			xtracted by: 50

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA081081SOL Instrument Used: DA-GCMS-002

Analyzed Date: 12/12/24 14:23:07

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 12/11/24 14:01:55

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H)

Strawnana (H) Matrix: Derivative

Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210014-012 Harvest/Lot ID: 5384876562536608

Batch#: 5384876562536608 Sample Size Received: 16 units Sampled: 12/10/24

Total Amount: 1485 units Ordered: 12/10/24 Completed: 12/13/24 Expires: 12/13/25 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction dat	e:	Е	xtracted	bv:
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000		0.2253g	12/11/24 14:2			50,585	
A I I I V	Madada P			Protoco et a d	leave.		O T DO 101 FL (C-	:::II-\ COD T	40 101 5	(0-:	11-1	

Analyzed by: 4520, 4531, 585, 1440 Weight: **Extraction date:** Extracted by: 1.085g 12/11/24 10:43:08 4044,4520

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA081031MIC

Instrument Used: PathogenDx Scanner DA-111,Applied Biosystems
2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55*C)
DA-020,Fisher Scientific Isotemp Heat Block (95*C) DA-049,Fisher Batch Date: 12/11/24

Scientific Isotemp Heat Block (55*C) DA-021

Analyzed Date: 12/12/24 12:37:39

Reagent: 111524.96; 111524.101; 120524.R12; 062624.19
Consumables: 7578001078

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
4520, 3390, 585, 1440	1.085a	12/11/24 10:43:08	4044.4520

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA081032TYM

Instrument Used: Incubator (25*C) DA- 328 [calibrated with Batch Date: 12/11/24 08:20:27]

Analyzed Date : 12/13/24 16:18:48

Dilution: 10

Reagent: 111524.96; 111524.101; 110724.R13

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

2	Mycotoxins			l	PAS	36
Analyte		LOD	Units	Result	Pass / Fail	Act
AFLATOXIN B	2	0.00	ppm	ND	PASS	0.0
AFLATOXIN B	1	0.00	ppm	ND	PASS	0.0
001104701111		0.00		ND	DACC	

	,					Fail	Level	
	AFLATOXIN B2		0.00	ppm	ND	PASS	0.02	
	AFLATOXIN B1		0.00	ppm	ND	PASS	0.02	
	OCHRATOXIN A		0.00	ppm	ND	PASS	0.02	
	AFLATOXIN G1		0.00	ppm	ND	PASS	0.02	
	AFLATOXIN G2		0.00	ppm	ND	PASS	0.02	
	Analyzed by:	Weight:	Extraction dat			xtracted	by:	
)	3621, 585, 1440	0.2253a	12/11/24 14:2	3:16	4	50.585		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA081062MYC

Instrument Used : N/A

Batch Date: 12/11/24 10:00:43 **Analyzed Date:** 12/12/24 12:11:46

Dilution: 250

Reagent: 121024.R11; 081023.01

Consumables: 240321-634-A; 040724CH01; 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOA	D METALS	0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
- Analyzed by: 1022, 4056, 585, 1440	Weight: 0.2525g	Extraction 12/11/24			Extracte 4056	ed by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA081047HEA Instrument Used : DA-ICPMS-004

Batch Date: 12/11/24 09:22:29 Analyzed Date: 12/12/24 09:31:11

Dilution: 50

Reagent: 112524.R05; 112624.R32; 120924.R13; 120424.R01; 120924.R11; 120924.R12;

120324.07; 112624.R33

Consumables: 179436; 040724CH01; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Supply Vape Cartridge 1g - Strawnana (H)

Strawnana (H) Matrix: Derivative Type: Vape



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA41210014-012 Harvest/Lot ID: 5384876562536608

Sampled: 12/10/24 Ordered: 12/10/24

Batch#: 5384876562536608 Sample Size Received: 16 units Total Amount: 1485 units Completed: 12/13/24 Expires: 12/13/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: Extraction date: Extracted by: 1g 12/11/24 10:29:01 1879

Analysis Method: SOP.T.40.090

Analytical Batch : DA081064FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 12/11/24 10:03:29 Analyzed Date: 12/11/24 10:39:44

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	_	.0 D Units	Result	P/F	Action Level
Water Activity		0.010 aw	0.502	PASS	0.85
Analyzed by: 4512, 585, 1440	Weight:	Extraction of			tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA081056WAT

Instrument Used : DA257 Rotronic HygroPalm Batch Date: 12/11/24 09:45:35

Analyzed Date: 12/12/24 09:09:28

Dilution: N/A **Reagent**: 051624.02 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha