

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41210014-014

Dec 13, 2024 | Sunnyside

Certificate of Analysis

Kaycha Labs

Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix: Derivative Classification: High THC Type: Vape



MISC.

Production Method: Other - Not Listed Harvest/Lot ID: 5422240807915492 Batch#: 5422240807915492 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 4296396906306419 Harvest Date: 12/06/24 Sample Size Received: 16 units Total Amount: 1485 units Retail Product Size: 1 gram Servings: 1 Ordered: 12/10/24 Sampled: 12/10/24 Completed: 12/13/24 Sampling Method: SOP.T.20.010 PASSED

Pages 1 of 6



SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

Pesticio PASSI	des Hea	Hg Ny Metals ASSED	Microbials PASSED	مې Mycotoxir PASSEI		esiduals olvents	Filth PASSED		Activity SSED	Moisture NOT TESTED	Terpenes PASSED	
Ä	Cannab	oinoid			P	ASSED					PASSED	
Total THC 84.883% Total THC/Container : 848.830 mg Total CBD/Container : 1.620 mg Total Cannabinoids/Container : 892.680 Total CBD/Container : 1.620 mg												
									ing			
%	^{D9-THC} 84.685 846.85	тнса 0.226 2.26	CBD 0.162 1.62	ND	D8-THC ND ND	свд 2.688 26.88	CBGA ND ND	CBN 0.931 9.31	тнсv 0.307 3.07	CBDV ND ND	свс 0.269 2.69	
mg/unit LOD	0.001 %	0.001 %	0.001 %	0.001	0.001 %	20.88 0.001 %	0.001 %	9.31 0.001 %	0.001 %	0.001 %	2.69 0.001 %	
nalyzed by: 665, 585, 1440		70	Weight: 0.1099g		Extractio		,,,	70	,,,	Extracted by: 3335	,,,	
nalytical Batch strument Used	I: SOP.T.40.031, SOP.T.40.031, SOP.T.40.031, SOP.T.40.000 I: DA081050POT I: DA-LC-003 12/12/24 09:19:22	DP.T.30.031					Batch Date : 12/11/24	09:40:04				
ilution : 400		111324.R47										

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/13/24



Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-014 Harvest/Lot ID: 5422240807915492

Sampled : 12/10/24 Ordered : 12/10/24

Batch#: 5422240807915492 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/13/24 Expires: 12/13/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

	.OD %)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
	.007	42.77	4.277		ISOBORNEOL	0.007	ND	ND	
ETA-CARYOPHYLLENE 0	.007	9.80	0.980		ISOPULEGOL	0.007	ND	ND	
IMONENE	.007	9.35	0.935		PULEGONE	0.007	ND	ND	
ETA-MYRCENE 0	.007	3.75	0.375		SABINENE HYDRATE	0.007	ND	ND	
LPHA-HUMULENE 0	.007	3.15	0.315		ALPHA-CEDRENE	0.005	ND	ND	
LPHA-BISABOLOL 0	.007	1.55	0.155		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALENCENE	.007	1.42	0.142		CIS-NEROLIDOL	0.003	ND	ND	
NALOOL	.007	1.29	0.129		TRANS-NEROLIDOL	0.005	ND	ND	
LPHA-TERPINOLENE 0	.007	1.29	0.129		Analyzed by:	Weight:	Extract	ion date:	Extracted by:
ETA-PINENE 0	.007	1.22	0.122		3605, 4451, 585, 1440	0.202g		24 12:35:30	
ENCHYL ALCOHOL	.007	1.16	0.116		Analysis Method : SOP.T.30.061A.FL, SOP.T.	40.061A.FL			
EROL	.007	1.12	0.112		Analytical Batch : DA081078TER				10/11/04 11:01:44
PHA-PINENE 0	.007	0.95	0.095		Instrument Used : DA-GCMS-004 Analyzed Date : 12/12/24 09:19:24			Batch Da	te:12/11/24 11:21:44
CIMENE	.007	0.74	0.074		Dilution : 10				
ARNESENE	.001	0.71	0.071		Reagent : 022224.12				
PHA-TERPINEOL 0	.007	0.69	0.069		Consumables : 947.109; 240321-634-A; 280	0670723; CE0123			
ERANYL ACETATE 0	.007	0.60	0.060		Pipette : DA-065				
ENCHONE 0	.007	0.59	0.059		Terpenoid testing is performed utilizing Gas Chron	matography Mass Spectro	ometry. For all F	Hower sample	s, the Total Terpenes % is dry-weight corrected.
AMPHENE	.007	0.53	0.053						
AMPHOR	.007	0.53	0.053						
CARENE	.007	0.52	0.052						
ARYOPHYLLENE OXIDE	.007	0.49	0.049						
LPHA-TERPINENE (.007	0.36	0.036						
UAIOL	.007	0.34	0.034						
ABINENE	.007	0.31	0.031						
AMMA-TERPINENE 0	.007	0.31	0.031						
DRNEOL	.013	ND	ND						
EDROL 0	.007	ND	ND						
JCALYPTOL	.007	ND	ND						
	.007	ND	ND						
	.007								
GERANIOL	.007		ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/13/24



Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com

Sample : DA41210014-014 Harvest/Lot ID: 5422240807915492

Sampled : 12/10/24 Ordered : 12/10/24

Batch#: 5422240807915492 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/13/24 Expires: 12/13/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	maa	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND			0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			1.1.			
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	CNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	ppm	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Veight:	Extracti	on date:		Extracted	by
DIMETHOATE	0.010		0.1	PASS	ND).2593q		4 14:23:17		450.585	by.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL				SOP.T.40.101	.FL (Gainesville	.),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA081053PES						
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (P	ES)		Batch	Date : 12/11/	24 09:44:42	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/12/24 12:09:05 Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 121024.R11; 081023.01						
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 040	724CH01: 32625	0IW				
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing Li	quid Chron	natography Tr	iple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		action date		Extracted	d by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 4640, 585, 1440	0.2593g		1/24 14:23:1		450,585	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL Analytical Batch : DA081063VOL	(Gainesville), SC	JP.1.30.15	IA.FL (Davie), SOP.1.40.15	1.FL	
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date	:12/11/24 10	:01:14	
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date : 12/12/24 09:18:58						
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 121024.R11; 081023.01;						
MEVINPHOS	0.010	1.1.	0.1	PASS	ND	Consumables : 240321-634-A; 040	724CH01; 32625	0IW; 1472	5401			
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfor accordance with F.S. Rule 64ER20-39	ormed utilizing Ga	as Chromat	ography I'ripl	e-Quadrupole	Mass Spectrome	erry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

12/13/24



Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio.Chavez@crescolabs.com Sample : DA41210014-014 Harvest/Lot ID: 5422240807915492 Batch# : 5422240807915492 Sample Size Received : 16 units

Sampled : 12/10/24 Ordered : 12/10/24

Sample Size Received : 16 units Total Amount : 1485 units Completed : 12/13/24 Expires: 12/13/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
-PROPANOL	50.000	ppm	500	PASS	ND				
ACETONE	75.000	ppm	750	PASS	ND				
ACETONITRILE	6.000	ppm	60	PASS	ND				
BENZENE	0.100	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
CHLOROFORM	0.200	ppm	2	PASS	ND				
DICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	<2500.000				
THYL ACETATE	40.000	ppm	400	PASS	ND				
THYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
IEPTANE	500.000	ppm	5000	PASS	ND				
IETHANOL	25.000	ppm	250	PASS	ND				
HEXANE	25.000	ppm	250	PASS	ND				
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
ROPANE	500.000	ppm	5000	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
OTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 1440	Weight: 0.021g	Extraction date: 12/12/24 12:40:16			xtracted by: 50				
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081081SOL Instrument Used : DA-GCMS-002 Analyzed Date : 12/12/24 14:37:08	tical Batch : DA081081SOL ument Used : DA-GCMS-002 Batch Date : 12/11/24 14:01:55								
Dilution : 1 Reagent : N/A Consumables : N/A									

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/13/24

PASSED



Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-014 Harvest/Lot ID: 5422240807915492

Sampled : 12/10/24 Ordered : 12/10/24

Batch#: 5422240807915492 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/13/24 Expires: 12/13/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Micro	bial			PAS	SED	သို့	Му	cotox	ins			PAS	SED
Analyte		LO	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXII	A		0.00	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGE	ELLA T AND MOLD	10.	00 CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3621, 585, 144	0	Weight: 0.2593g	Extraction dat 12/11/24 14:2			xtracted 150,585	by:
nalyzed by: 520, 4531, 58	35, 1440	Weight: 1.158g	Extraction da 12/11/24 10:		Extracted 4044,452				30.101.FL (Gair , SOP.T.40.102.	nesville), SOP.T. FL (Davie)	40.101.FL	. (Gainesvi	ille),	
Analytical Bate	od:SOP.T.40.056 ch:DA081031MIC ed:PathogenDx	2			Batch Date :	12/11/24	Analytical Bate Instrument Use Analyzed Date	ch:DA081 ed:N/A	062MYC		atch Date	: 12/11/24	4 10:00:4	3
720 Thermoc A-020,Fisher scientific Isote	cycler DA-010,Fisł Scientific Isotem emp Heat Block (5 : 12/12/24 12:37	ner Scientific p Heat Block 55*C) DA-023	Isotemp Heat (95*C) DA-049	Block (55*C) (Dilution : 250 Reagent : 1210 Consumables : Pipette : N/A		081023.01 34-A; 040724Cl	H01; 326250IW				
	524.96; 111524.1 7578001078	.01; 120524.	R12; 062624.1	9			Mycotoxins test accordance wit			graphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 520, 3390, 58	35, 1440	Weight: 1.158g	Extraction da 12/11/24 10:		Extracted 4044,452		Hg	Hea	avy Me	etals			PAS	SED
Analytical Bate	od:SOP.T.40.208 h:DA081032TY	N					Metal			LOD	Units	Result	Pass / Fail	Action Level
nstrument Use A-3821	ed : Incubator (25	5*C) DA- 328	[calibrated wit	h Batch Da	te:12/11/2	4 08:20:27	TOTAL CONT		LOAD METAL	.s 0.08	ppm	ND	PASS	1.1
	: 12/13/24 16:18	:48					ARSENIC			0.02	ppm	ND	PASS	0.2
ilution : 10	,,	-					CADMIUM			0.02	ppm	ND	PASS	0.2
	524.96; 111524.1	.01; 110724.	R13				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables :	N/A						LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perf		g MPN and traditi	onal culture base	d techniques	in	Analyzed by: 1022, 4056, 58	5, 1440	Weight 0.2224		on date: 10:17:08	}	Extractor 4056	ed by:
ccordance with	n F.S. Rule 64ER20-3	39.					Analysis Metho Analytical Bato Instrument Uso Analyzed Date	ch:DA081 ed:DA-ICF	PMS-004		:h Date : 1	.2/11/24 0	9:22:29	
							Dilution : 50 Reagent : 112	524.R05; 1	.12624.R32; 12	0924.R13; 1204	24.R01; 1	20924.R1	1; 12092	4.R12;

120324.07; 112624.R33 **Consumables :** 179436; 040724CH01; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/13/24



..... Supply Vape Cartridge 1g - Garlic Cks (H) Garlic Cks (H) Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41210014-014 Harvest/Lot ID: 5422240807915492

Sampled : 12/10/24 Ordered : 12/10/24

Batch#: 5422240807915492 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/13/24 Expires: 12/13/25 Sample Method : SOP.T.20.010

		Filth/Foi Material	PASSED								
	nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level				
	nalyzed by: 379, 585, 1440	Weight: 1g		action da		Extracted by: 1879					
A In	Analysis Method : SOP.T.40.090 Analytical Batch : DA081064FiL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/11/24 10:39:43 Batch Date : 12/11/24 10:39:43										
R C	ilution : N/A eagent : N/A onsumables : N pette : N/A	/A									
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											
	(\bigcirc)	Water A	ctiv	ity		PA	SSED				

Analyte Water Activity	-	L OD 0.010	Units aw	Result 0.472	P/F PASS	Action Level 0.85				
Analyzed by: 4512, 585, 1440	Weight: 0.1119g		traction da 2/11/24 16:			tracted by: 12				
Analysis Method : SOP.T.40.019 Analytical Batch : DA081056WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 12/11/24 09:45:35 Analyzed Date : 12/12/24 09:09:29										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/13/24

PASSED

Page 6 of 6