



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41211012-005



Dec 14, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filth
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
PASSED

MISC.



Cannabinoid

PASSED



Total THC

25.227%

Total THC/Container : 1765.890 mg



Total CBD

0.068%

Total CBD/Container : 4.760 mg



Total Cannabinoids

29.703%

Total Cannabinoids/Container : 2079.210 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGa	CBN	THCV	CBDV	CBC
%	0.703	27.964	ND	0.078	0.031	0.065	0.762	ND	ND	ND	0.100
mg/unit	49.21	1957.48	ND	5.46	2.17	4.55	53.34	ND	ND	ND	7.00
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
3335, 4351, 585, 1440

Weight:
0.202g

Extraction date:
12/12/24 13:16:44

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA081107POT

Instrument Used : DA-LC-002

Analyzed Date : 12/13/24 10:18:30

Batch Date : 12/12/24 11:42:01

Dilution : 400

Reagent : 111824.R21; 092724.11; 111824.R22

Consumables : 947.109; 040724CH01; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/14/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Gito Mnts (I)
Gito Mnts (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA41211012-005

Harvest/Lot ID: 3409648128751411

Batch# : 3409648128751411

Sampled : 12/11/24

Ordered : 12/11/24

Sample Size Received : 8 units

Total Amount : 1816 units

Completed : 12/14/24 Expires: 12/14/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

PASSED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	85.75	1.225		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	25.48	0.364		ALPHA-CEDRENE	0.005	ND	ND	
LIMONENE	0.007	13.51	0.193		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	12.60	0.180		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	8.40	0.120		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.88	0.084		CIS-NEROLIDOL	0.003	ND	ND	
FARNESENE	0.007	5.11	0.073		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.78	0.054		TRANS-NEROLIDOL	0.005	ND	ND	
FENCHYL ALCOHOL	0.007	3.36	0.048		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINEOL	0.007	3.36	0.048		4451, 585, 1440	1.1083g	12/12/24 13:15:48	4451	
BETA-PINENE	0.007	2.59	0.037		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	1.68	0.024		Analytical Batch : DA081117TER				
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
BORNEOL	0.013	ND	ND		Analyzed Date : 12/13/24 10:30:10				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 032524.17				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; 240321-634-A; 280670723; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-065				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
Total (%)			1.225						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/14/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Gito Mnts (I)
Gito Mnts (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
Indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41211012-005

Harvest/Lot ID: 3409648128751411

Batch# : 3409648128751411

Sampled : 12/11/24

Ordered : 12/11/24

Sample Size Received : 8 units

Total Amount : 1816 units

Completed : 12/14/24 Expires: 12/14/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	0.262	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	0.262	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.9939g	Extraction date: 12/12/24 14:08:04	Extracted by: 4640,450,3621		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA081096PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 12/12/24 09:51:35		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/13/24 10:28:50					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 121224.R01; 081023.01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)	Weight: 0.9939g	Extraction date: 12/12/24 14:08:04	Extracted by: 4640,450,3621		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA081098VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 12/12/24 09:55:42		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 12/13/24 10:24:33					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 121224.R01; 081023.01; 111824.R23; 111824.R24					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 240321-634-A; 040724CH01; 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/14/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Gito Mnts (I)
Gito Mnts (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41211012-005

Harvest/Lot ID: 3409648128751411

Batch# : 3409648128751411

Sampled : 12/11/24

Ordered : 12/11/24

Sample Size Received : 8 units

Total Amount : 1816 units

Completed : 12/14/24 Expires: 12/14/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.00	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.00	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.00	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10.00	CFU/g	57000	PASS	100000	Analyzed by: 3621, 585, 1440		Weight: 0.9939g	Extraction date: 12/12/24 14:08:04		Extracted by: 4640,450,3621									
Analyzed by: 4520, 585, 1440		Weight: 0.9654g	Extraction date: 12/12/24 09:50:10		Extracted by: 4520		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)														
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							Analytical Batch : DA081097MYC														
Analytical Batch : DA081085MIC							Instrument Used : N/A														
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (55°C)							Batch Date : 12/12/24 09:55:23														
DA-020,Fisher Scientific Isotemp Heat Block (95°C) DA-049,Fisher Scientific Isotemp Heat Block (55°C) DA-021							Analyzed Date : 12/13/24 10:26:54														
Analyzed Date : 12/13/24 11:54:44																					
Dilution : 10							Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.														
Reagent : 111524.96; 111524.133; 120524.R12; 062624.19																					
Consumables : 7578001076																					
Pipette : N/A																					
Analyzed by: 4520, 4044, 585, 1440		Weight: 0.9654g	Extraction date: 12/12/24 09:50:10		Extracted by: 4520																
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																					
Analytical Batch : DA081086TYM																					
Instrument Used : Incubator (25°C) DA- 328 [calibrated with DA-382]							Batch Date : 12/12/24 08:51:12														
Analyzed Date : 12/14/24 17:12:09																					
Dilution : 10																					
Reagent : 111524.96; 111524.133; 110724.R13																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 4056, 585, 1440		Weight: 0.2224g	Extraction date: 12/12/24 13:02:57		Extracted by: 4056		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL				
Analytical Batch : DA081080HEA							Batch Date : 12/11/24 12:25:35				
Instrument Used : DA-ICPMS-004							Analyzed Date : 12/13/24 09:48:21				
Dilution : 50											
Reagent : 112524.R05; 120924.R13; 121224.R02; 120924.R11; 120924.R12; 120324.07; 112624.R33											
Consumables : 179436; 040724CH01; 210508058											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 7g - Gito Mnts (I)
Gito Mnts (I)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: Julio.Chavez@crescolabs.com

Sample : DA41211012-005

Harvest/Lot ID: 3409648128751411

Batch# : 3409648128751411

Sampled : 12/11/24

Ordered : 12/11/24

Sample Size Received : 8 units

Total Amount : 1816 units

Completed : 12/14/24 Expires: 12/14/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.03	PASS	15
Analyzed by: 1879, 585, 1440	Weight: 1g	Extraction date: 12/12/24 14:15:38	Extracted by: 1879			Analyzed by: 4512, 585, 1440	Weight: 0.5g	Extraction date: 12/12/24 14:34:07	Extracted by: 4512		
Analysis Method : SOP.T.40.090 Analytical Batch : DA081125FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 12/12/24 14:25:04						Analysis Method : SOP.T.40.021 Analytical Batch : DA081115MOI Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser,DA-385 11:59:39 Moisture Analyzer Analyzed Date : 12/13/24 10:16:33					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.502	PASS	0.65
Analyzed by: 4512, 585, 1440	Weight: 0.609g	Extraction date: 12/12/24 15:28:25	Extracted by: 4512		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA081116WAT					
Instrument Used : DA257 Rotronic HygroPalm			Batch Date : 12/12/24 11:59:56		
Analyzed Date : 12/13/24 10:17:56					
Dilution : N/A					
Reagent : 051624.02					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
12/14/24