

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

SUNNYSIDE DA41212014-08

Laboratory Sample ID: DA41212014-003

Dec 16, 2024 | Sunnyside

Certificate of Analysis

Kaycha Labs

Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix: Derivative Classification: High THC Type: Vape



MISC.

Production Method: Other - Not Listed Harvest/Lot ID: 2360579198127219 Batch#: 2360579198127219 Cultivation Facility: FL - Indiantown (4430) Processing Facility : FL - Indiantown (4430) Source Facility: FL - Indiantown (4430) Seed to Sale#: 6596153793822771 Harvest Date: 12/05/24 Sample Size Received: 16 units Total Amount: 1485 units Retail Product Size: 1 gram Servings: 1 Ordered: 12/12/24 Sampled: 12/12/24 Completed: 12/16/24 Sampling Method: SOP.T.20.010 PASSED

Pages 1 of 6



SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFEIIK	ESULIS										MISC.		
В	[Hg	Ç	ؠ	ؠ	Ä		(\bigcirc		Ô		
		wy Metals ASSED	Microbials PASSED	Mycoto PASS		Residuals Solvents PASSED	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes PASSED		
Ä	Cannab	oinoid								I	PASSEI		
Total THC 83.384% Total THC/Container : 833.840 mg Total CBD Total CBD/Container : 1.530 mg Total Cannabinoids/Container : 876.710 mg													
%	^{D9-THC} 83.173	THCA 0,241	CBD 0.153	CBDA ND	D8-ТНС ND	свд 2.632	CBGA ND	сви 0.907	тнсv 0,300	CBDV ND	свс 0,265		
mg/unit	831.73	2.41	1.53	ND	ND	26.32	ND	9.07	3.00	ND	2.65		
_OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		
	%	%	%	%	%	%	%	%	%	%	%		
alyzed by: 35, 1665, 585	, 1440			Weight: 0.1095g		Extraction date: 12/13/24 12:56:2	23			Extracted by: 3335			
nalytical Batch strument Used	I: SOP.T.40.031, SO DA081142POT DA-LC-003 12/16/24 09:34:57						Batch Date : 12/13/24	08:22:48					
ilution : 400 eagent : 12112 onsumables : 9	24.R44; 092724.11; 947.109; 040724CH 9; DA-108; DA-078	111324.R46	14270										
II Spectrum can	nabinoid analysis utili:	zing High Performance	e Liquid Chromatography	with UV detection in	accordance with F	.S. Rule 64ER20-39.							

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/24



..... Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41212014-003 Harvest/Lot ID: 2360579198127219 Sampled : 12/12/24

Ordered : 12/12/24

Batch#: 2360579198127219 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/16/24 Expires: 12/16/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		OD %)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	46.16	4.616			PULEGONE		0.007	ND	ND	
IMONENE	0.007	10.22	1.022			SABINENE	(0.007	ND	ND	
ETA-MYRCENE	0.007	9.01	0.901			SABINENE HYDRATE	(0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	5.94	0.594			VALENCENE	(0.007	ND	ND	
ETA-PINENE	0.007	4.03	0.403			ALPHA-PHELLANDRENE	(0.007	ND	ND	
INALOOL	0.007	2.67	0.267			ALPHA-TERPINENE	(0.007	ND	ND	
ENCHYL ALCOHOL	0.007	2.60	0.260			CIS-NEROLIDOL	(0.003	ND	ND	
LPHA-PINENE	0.007	1.62	0.162		1	GAMMA-TERPINENE	(0.007	ND	ND	
-CARENE	0.007	1.45	0.145		1	Analyzed by:	Weight:		Extraction da	te:	Extracted by:
LPHA-BISABOLOL	0.007	1.41	0.141		1	3605, 585, 1440	0.224g		12/13/24 11:5	54:39	3605
LPHA-TERPINEOL	0.007	1.30	0.130		i i	Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL				
LPHA-TERPINOLENE	0.007	1.21	0.121		i i	Analytical Batch : DA081163TER Instrument Used : DA-GCMS-004					Date : 12/13/24 09:51:09
LPHA-HUMULENE	0.007	1.02	0.102		Ĩ	Analyzed Date : 12/16/24 09:34:59				Batch	Date: 12/13/24 09:51:09
AMPHOR	0.007	0.72	0.072		Í	Dilution : 10					
ERANIOL	0.007	0.50	0.050		Ì	Reagent : 032524.17					
ARYOPHYLLENE OXIDE	0.007	0.47	0.047			Consumables : 947.109; 240321-634-A; 2	280670723; CE01	.23			
RANS-NEROLIDOL	0.005	0.40	0.040			Pipette : DA-065					
AMPHENE	0.007	0.38	0.038			Terpenoid testing is performed utilizing Gas Cl	hromatography Mas	is Spectro	ometry. For all F	lower sam	ples, the Total Terpenes % is dry-weight corrected.
ARNESENE	0.001	0.35	0.035								
JAIOL	0.007	0.31	0.031								
CIMENE	0.007	0.31	0.031								
LPHA-CEDRENE	0.005	0.24	0.024								
ORNEOL	0.013	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
IEXAHYDROTHYMOL SOBORNEOL SOPULEGOL	0.007	ND	ND								
SOBORNEOL	0.007 0.007		ND ND								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/24



..... Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Julio Chavez@crescolabs.com

Sample : DA41212014-003 Harvest/Lot ID: 2360579198127219

Sampled : 12/12/24 Ordered : 12/12/24

Batch#: 2360579198127219 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/16/24 Expires: 12/16/25 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010	1.1.	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN				0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010				
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND			0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PC	NB) *					
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	ppm	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: W	/eight:	Extraction	on date:		Extracted b	NV:
DIMETHOATE	0.010		0.1	PASS	ND		.2102g		14:52:11		450,3379	.,.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), SC	P.T.30.10	2.FL (Davie), S	50P.T.40.101.	FL (Gainesville)),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA081156PES						
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PE	:5)		Batch I	Date: 12/13/2	4 09:46:23	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :12/16/24 09:59:18 Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 121224.R01; 081023.01						
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 0407	24CH01; 32625	0IW				
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfo	rmed utilizing Lio	quid Chrom	natography Trip	ole-Quadrupole	Mass Spectron	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		action date:		Extracted	l by:
IMIDACLOPRID	0.010		0.4	PASS	ND	4640, 450, 585, 1440	0.2102g		3/24 14:52:11		450,3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Analytical Batch :DA081157VOL	(Gainesville), SC	P.I.30.15	IA.FL (Davie),	SOP.1.40.151	FL	
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-011			Batch Date :	12/13/24 09:4	17:40	
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :12/16/24 09:57:48				, 00.	-	
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 121224.R01; 081023.01;						
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 240321-634-A; 0407	24CH01; 32625	0IW; 1472	5401			
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfo accordance with F.S. Rule 64ER20-39.	rmed utilizing Ga	is Chromat	ography Triple	-Quadrupole N	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/24

PASSED

PASSED



Page 4 of 6

..... Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix : Derivative Type: Vape



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41212014-003 Harvest/Lot ID: 2360579198127219 Sampled : 12/12/24 Ordered : 12/12/24

Batch#: 2360579198127219 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/16/24 Expires: 12/16/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0224g	Extraction date: 12/16/24 12:43:52		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA081187SOL nstrument Used : DA-GCMS-002 Analyzed Date : 12/16/24 14:03:59			Batch Date : 12/13/24 1	6:20:19	

Reagent : 030420.09 Consumables : 430274: 319008 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/24



. Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix : Derivative Type: Vape



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41212014-003 Harvest/Lot ID: 2360579198127219

Sampled : 12/12/24 Ordered : 12/12/24

Batch#: 2360579198127219 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/16/24 Expires: 12/16/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç	Microbi	al			PAS	SED	သို့	Му	/cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	B2		0.00	ppm	ND	PASS	0.02
SPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	B1		0.00	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.00	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.00	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.00	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction dat			xtracted	2011
OTAL YEAS	T AND MOLD	10.00	CFU/g	<10	PASS	100000	3379, 585, 144	0	0.2102g	12/13/24 14:5			50,3379	JY:
nalyzed by: 520, 585, 144	Weight: 0 0.925a		action date: 3/24 10:35:	36	Extracted 4044	by:			.30.101.FL (Gai , SOP.T.40.102	nesville), SOP.T. FL (Davie)	40.101.FL	Gainesvi (Gainesvi	ille),	
nalytical Bate	od : SOP.T.40.056C, SO ch : DA081134MIC ed : PathogenDx Scan				atch Date :	12/13/24	Analytical Bat Instrument Us Analyzed Date	:h : DA081 ed : N/A	158MYC		atch Date	: 12/13/24	4 09:49:0	4
A-020,Fisher cientific Isote	cycler DA-010,Fisher S Scientific Isotemp Hea Scientific Isotemp Heat Block (55*C) 12/16/24 09:34:09	at Block (9			8:02:42		Dilution : 250 Reagent : 121 Consumables Pipette : N/A			H01; 326250IW				
	724.41; 111524.110; 1 7578001084	120524.R12	2; 062624.1	9			Mycotoxins tes accordance wit			graphy with Triple	-Quadrupo	le Mass Spe	ectrometry	in
nalyzed by: 520, 1879, 58			Extraction d 12/13/24 10		Extracte 4044	d by:	Hg	He	avy M	etals			PAS	SE
nalytical Bate	od : SOP.T.40.208 (Gai :h : DA081136TYM						Metal			LOD	Units	Result	Pass / Fail	Action
A-3821	ed : Incubator (25*C) [JA- 328 [ca	librated wit	ih Batch Dat	te:12/13/2	4 08:03:40	TOTAL CON		T LOAD META	L S 0.08	ppm	ND	PASS	1.1
	: 12/16/24 09:06:39						ARSENIC			0.02	ppm	ND	PASS	0.2
ilution : 10							CADMIUM			0.02	ppm	ND	PASS	0.2
	724.41; 111524.110; 1	110724.R1	3				MERCURY			0.02	ppm	ND	PASS	0.2
onsumables :			-				LEAD			0.02	ppm	ND	PASS	0.5
pette : N/A	mold testing is performe	d utilizina M	N and traditi	onal culture base	d techniquer	in	Analyzed by:	5 1440	Weigh				Extracto	ed by:
	n F.S. Rule 64ER20-39.	a atmizing Mi	in and traditi	onar culture base	a techniques		4056, 1022, 54 Analysis Meth Analytical Bat Instrument Us Analyzed Date	od : SOP.T. :h : DA081 ed : DA-ICI	PMS-004	P.T.40.082.FL	11:42:41	L L2/13/24 0	4056 8:43:45	
							Dilution : 50			0924.R13; 1212	24.R02; 1	20924.R1	1; 12092	4.R12;

120324.07; 121324.R01 Consumables : 179436; 040724CH01; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 12/16/24



..... Supply Vape Cartridge 1g - Platinum OG (I) Platinum OG (I) Matrix : Derivative Type: Vape



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Ordered : 12/12/24

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA41212014-003 Harvest/Lot ID: 2360579198127219 Sampled : 12/12/24

Batch#: 2360579198127219 Sample Size Received: 16 units Total Amount : 1485 units Completed : 12/16/24 Expires: 12/16/25 Sample Method : SOP.T.20.010

		Filth/Foi Material	PASSED								
	nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level				
	nalyzed by: 879, 585, 1440	Weight: 1g	=/(1)	action da		Extracted by: 1879					
A Ir	nalytical Batch strument Used	: SOP.T.40.090 : DA081232FIL : Filth/Foreign Mater 12/14/24 21:39:39	ial Micro	oscope	Batch I	Date : 12/1	4/24 14:36:51				
R C	ilution : N/A eagent : N/A onsumables : N ipette : N/A	/A									
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											
	(\bigcirc)	Water A	ctiv	ity		ΡΑ	SSED				

Analyte Water Activity		LOD 0.010	Units aw	Result 0.495	P/F PASS	Action Level 0.85				
Analyzed by: Weight: Extraction date: Extract 4512, 585, 1440 0.2074g 12/13/24 15:11:14 4512										
Analysis Method : SOP.T.40.019 Analytical Batch : DA081169WAT Instrument Used : DA257 Rotronic HygroPalm Batch Date : 12/13/24 10:00:15 Analyzed Date : 12/16/24 09:18:27										
Dilution : N/A Reagent : 051624.02 Consumables : PS-14 Pipette : N/A										

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 12/16/24

PASSED

Page 6 of 6